## COVID-19 Pediatric Research PID 284

A Project Home	≅ Project Setup	☑ Online Designer	Data Dictionary	<b>■</b> Codebook
■ Codebook ▼				

## **■** Data Dictionary Codebook

09/03/2021 12:57pm

↑ Collapse all instruments Collapse all instruments

	#	Variable / Field Name	Field Label Field Note	Field Attributes (Field Type, Validation, Choices, Calculations, etc.)				
Inst	nstrument: Biomedical Recommended Measures (biomedical_recommended_measures)							
	1	subject_number	Subject Number	text, Required				
	2	biomedintro	Section Header: COVID-19 Pediatric Biomedical Recommended Measures  The following document includes the Biomedical Pediatric Working Group's recommended instruments for collecting information on the Group's Tier 1 and Tier 2 data elements, organized by Domain. Document Notes:- Navigation: You may use the Navigation Pane to efficiently navigate the document. To do so, click "View" on the top of the Word doc and check the box labeled "Navigation Pane" under "Show." - Endnotes: References are marked by endnotes; you may hover over or click on the endnote to display the reference, and modifications to the source if applicable Tiers: Tier 1 elements are marked in Blue, Tier 2 elements are marked in Green Common Data Elements (CDE) User Guidance:- Unless specified, the units for specified age groups are in years.	descriptive				
	3	download	Please click the link below to download the document.	descriptive				
	4	biomedical_recommended_measures_complete	Section Header: Form Status  Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete				
Inst	rument:	Baseline Child Health (baseline_child_h	ealth) 🛂 Enabled as survey	^ Collapse Collapse				
	5	ch_enrolldt	Date participant was enrolled in study (protocol specific)	text (date_mdy) Custom alignment: RH				

6	ch_cond1	Section Header: Underlying Conditions	checkbox		
		Significant underlying medical conditions at the time of COVID-19 testing or diagnosis:	1	ch_cond11	Diabetes type I
			2	ch_cond12	Diabetes type II
			3	ch_cond13	Obesity
			4	ch_cond14	Asthma
			5	ch_cond15	Bronchopulmonary dysplasia (BPD)
			6	ch_cond16	Cystic fibrosis
			7	ch_cond17	Obstructive sleep apnea
			8	ch_cond18	Tracheomalacia
			9	ch_cond19	Cancer
			10	ch_cond110	HIV/AIDS
			11	ch_cond111	Hematopoietic cell recipient/bone marrow transplant recipient
			12	ch_cond112	Solid organ transplant recipient
			13	ch_cond113	Rheumatologic conditions (e.g. rheumatoid arthritis, systemic lupus erythematosus, vasculitis)
			14	ch_cond114	Hypertension
			15	ch_cond115	Congenital heart disease
			16	ch_cond116	Heart failure
			17	ch_cond117	Cardiomyopathy
			18	ch_cond118	History of Kawasaki Disease (not a current diagnosis)
			19	ch_cond119	History of MIS-C (not a current diagnosis)
			20	ch_cond120	Inflammatory bowel disease
			Field Wor sou	king Group (WG)	IO Post COVID Case Report Form  Biomedical Pediatric modifications  https://cdn.who.int/media/docs/default- issions/who_crf_postcovid_feb9_2021.pdf?

7	ch_cond2	Significant underlying medical conditions at the time of COVID-19 testing or diagnosis:	checkbox
			1 ch_cond21 Feeding tube dependent
			2 ch_cond22 Sickle cell disease
			3 ch_cond23 Thrombotic disorders
			4 ch_cond24 Chronic liver disease
			5 ch_cond25 Chronic kidney disease
			6 ch_cond26 Seizure disorder/epilepsy
			7 ch_cond27 Eczema
			8 ch_cond28 Physical disability (including cerebral palsy)
			9 ch_cond29 Down syndrome
			10 ch_cond210   Congenital syndromes/anomalies or genetic conditions including other chromosomal syndromes
			11 ch_cond211 Premature or neonatal conditions
			12 ch_cond212 Pregnancy (if of reproductive age)
			96 ch_cond296 Other conditions (specify)
			Custom alignment: LV
8	ch_cond2_spfy	Specify Other	text
	Show the field ONLY if: [ch_cond2(96)]='1'		Custom alignment: RH
9	ch_neocond	Premature and Neonatal Conditions (Tier 2)	checkbox
			1 ch_neocond1 Fetal malnutrition
			2 ch_neocond2 Extreme immaturity
			3 ch_neocond3 Cerebral hemorrhage at birth
			4 ch_neocond4 Spinal cord injury at birth
			5 ch_neocond5 Birth asphyxia
			6 ch_neocond6 Respiratory diseases
			7 ch_neocond7 Hypoxic-ischemic encephalopathy
			96 ch_neocond96 Other
			Custom alignment: LV Field Annotation: Feudtner C, Feinstein JA, Zhong W, Hall M, Dai D. Pediatric complex chronic conditions classification system version 2: updated for ICD-10 and complex medical technology dependence and transplantation. BMC Pediatr. 2014 Aug 8;14:199. doi: 10.1186/1471-2431-14-199. PMID: 25102958; PMCID: PMC4134331.  https://pubmed.ncbi.nlm.nih.gov/25102958/
10	ch_neocond_spfy	Specify other	text
	Show the field ONLY if: [ch_neocond(96)] = '1'		
11	ch_descr	Section Header: Family History Comorbidities (Tier 2)	descriptive
		Have any family members (parent/sibling) been diagnosed with any of the following medical conditions currently or in the past?	Field Annotation: MUSIC Case Report Form  Biomedical Pediatric WG prioritized response list

12	ch_obese	Obesity	radio  1 Yes  0 No  98 Unknown
			Custom alignment: RH
13	ch_diabete1	Diabetes type I	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH
14	ch_diabete2	Diabetes type II	radio 1 Yes 0 No 98 Unknown  Custom alignment: RH
15	ch_fibro	Fibromyalgia (amplified pain syndrome)	radio 1 Yes 0 No 98 Unknown  Custom alignment: RH
16	ch_ra	Rheumatologic conditions (e.g. rheumatoid arthritis, systemic lupus erythematosus, vasculitis)	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH
17	ch_thrombotic	Thrombotic disorders	radio  1 Yes 0 No 98 Unknown  Custom alignment: RH
18	ch_othcomorb	Other significant comorbidity (specify)	radio  1 Yes  0 No 98 Unknown  Custom alignment: RH
	ch_othcomorb_spfy Show the field ONLY if: [ch_othcomorb]='1'	Specify other significant comorbidity	text Custom alignment: RH

	20	ch meau	Section Header:	radio (Matrix)
	20	ch_mcov	If the participant is in first year of life, did the participant's mother test positive for COVID-	radio (Matrix)  1 Yes
			19 while pregnant or nursing?	
				0 No
				98 Unknown
				99 Prefer Not to Answer
				Field Appetations MIJCIC Case Depart Form   Diamodical Dediatric WC prioritized
				Field Annotation: MUSIC Case Report Form  Biomedical Pediatric WG prioritized response list
	21	ch_dcov	If participant is in first year of life, did the participant's father or other caregiver test	radio (Matrix)
			positive for COVID-19?	1 Yes
				0 No
				98 Unknown
				99 Prefer Not to Answer
				Field Annotation: MUSIC Case Report Form  Biomedical Pediatric WG prioritized
				response list
	22	ch_ht	Section Header: Health Status (Height/Weight)	text (number)
		_	Height	Custom alignment: RH
			cm	Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1  RADxCDE https://www.radxrad.org/resource/guidance-for-use-of-common-
				data-elements-cdes/
	23	ch_ht_na		radio
		Show the field ONLY if:		0 Not available
		[ch_ht]="		Custom alignment: RH
	24	ch_wt	Weight	text (number)
			8	Custom alignment: RH
				Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1  RADxCDE https://www.radxrad.org/resource/guidance-for-use-of-common-
				data-elements-cdes/
	25	ch_wt_na		radio
		Show the field ONLY if:		0 Not available
		[ch_wt]="		
				Custom alignment: RH
	26	ch_headcircum_cm	Head Circumference (Only for children less than two years of age) (Tier 2)	text (number)
			Sin .	Custom alignment: RH Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
				RADxCDE https://www.radxrad.org/resource/guidance-for-use-of-common-
				data-elements-cdes/
	27	ch_headcircum_cm_na		radio
		Show the field ONLY if:		0 Not available
		[ch_headcircum_cm]="		Custom alignment: RH
Ш				Custom angrillient. All

	28	ch_bf	Section Header: Breastfeeding (Tier 2)	radio (Matrix)
			If the participant is in first year of life, is he or she being breastfed or fed pumped milk?	1 Yes
				0 No
				98 Unknown
				99 Prefer Not to Answer
				Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
				RADxCDE https://www.radxrad.org/resource/guidance-for-use-of-common- data-elements-cdes/
	29	 ch_covid_vac	Section Header: COVID-19 Vaccination History	radio (Matrix)
	25	en_coma_vae	Has the participant received a COVID-19 vaccine?	1 Yes
				0 No
				98 Unknown
				99 Prefer Not to Answer
				Field Annotation: CONNECTS NHLBI Common Data Elements   https://nhlbi- connects.org/common_data_elements
	30	ch_covid_vac_name	Which vaccine brand/type did the participant receive?	radio
		Show the field ONLY if:		1 Pfizer
		[ch_covid_vac]='1'		2 Moderna
				3 Johnson and Johnson
				4 AstraZeneca
				98 Unknown
				96 Other (specify)
				Field Annotation: CONNECTS NHLBI Common Data Elements  https://nhlbi-
				connects.org/common_data_elements
	31	ch_covid_vac_name_spfy	Specify Other	text
		Show the field ONLY if:		Custom alignment: RH
+	32	[ch_covid_vac_name] = '96' ch_covid_vac_dose2	Did the participant receive the second dose of the COVID-19 vaccine?	radio
	32	Show the field ONLY if:	and the participant receive the second dose of the combine value.	1 Yes
		[ch_covid_vac]='1'		0 No
				97 N/A
				98 Unknown
				99 Prefer Not to Answer
				Field Appetation: CONNECTS NILL PL Common Data Floments Libttes://phlbi
				Field Annotation: CONNECTS NHLBI Common Data Elements  https://nhlbi- connects.org/common_data_elements
	33	ch_covid_vac_date	1st Date of vaccination	text (date_mdy)
		Show the field ONLY if:		Custom alignment: RH Field Annotation: CONNECTS NHLBI Common Data Elements  https://nhlbi-
		[ch_covid_vac]='1'		connects.org/common_data_elements @HIDEBUTTON
	34	ch_covid_vac_date2	2nd Date of vaccination	text (date_mdy)
		Show the field ONLY if:		Custom alignment: RH Field Annotation: CONNECTS NHLBI Common Data Elements  https://nhlbi-
		[ch_covid_vac_dose2]='1'		connects.org/common_data_elements @HIDEBUTTON

35	ch covid vac ryp	Did the participant have any adverse reactions or side offects?	radio
20	ch_covid_vac_rxn	Did the participant have any adverse reactions or side effects?	1 Yes
	Show the field ONLY if: [ch_covid_vac]='1'		
	[cn_covid_vac]= 1		0 No
			97 N/A
			98 Unknown
			99 Prefer Not to Answer
			Field Annotation: CONNECTS NHLBI Common Data Elements  https://nhlbi- connects.org/common_data_elements
36	ch_lcovid	Section Header: PASC Symptom Resolution (Tier 2)	radio
		If the participant had long COVID/post-acute sequelae of COVID-19 (PASC) symptoms at the	1 Yes, full resolution of symptoms
		time of vaccination, did those symptoms change?	2 Yes, some improvement in symptoms
			3 Yes, worsening of symptoms
			4 No, no significant change
			They no significant change
			Field Annotation: CONNECTS NHLBI Common Data Elements  https://nhlbi- connects.org/common_data_elements
37	ch_mcovid_vax	Section Header: Maternal COVID-19 Vaccination History (Tier 2)	radio (Matrix)
		If participant is in first year of life, did the participant's mother receive vaccination for	1 Yes
		COVID-19 while pregnant or nursing?	0 No
			98 Unknown
			99 Prefer Not to Answer
			Field Annotation: Biomedical Pediatric WG
38	ch_immun	Section Header: Current Vaccination Status (Tier 2) Parent Report About Child	radio (Matrix)
		Are the patient's immunizations up to date for their age at the time of COVID-19	1 Yes
		diagnosis/assessment?	0 No
			98 Unknown
			99 Prefer Not to Answer
			Field Annotation: St. Jude Pediatric COVID-19 U.S. Registry Case Report Form
39	ch_immun_rsn	If immunizations are not up to date, what is/are the reason(s) for not being up to date?	checkbox
	Show the field ONLY if:	(Check all that apply)	1 ch_immun_rsn1 Clinic was closed because of COVID-19
	[ch_immun]='0'		2 ch_immun_rsn2 Child had symptoms of COVID-19, so you cancelled appointment
			3 ch_immun_rsn3 You cancelled appointments to avoid being around others/in a healthcare setting
			4 ch_immun_rsn4 Other reasons related to COVID-19
			5 ch_immun_rsn5 Other reasons not related to COVID-19
			99 ch_immun_rsn99 Refused to answer
			Custom alignment: LV Field Annotation: JHU COVID-19 Community Response Survey Q3a   Modified to use only the COVID-19 related answer choices https://www.phenxtoolkit.org/toolkit_content/PDF/JHU_C4WARD_Health.pdf @NONEOFTHEABOVE=99

40	ch_mmr_vac	Has the patient received any MMR vaccinations?	radio (Matrix)
-10	engiiiiii gvae	This the puttern received any minic vaccinations.	1 Yes
			0 No
			98 Unknown
			99 Prefer Not to Answer
41	ch_flu_vac	Has the patient received the current seasonal influenza vaccine?	radio (Matrix)
			1 Yes
			O No
			98 Unknown
			99 Prefer Not to Answer
42	ch_rsv	Has the patient received palivizumab for prevention of respiratory syncytial virus (RSV)?	radio (Matrix)
			1 Yes
			0 No
			98 Unknown
			99 Prefer Not to Answer
43	ch_bcg_vac	Has the patient received the BCG vaccination?	radio (Matrix)
			1 Yes
			0 No
			98 Unknown
			99 Prefer Not to Answer
44	ch_rec_vac_date	Date of most recent vaccination (excluding vaccination for COVID-19)	text (date_mdy)
			Custom alignment: RH
			Field Annotation: @HIDEBUTTON
45	ch_med1	Section Header: Baseline Medications/Treatment Current medication name including birth control medications and injections (repeat for each medication)	text Custom alignment: RH
		Current Medication Name 1	Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 2
46	ch_med2	Current Medication Name 2	text
			Custom alignment: RH Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 2
47	ch_med3	Current Medication Name 3	text
4/	in_meas	Current intenication radifie 3	Custom alignment: RH
			Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 2
48	ch_resp_covid	Section Header:	yesno
		Respiratory support prior to onset of COVID-19?	1 Yes
			0 No
			Custom alignment: RH
			Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 2

	49	ch_resp_covid_spfy	Specify, check all that apply (Tier 2)	ched	ckbox		
		Show the field ONLY if: [ch_resp_covid]='1'		1	ch_resp_covid	d_spfy1	Non-invasive respiratory support (e.g., CPAP, BiPAP)
				2	ch_resp_covid	d_spfy2	Invasive respiratory support (e.g. mechanical ventilation via tracheostomy)
				3	ch_resp_covid	d_spfy3	Tracheostomy
				4	ch_resp_covid	d_spfy4	Supplemental oxygen
				98	ch_resp_covid	d_spfy98	Unknown/Uncertain
				Field	tom alignment: d Annotation: C ONEOFTHEABO	linical Data	Coordination Group (Project 5) CDE, Tier 2
	50	baseline_child_health_complete	Section Header: Form Status		odown		
			Complete?	0	Incomplete		
				1	Unverified		
				2	Complete		
Ins	trument:	Manifestations: Clinical (manifestation	s_clinical) 🛂 Enabled as survey				^ Collapse Collapse
	51	mc_intro	Vital signs are routinely collected as part of the baseline visit to determine eligibility to participate in a trial, to serve as a reference point to select vital signs which may be trended during the trial, and to reveal potential indicators of severity and risk that may not otherwise be obvious. Thus, the Working Group recommends transmitting baseline vital signs as a common data point and encourages researchers to supplement this list with other vital signs as dictated by specific criteria in their individual trials.  The Working Group is not currently recommending frequency for documentation of vital signs. Study sites should provide any core vital sign data that are collected for routine monitoring of participants. For example, vital sign data for ICU patients are typically charted every hour, and these data should be available through the electronic health record.  For outpatient studies, core vital sign data elements should be taken with any in-person assessment. However, the reference time period for vital signs should be a 24-hour clock from midnight to midnight (00:00-23:59) to allow for consistency across studies.	Field	criptive d Annotation: C nects.org/comn		IHLBI Common Data Elements  https://nhlbi- lements
	52	mc_vitals_date	Section Header: Date and Time of Vital Signs  Date  MM/DD/YYYY		(date_mdy) tom alignment:	: RH	
	53	mc_vitals_tm	Time HHMM		(timenocolon) tom alignment:		
	54	mc_base_tmp	Section Header: Vital Sign Timepoints  Baseline (e.g., at admission, at initial encounter if not admission)	2	Admission Initial Encounte		nission Coordination Group (Project 5) CDE, Tier 1
	55	mc_prot_tmp	Protocol specific timepoints (e.g., Day 1 AM, Day 1 PM, Day 2 AM, at discharge, etc.)	3	Day 1 Day 2 Discharge	Clinical Data	Coordination Group (Project 5) CDE, Tier 1

	56	me ton unk		radio
	טכ	mc_tmp_unk		98 Unknown
				20 OTIKITOWIT
				Custom alignment: RH
				Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
	57	mc_temp	Section Header: Vital Signs	text (number)
			Body temperature	Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
$\vdash$			Celsius	
		mc_temp_unk		radio
		Show the field ONLY if:		98 Unknown
		[mc_temp]="		97 N/A
				99 Not Reported
$\vdash$				Custom alignment: RH
	59	mc_hrt	Heart rate beats/min	text (integer) Field Apparation: Clinical Pata Coordination Crown (Brainet E) CDE Tior 1
$\vdash$		<u> </u>	ueuts/iiiii	Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
	60	mc_hrt_unk		radio
		Show the field ONLY if:		98 Unknown
		[mc_hrt]="		97 N/A
				99 Not Reported
				Custom alignment: RH
	61	mc_systol	Systolic blood pressure	text (integer)
$\vdash$			mmHg	Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
		mc_systol_unk		radio
		Show the field ONLY if:		98 Unknown
		[mc_systol]="		97 N/A
				99 Not Reported
				Control Pul
$\vdash$				Custom alignment: RH
	63	mc_diastol	Diastolic blood pressure  mmHg	text (integer) Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
+		dia stat cont.		
		mc_diastol_unk		radio
		Show the field ONLY if:		98 Unknown
		[mc_diastol]="		97 N/A
				99 Not Reported
				Contain all managers DU
$\vdash$				Custom alignment: RH
	65	mc_respir	Respiratory rate breaths/min	text (integer) Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
$\vdash$			arcadiamini	
		mc_respir_unk		radio
		Show the field ONLY if:		98 Unknown
		[mc_respir]="		97 N/A
				99 Not Reported
				Custom alignment: RH

67	mc_o2sat	Oxygen saturation %	text (number) Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
68	mc_o2sat_unk		radio
00	Show the field ONLY if:		98 Unknown
	[mc_o2sat]="		97 N/A
			99 Not Reported
			ss [morneported]
			Custom alignment: RH
69	mc_o2supp	Supplemental oxygen	yesno
			1 Yes
			0 No
			Custom alignment: RH Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
70	mc_symp_curr	Section Header: Symptoms/Physical Findings Additional Guidance: Note that the two lists below are separated	descriptive
, 0	ine_symp_ean	into an acute COVID-19/MIS-C symptom list and a Long COVID/PASC list (which includes the acute COVID-19/MIS-C list).	Field Annotation: WHO Post COVID Case Report Form   Biomedical Pediatric WG
		Which of the following were experienced during current illness and/or confirmed by	pediatric modifications   https://cdn.who.int/media/docs/default-source/3rd-edl- submissions/who_crf_postcovid_feb9_2021.pdf?
		physical exam?	sturmssions/wno_cr_postcovid_reb9_2021.pdi? sfvrsn=76afd14_1&download=true   RADx
		Fay and a matter indicate Ver/Ne / Industry	CDEs https://www.radxrad.org/resource/guidance-for-use-of-common-data-
		For each symptom indicate Yes/No/Unknown	elements-cdes/
71	mc_abdomen	Section Header: Acute COVID/MIS-C Abdominal pain	radio (Matrix)
		Abdominal pain	1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
72	mc_bleed	Bleeding	radio (Matrix)
			1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
73	mc_chest	Chest pain	radio (Matrix)
		, '	1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
74	mc_cough	Cough	radio (Matrix)
			1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
			OTINITOWIT

	75	mc_cyanosis	Cyanosis (bluish lips/face)	radio (Matrix)
	/5	inic_cyanosis	Cyanosis (bluisti lips/lace)	1 Yes - Experienced
				2 Yes - Experienced and Confirmed by Physical Exam
				0 No
				98 Unknown
	76	mc_diarrea	Diarrhea	radio (Matrix)
				1 Yes - Experienced
				2 Yes - Experienced and Confirmed by Physical Exam
				0 No
				98 Unknown
	77	mc_fatigue	Fatigue	radio (Matrix)
				1 Yes - Experienced
				2 Yes - Experienced and Confirmed by Physical Exam
				0 No
				98 Unknown
-	70		Entry de constant	
	78	mc_fever	Fever - documented	radio (Matrix)  1 Yes - Experienced
				2 Yes - Experienced and Confirmed by Physical Exam 0 No
				98 Unknown
	79	mc_fever_duration	Duration in days	text (number)
		Show the field ONLY if:		Custom alignment: RH
		[mc_fever]='1' or [mc_fever]='2'		
	80	mc_headache	Headache	radio (Matrix)
				1 Yes - Experienced
				2 Yes - Experienced and Confirmed by Physical Exam
				0 No
				98 Unknown
	81	mc_ache	Muscle or body aches	radio (Matrix)
				1 Yes - Experienced
				2 Yes - Experienced and Confirmed by Physical Exam
				0 No
				98 Unknown
	82	mc_congestion	Nasal congestion or runny nose	radio (Matrix)
	-			1 Yes - Experienced
				2 Yes - Experienced and Confirmed by Physical Exam
				0 No
				98 Unknown
				O INIOWII

0.2		No. 2006 (2006) in a	radio (Makrin)
83	mc_nausea	Nausea/vomiting	radio (Matrix)  1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
84	mc_neck	Neck pain	radio (Matrix)
			1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
85	mc_smell	New loss of taste or smell	radio (Matrix)
			1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
86	mc_palpitation	Palpitations	radio (Matrix)
			1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
07	mc_breathing	Charles and formation of the state of the st	
87	mc_breatning	Shortness of breath or difficulty breathing	radio (Matrix)  1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
88	mc_rash	Skin rash	radio (Matrix)
			1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
89	mc_throat	Sore throat	0 No 98 Unknown radio (Matrix)
89	mc_throat	Sore throat	0 No 98 Unknown radio (Matrix) 1 Yes - Experienced
89	mc_throat	Sore throat	0 No 98 Unknown  radio (Matrix)  1 Yes - Experienced 2 Yes - Experienced and Confirmed by Physical Exam
89	mc_throat	Sore throat	0 No 98 Unknown  radio (Matrix)  1 Yes - Experienced 2 Yes - Experienced and Confirmed by Physical Exam 0 No
89	mc_throat	Sore throat	0 No 98 Unknown  radio (Matrix)  1 Yes - Experienced 2 Yes - Experienced and Confirmed by Physical Exam
89	mc_throat  mc_chills	Sore throat  Subjective fever/chills/rigors/night sweats	0 No 98 Unknown  radio (Matrix)  1 Yes - Experienced 2 Yes - Experienced and Confirmed by Physical Exam 0 No
			0 No 98 Unknown  radio (Matrix)  1 Yes - Experienced 2 Yes - Experienced and Confirmed by Physical Exam 0 No 98 Unknown
			0 No 98 Unknown  radio (Matrix)  1 Yes - Experienced 2 Yes - Experienced and Confirmed by Physical Exam 0 No 98 Unknown  radio (Matrix)
			0 No 98 Unknown  radio (Matrix)  1 Yes - Experienced 2 Yes - Experienced and Confirmed by Physical Exam 0 No 98 Unknown  radio (Matrix)  1 Yes - Experienced
			0 No 98 Unknown  radio (Matrix)  1 Yes - Experienced 2 Yes - Experienced and Confirmed by Physical Exam 0 No 98 Unknown  radio (Matrix)  1 Yes - Experienced 2 Yes - Experienced

Section   Proceedings   Proceedings	0.4			P. (A4.4.)
Section   Sect	91	mc_glands	Swollen glands	radio (Matrix)
Part				
99   Microsom 90   Microsom 90				
92    mc_glands exam   fr.confirmed by physical exam, carvical lymphadenopathy (at least 1.5 cm in diameter)?   1    ves				0 No
Short the field CNUX16 [mit, glands]-2				98 Unknown
Mac_glands]=2"   Description	92	mc_glands_exam	If confirmed by physical exam, cervical lymphadenopathy (at least 1.5 cm in diameter)?	radio
Part		Show the field ONLY if:		1 Yes
Custom alignment: RH    33				0 No
P3				98 Unknown
Same				
See   Seperienced				
2   Yes - Experienced and Confirmed by Physical Exam   0   No   08   Unknown	93	mc_pinkeye	Conjunctivitis (Red/pink eye(s))	
Second Content of the content of t				
94 mc_mucosal Oral mucosal change Fadio (Matrix) 1 ves - Experienced 2 ves - Experienced and Confirmed by Physical Exam 0 No 98 Unknown  95 mc_mucosal_exam If confirmed by physical exam were swollen, red, or cracked lips, strawberry tongue, and/or erythema of the oral/pharyngeal mucosa present?  96 mc_peripheral Changes in hands and feet (Peripheral extremity changes)  97 mc_sym_oth  Other symptom(s)  98 Unknown  Custom alignment: RH  2 ves - Experienced and Confirmed by Physical Exam 0 No 98 Unknown  Custom alignment: RH  1 ves - Experienced 2 ves - Experienced and Confirmed by Physical Exam 0 No 98 Unknown  1 ves - Experienced 2 ves - Experienced and Confirmed by Physical Exam 1 ves - Experienced 2 ves - Experienced and Confirmed by Physical Exam 1 ves - Experienced 2 ves - Experienced 3 ves - Experienced 4 ves - Experienced 5 ves - Experienced and Confirmed by Physical Exam 7 ves - Experienced 8 ves - Experienced and Confirmed by Physical Exam 9 No 9 Unknown  9 mc_sym_oth Sprown 9 Unknown  9 No 9 Unknown				
P4    P5				0 No
1   Yes - Experienced				98 Unknown
Part	94	mc_mucosal	Oral mucosal change	radio (Matrix)
95   mc_mucosal_exam   If confirmed by physical exam were swollen, red, or cracked lips, strawberry tongue, and/or show the field ONLY lif. [mc_mucosal]='2'   Tyes   O No 98   Unknown     96   mc_peripheral   Changes in hands and feet (Peripheral extremity changes)   Tyes - Experienced and Confirmed by Physical Exam   O No 98   Unknown     97   mc_sym_oth   Other symptom(s)   Tyes - Experienced and Confirmed by Physical Exam   O No 98   Unknown     98   mc_sym_oth_spfy   Specify				1 Yes - Experienced
95 mc_mucosal_exam   If confirmed by physical exam were swollen, red, or cracked lips, strawberry tongue, and/or erythema of the oral/pharyngeal mucosa present?   1   Yes				2 Yes - Experienced and Confirmed by Physical Exam
95 mc_mucosal_exam   If confirmed by physical exam were swollen, red, or cracked lips, strawberry tongue, and/or erythema of the oral/pharyngeal mucosa present?   1   Yes     0   No   98   Unknown   Unkno				0 No
Show the field ONLY if: Imc_mucosal]=12*  Property if: Imc_mucosal]=12*  Show the field ONLY if: Imc_mucosal]=12*  Property if: Imc_pripheral  Property if: Imc_pripheral  Property if: Imc_mucosal]=12*  Property if: Imc_mucosall=12*  Property if: Im				98 Unknown
Show the field out it: [mc_mucosal]='2'	95	mc_mucosal_exam	If confirmed by physical exam were swollen, red, or cracked lips, strawberry tongue, and/or	radio
Section   Sect		Show the field ONLY if:	erythema of the oral/pharyngeal mucosa present?	1 Yes
Custom alignment: RH  Position of the symptom(s)  Tadio (Matrix)  Tadio (Matrix)  Tadio (Matrix)  Tadio (Matrix)  Tadio (Matrix)  Tadio (Matrix)  No  No  98 Unknown  Tadio (Matrix)  No  No  No  98 Unknown  Tadio (Matrix)		[mc_mucosal]='2'		0 No
96   mc_peripheral   Changes in hands and feet (Peripheral extremity changes)   radio (Matrix)     1   Yes - Experienced     2   Yes - Experienced and Confirmed by Physical Exam     0   No     98   Unknown     1   Yes - Experienced and Confirmed by Physical Exam     1   Yes - Experienced     2   Yes - Experienced     1   Yes - Experienced     2   Yes - Experienced     3   Yes - Experienced     4   Yes - Experienced     5   Yes - Experienced     6   No     7   No     8   Unknown     98   mc_symp_oth_spfy   Specify   Specify   Specify				98 Unknown
96   mc_peripheral   Changes in hands and feet (Peripheral extremity changes)   radio (Matrix)     1   Yes - Experienced     2   Yes - Experienced and Confirmed by Physical Exam     0   No     98   Unknown     1   Yes - Experienced and Confirmed by Physical Exam     1   Yes - Experienced     2   Yes - Experienced     1   Yes - Experienced     2   Yes - Experienced     3   Yes - Experienced     4   Yes - Experienced     5   Yes - Experienced     6   No     7   No     8   Unknown     98   mc_symp_oth_spfy   Specify   Specify   text				
1   Yes - Experienced     2   Yes - Experienced and Confirmed by Physical Exam     0   No     98   Unknown     98   Mrc_symp_oth_spfy     98   Mrc_symp_oth_spfy     98   Mrc_symp_oth_spfy     1   Yes - Experienced     2   Yes - Experienced     3   Yes - Experienced     4   Yes - Experienced     5   Yes - Experienced     6   Yes - Experienced     7   Yes - Experienced     98   Mrc_symp_oth_spfy     1   Yes - Experienced     1   Yes - Experienced     2   Yes - Experienced     3   Yes - Experienced     4   Yes - Experienced     5   Yes - Experienced     6   Yes - Experienced     7   Yes - Experienced     8   Yes - Experienced     9   Yes - Experienced     9   Yes - Experienced     1   Yes - Experienced     2   Yes - Experienced     3   Yes - Experienced     4   Yes - Experienced     5   Yes - Experienced     6   Yes - Experienced     7   Yes - Experienced     8   Yes - Experienced     9   Yes - Experienced     9   Yes - Experienced     1   Yes - Experienced     1   Yes - Experienced     2   Yes - Experienced     3   Yes - Experienced     4   Yes - Experienced     5   Yes - Experienced     6   Yes - Experienced     7   Yes - Experienced     9   Y				
2 Yes - Experienced and Confirmed by Physical Exam 0 No 98 Unknown  97 mc_sym_oth  Other symptom(s)  radio (Matrix) 1 Yes - Experienced 2 Yes - Experienced 2 Yes - Experienced 3 Yes - Experienced 9 No 9 Unknown  No 9 Unknown  Fraction (Matrix) 1 Yes - Experienced 1 Yes - Experienced 2 Yes - Experienced 3 Unknown  No 9 Unknown  Fraction (Matrix) 1 Yes - Experienced 1 Yes - Experienced 2 Yes - Experienced 3 Unknown  Fraction (Matrix) 1 Yes - Experienced 2 Yes - Experienced 3 Unknown  Fraction (Matrix) 1 Yes - Experienced 2 Yes - Experienced 3 Unknown  Fraction (Matrix) 1 Yes - Experienced 3 Unknown  Fraction (Matrix) 1 Yes - Experienced 2 Yes - Experienced 3 Unknown  Fraction (Matrix) 1 Yes - Experienced 3 Unknown  Fraction (Matrix) 2 Unknown  Fr	96	mc_peripheral	Changes in hands and feet (Peripheral extremity changes)	
O No   98 Unknown   Other symptom(s)   Tadio (Matrix)   1 Yes - Experienced   2 Yes - Experienced and Confirmed by Physical Exam   O No   98 Unknown   Other symptom(s)   Other symptom(s)   1 Yes - Experienced   O No   Other symptom(s)   Ot				
97 mc_sym_oth Other symptom(s)  1 Yes - Experienced 2 Yes - Experienced and Confirmed by Physical Exam 0 No 98 Unknown  99 Unknown  1 type - Experienced and Confirmed by Physical Exam 0 No 98 Unknown  1 Specify				
97 mc_sym_oth Other symptom(s) radio (Matrix) 1 Yes - Experienced 2 Yes - Experienced and Confirmed by Physical Exam 0 No 98 mc_symp_oth_spfy Specify text				
1 Yes - Experienced 2 Yes - Experienced and Confirmed by Physical Exam 0 No 98 Unknown  98 mc_symp_oth_spfy  Specify  text				98 Unknown
2 Yes - Experienced and Confirmed by Physical Exam 0 No 98 Unknown  98 mc_symp_oth_spfy  Specify  text	97	mc_sym_oth	Other symptom(s)	radio (Matrix)
				<u> </u>
98         mc_symp_oth_spfy         Specify         text				2 Yes - Experienced and Confirmed by Physical Exam
98 mc_symp_oth_spfy Specify text				0 No
				98 Unknown
	98	mc_symp_oth_spfy	Specify	text
Snow the field ONLY IT:		Show the field ONLY if:		
[mc_sym_oth]='1' or [mc_sym_oth]='2'		[mc_sym_oth]='1' or [mc_sym_oth]='2'		

99	mc allodynia	Section Header: Long COVID/PASC, including above acute COVID/MIS-C symptoms list plus the following:	radio (Matrix)
99	mc_allodynia	Allodynia (pain out of proportion to the stimulus)	1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
100	mc_confusion	Altered level of consciousness/confusion	radio (Matrix)
			1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
101	mc_anorexia	Anorexia (decrease in appetite)	radio (Matrix)
			1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
102	mc_anxiety	Anxiety	radio (Matrix)
			1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
103	mc_feel	Cannot move and/or feel one side of body or face	radio (Matrix)
		,	1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
104	mc_depress	Depressed mood	radio (Matrix)
		Sopration most	1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
105	me dizzu	Dizzipace (lighthoododpace (blackoute	radio (Matrix)
105	mc_dizzy	Dizziness/lightheadedness/blackouts	1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
106	mc_exertion	Exertional fatigue	radio (Matrix)
			1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown

107	mc_forgetful	Forgetfulness	radio (Matrix)
107	me_rorgerial		1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
108	mc_irritable	Irritability	radio (Matrix)
100	me_masic	intensity	1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
109	mc_orthostasis	Orthostasis (dizziness/lightheadedness/blackouts on sitting up or standing)	radio (Matrix)
103	The_of thostasis	Orthostasis (dizziness) iigittieadedness) biackouts on sitting up of standing)	1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
110	mc_orthostasis_confrm	If yes, confirmed by changes in heart rate/blood pressure? [Tier 2]	radio
110	Show the field ONLY if:	in yes, committed by changes in near trace/blood pressure: [fier 2]	1 Yes
	Show the field ONLY if: [mc_orthostasis]='2' or [mc_orthostasis]='1'		0 No
			98 Unknown
			Custom alignment: RH
111	mc_joint	Joint pain	radio (Matrix)
			1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
112	mc_hallucinate	Hallucinations (seeing or hearing things others do not see or hear) [should not be completed for children < 15 years old]	radio (Matrix)
		completed for children's 13 years old	1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			O No
			98 Unknown
113	mc_hypersomnia	Hypersomnia	radio (Matrix)
			1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			0 No
			98 Unknown
114	mc_insomnia	Insomnia (difficulty sleeping)	radio (Matrix)
			1 Yes - Experienced
			2 Yes - Experienced and Confirmed by Physical Exam
			O No
			98 Unknown

115   Inc., malaties   Mailabe (including processor/cond malates)	_				
2   Nex - Experienced and Confirmed by Physical Even   2   Nex - Experienced and Confirmed by Physical Even   3   Nex - Experienced   3   Nex - Expe		115	mc_malaise	Malaise (including post-exertional malaise)	radio (Matrix)
December					1 Yes - Experienced
116   Inc_weak   Multicle weakhness   Multicle weakhness   Inc_weak   Multicle weakhness   Inc_weak   Inc_we					2 Yes - Experienced and Confirmed by Physical Exam
116   mc_words					0 No
Section   Sect					98 Unknown
September   Sept		116	mc_weak	Muscle weakness	radio (Matrix)
117   mc_paresthesia   Paresthesia (numbness or tingling somewhere in the body)   38   Univision   1   Yes - Experienced   1   Yes - Experienced   2   Yes - Experienced and Confirmed by Physical Exam   39   Univision   39   U					
Parenthesia   Parenthesia   Parenthesia (numbnes or tingling somewhere in the body)   Telephraneed   Telephra					2 Yes - Experienced and Confirmed by Physical Exam
177   mc_paresthesia   Paresthesia (numbness or tingling somewhere in the body)   radio (Matric)   1   Yes - Experienced   2   Yes - Experienced   2   Yes - Experienced   2   Yes - Experienced   2   Yes - Experienced   3   Yes - Experienced   4   Yes - Experienced   5   Yes - Experienced   5					0 No
Yes - Experienced   Yes - Experienced and Confirmed by Physical Exam					98 Unknown
Yes - Experienced   Yes - Experienced and Confirmed by Physical Exam		117	mc paresthesia	Paresthesia (numbness or tingling somewhere in the body)	radio (Matrix)
The composition of the composi					
Tell   Problems with balance   Problems with galoffalis					2 Yes - Experienced and Confirmed by Physical Exam
118 mc_pers_cough					0 No
1   Yes - Experienced   2   Yes - Experienced   3   Yes - Experienced   3   Yes   3   Yes					98 Unknown
1   Yes - Experienced   2   Yes - Experienced   3   Yes - Experienced   3   Yes   3   Yes		118	mc ners cough	Persistent cough	radio (Matrix)
2   Yes - Experienced and Confirmed by Physical Exam   2   No   No   38   Unknown		110	inic_pers_codgii	T Cristeric cough	
D No   No   98 Unknown					
Total   Problems with galt/falls   Problems with galt/falls   Problems with galt/falls					
119   mc_pers_cough_prod   ff yes, productive?   radio					
Show the field ONLY if: [Imc_pers_cough]='1' or [mc_pers_cough]='2'    120		110	me pare cough prod	If yes productive?	
Inc_pers_cough]="1" or [mc_pers_cough]="2"   0 No		119		ii yes, productive:	
Section   Sect					
Custom alignment: RH  120 mc_balance Problems with balance radio (Matrix)  1					
Table   Top   To					
Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the					Custom alignment: RH
2 Yes - Experienced and Confirmed by Physical Exam 0 No 98 Unknown  121 mc_gait Problems with gait/falls  radio (Matrix) 1 Yes - Experienced 2 Yes - Experienced 2 Yes - Experienced 3 Ves - Experienced 4 Ves - Experienced 5 Ves - Experienced 6 Ves - Experienced 7 Ves - Experienced 8 Ves - Experienced 9 Unknown  1 Yes - Experienced 1 Yes - Experienced 1 Yes - Experienced 2 Ves - Experienced 1 Yes - Experienced 2 Ves - Experienced 1 Ves - Experienced 2 Ves - Experienced 2 Ves - Experienced 3 Ves - Experienced 4 Ves - Experienced 5 Ves - Experienced 6 Ves - Experienced 7 Ves - Experienced 8 Ves - Experienced 9 Ves - Experienced		120	mc_balance	Problems with balance	
Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the					
121 mc_gait					
121   mc_gait   Problems with gait/falls   radio (Matrix)     1   Yes - Experienced   2   Yes - Experienced and Confirmed by Physical Exam   0   No   98   Unknown       122   mc_toe_rash   Toe rashes (red/purple sores or blisters on the feet, including the toes)   radio (Matrix)     1   Yes - Experienced   2   Yes - Experienced   3   Yes - Experienced   4   Yes - Experienced   2   Yes - Experienced   3   Yes - Experienced   4   Yes					
1   Yes - Experienced   2   Yes - Experienced   2   Yes - Experienced and Confirmed by Physical Exam   0   No   98   Unknown   122   mc_toe_rash   Toe rashes (red/purple sores or blisters on the feet, including the toes)   radio (Matrix)   1   Yes - Experienced   2   Yes - Experienced   3   Yes - Experienced   4   Yes - Experienced   5					98 Unknown
122   mc_toe_rash   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters		121	mc_gait	Problems with gait/falls	
122 mc_toe_rash   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters on the feet, including the toes)   Toe rashes (red/purple sores or blisters o					1 Yes - Experienced
122 mc_toe_rash   Toe rashes (red/purple sores or blisters on the feet, including the toes)   radio (Matrix)   1   Yes - Experienced   2   Yes - Experienced and Confirmed by Physical Exam   0   No					
122 mc_toe_rash Toe rashes (red/purple sores or blisters on the feet, including the toes)  radio (Matrix) 1 Yes - Experienced 2 Yes - Experienced and Confirmed by Physical Exam 0 No					
1 Yes - Experienced 2 Yes - Experienced and Confirmed by Physical Exam 0 No					98 Unknown
2 Yes - Experienced and Confirmed by Physical Exam 0 No		122	mc_toe_rash	Toe rashes (red/purple sores or blisters on the feet, including the toes)	radio (Matrix)
0 No					1 Yes - Experienced
					2 Yes - Experienced and Confirmed by Physical Exam
09 Habasus					0 No
36 OTIKHOWIT					98 Unknown

			·	
	123	mc_fog	Trouble concentrating or difficulty thinking ("brain fog")	radio (Matrix)
				1 Yes - Experienced
				2 Yes - Experienced and Confirmed by Physical Exam
				0 No
				98 Unknown
	124	mc_wtloss	Weight loss	radio (Matrix)
				1 Yes - Experienced
				2 Yes - Experienced and Confirmed by Physical Exam
				0 No
				98 Unknown
	125	mc_failwt	Failure of expected weight gain	radio (Matrix)
		_		1 Yes - Experienced
				2 Yes - Experienced and Confirmed by Physical Exam
				0 No
				98 Unknown
	126	no a faileacaidh	Failure of averaged linear growth	
	126	mc_failgrowth	Failure of expected linear growth	radio (Matrix)  1 Yes - Experienced
				2 Yes - Experienced and Confirmed by Physical Exam
				<del>                                    </del>
				0 No
				98 Unknown
	127	mc_longcov_oth	Other symptom(s)	radio (Matrix)
				1 Yes - Experienced
				2 Yes - Experienced and Confirmed by Physical Exam
				0 No
				98 Unknown
	128	mc_longcov_oth_spfy	Specify	text
		Show the field ONLY if:		Custom alignment: RH
		[mc_longcov_oth]='1' or [mc_longcov_oth]='2'		
	129	mc_sym_infant	Section Header: Infant-Specific Symptoms/Physical Findings (Tier 2)	descriptive
			In addition to the above, which of the following were experienced by the infant during	
			illness?	
			For each symptom indicate Yes/No/Unknown	
	130	mc_dehydrate	Dehydration	radio
				1 Yes
				0 No
				98 Unknown
				Custom alignment: RH
$\vdash$	131	mc_dehydrate_beg	Data Symptoms Presented	
	151		Date Symptoms Presented  MM/DD/YYYY	text (date_mdy) Custom alignment: RH
		Show the field ONLY if: [mc_dehydrate]='1'		Field Annotation: @HIDEBUTTON

132	mc_dehydrate_end  Show the field ONLY if: [mc_dehydrate]='1' and [mc_dehydrate_curr] <>'1'	Date Symptoms Resolved  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
133	mc_dehydrate_curr  Show the field ONLY if: [mc_dehydrate]='1' and [mc_dehydrate_end] ="		radio 1 Ongoing Custom alignment: RH
134	mc_fontanelle	Full or bulging fontanelle	radio  1 Yes 0 No 98 Unknown  Custom alignment: RH
135	mc_fontanelle_beg Show the field ONLY if: [mc_fontanelle]='1'	Date Symptoms Presented  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
136	mc_fontanelle_end Show the field ONLY if: [mc_fontanelle]='1' and [mc_fontanelle_curr] <>'1'	Date Symptoms Resolved  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
137	mc_fontanelle_curr Show the field ONLY if: [mc_fontanelle]='1' and [mc_fontanelle_end] ="		radio 1 Ongoing Custom alignment: RH
138	mc_fussy	Fussiness	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH
139	mc_fussy_beg Show the field ONLY if: [mc_fussy]='1'	Date Symptoms Presented  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
140	mc_fussy_end Show the field ONLY if: [mc_fussy]='1' and [mc_fussy_curr]<>'1'	Date Symptoms Resolved  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
141	mc_fussy_curr Show the field ONLY if: [mc_fussy]='1' and [mc_fussy_end]="		radio 1 Ongoing Custom alignment: RH
142	mc_lowbreathe	Increased work of breathing/shallow breathing	radio  1 Yes 0 No 98 Unknown  Custom alignment: RH

1.43	ms loubroathe has	Data Cumptoms Presented	tout (data mdu)
143	mc_lowbreathe_beg	Date Symptoms Presented  MM/DD/YYYY	text (date_mdy) Custom alignment: RH
	Show the field ONLY if: [mc_lowbreathe]='1'		Field Annotation: @HIDEBUTTON
144	mc_lowbreathe_end	Date Symptoms Resolved	text (date_mdy)
	Show the field ONLY if:	MM/DD/YYYY	Custom alignment: RH Field Annotation: @HIDEBUTTON
	[mc_lowbreathe]='1' and [mc_lowbreathe_cur $r$ ]<>'1'		Tied Amotation. @ IIIDEBOTTON
145	mc_lowbreathe_curr		radio
	Show the field ONLY if:		1 Ongoing
	[mc_lowbreathe]='1' and [mc_lowbreathe_en d]="		Custom alignment: RH
146	mc_lethargy	Lethargy	radio
			1 Yes
			0 No
			98 Unknown
			Custom alignment: RH
147	mc_lethargy_beg	Date Symptoms Presented  MM/DD/YYYY	text (date_mdy)
	Show the field ONLY if:	minio do TTT	Custom alignment: RH Field Annotation: @HIDEBUTTON
	[mc_lethargy]='1'		
148	mc_lethargy_end	Date Symptoms Resolved  MM/DD/YYYY	text (date_mdy) Custom alignment: RH
	Show the field ONLY if: [mc_lethargy]='1' and [mc_lethargy_curr]<>'1'		Field Annotation: @HIDEBUTTON
149	mc_lethargy_curr		radio
149			1 Ongoing
	Show the field ONLY if: [mc_lethargy]='1' and [mc_lethargy_end]="		T Originity
	[]		Custom alignment: RH
150	mc_poorfeed	Poor feeding	radio
			1 Yes
			0 No
			98 Unknown
			Custom alignment: RH
151	mc_poorfeed_beg	Date Symptoms Presented  MM/DD/YYYY	text (date_mdy) Custom alignment: RH
	Show the field ONLY if:	mm but it i	Field Annotation: @HIDEBUTTON
1.5	[mc_poorfeed]='1'		
152	mc_poorfeed_end	Date Symptoms Resolved  MM/DD/YYYY	text (date_mdy) Custom alignment: RH
	Show the field ONLY if: [mc_poorfeed]='1' and [mc_poorfeed_curr]<		Field Annotation: @HIDEBUTTON
	[mc_poorreed]=1 and [mc_poorreed_curr]< >'1'		
153	mc_poorfeed_curr		radio
	Show the field ONLY if:		1 Ongoing
	[mc_poorfeed]='1' and [mc_poorfeed_end]="		
			Custom alignment: RH

154	mc_dev_compli	Section Header: Complications/Conditions	descriptive
		Did the patient develop any of the following complications/conditions since the diagnosis of COVID (organized by organ system):	Field Annotation: WHO Post COVID Case Report Form   Biomedical Pediatric WG modifications   https://cdn.who.int/media/docs/default-source/3rd-edl-submissions/who_crf_postcovid_feb9_2021.pdf? sfvrsn=76afd14_1&download=true
155	mc_fibro	Fibromyalgia/amplified pain syndrome	radio  1 Yes  0 No 98 Unknown  Custom alignment: RH
156	mc_fibro_beg Show the field ONLY if:	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
157	[mc_fibro]='1'  mc_fibro_end  Show the field ONLY if: [mc_fibro]='1' and [mc_fibro_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
158	mc_fibro_curr Show the field ONLY if: [mc_fibro]='1' and [mc_fibro_end]="		radio 1 Ongoing Custom alignment: RH
159	mc_vfatigue	Post viral fatigue syndrome	radio  1 Yes 0 No 98 Unknown  Custom alignment: RH
160	mc_vfatigue_beg Show the field ONLY if: [mc_vfatigue]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
161	mc_vfatigue_end  Show the field ONLY if: [mc_vfatigue]='1' and [mc_vfatigue_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
162	mc_vfatigue_curr  Show the field ONLY if: [mc_vfatigue]='1' and [mc_vfatigue_end]="		radio 1 Ongoing Custom alignment: RH
163	mc_seizure	Seizure	radio  1 Yes  0 No 98 Unknown  Custom alignment: RH
164	mc_seizure_beg Show the field ONLY if: [mc_seizure]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON

165	mc_seizure_end  Show the field ONLY if: [mc_seizure]='1' and [mc_seizure_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
166	mc_seizure_curr  Show the field ONLY if: [mc_seizure]='1' and [mc_seizure_end]="		radio 1 Ongoing Custom alignment: RH
167	mc_intrastroke	Stroke: intracerebral hemorrhage	radio 1 Yes 0 No 98 Unknown  Custom alignment: RH
168	mc_intrastroke_beg Show the field ONLY if: [mc_intrastroke]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
169	mc_intrastroke_end  Show the field ONLY if: [mc_intrastroke]='1' and [mc_intrastroke_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
170	mc_intrastroke_curr  Show the field ONLY if: [mc_intrastroke]='1' and [mc_intrastroke_en d]="		radio 1 Ongoing Custom alignment: RH
171	mc_ischstroke	Stroke: ischemic cerebrovascular accident	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH
172	mc_ischstroke_beg Show the field ONLY if: [mc_ischstroke]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
173	mc_ischstroke_end  Show the field ONLY if: [mc_ischstroke]='1' and [mc_ischstroke_curr] <>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
174	mc_ischstroke_curr  Show the field ONLY if: [mc_ischstroke]='1' and [mc_ischstroke_end] ="		radio 1 Ongoing Custom alignment: RH
175	mc_diaketo	Diabetic Ketoacidosis (DKA)	radio  1 Yes 0 No 98 Unknown  Custom alignment: RH

176	mc_diaketo_beg  Show the field ONLY if: [mc_diaketo]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
177	mc_diaketo_end  Show the field ONLY if: [mc_diaketo]='1' and [mc_diaketo_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
178	mc_diaketo_curr  Show the field ONLY if: [mc_diaketo]='1' and [mc_diaketo_end]="		radio 1 Ongoing  Custom alignment: RH
179	mc_diabete	New onset diabetes	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH
180	mc_diabete_beg  Show the field ONLY if: [mc_diabete]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
181	mc_diabete_end  Show the field ONLY if: [mc_diabete]='1' and [mc_diabete_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
182	mc_diabete_curr  Show the field ONLY if: [mc_diabete]='1' and [mc_diabete_end]="		radio 1 Ongoing  Custom alignment: RH
183	mc_pancr	Pancreatitis	radio 1 Yes 0 No 98 Unknown  Custom alignment: RH
184	mc_pancr_beg Show the field ONLY if: [mc_pancr]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
185	mc_pancr_end Show the field ONLY if: [mc_pancr]='1' and [mc_pancr_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
186	mc_pancr_curr  Show the field ONLY if: [mc_pancr]='1' and [mc_pancr_end]="		radio 1 Ongoing Custom alignment: RH

187	mc_ards	Acute respiratory distress syndrome (ARDS)	radio
			1 Yes
			0 No
			98 Unknown
			Custom alignment: RH
188	mc_ards_beg	Date of Onset/Diagnosis (Tier 2)	text (date_mdy) Custom alignment: RH
	Show the field ONLY if: [mc_ards]='1'		Field Annotation: @HIDEBUTTON
189	mc_ards_end	Date of Resolution (Tier 2)	text (date_mdy)
	Show the field ONLY if: [mc_ards]='1' and [mc_ards_curr]<>'1'	INNO LOTTE	Custom alignment: RH Field Annotation: @HIDEBUTTON
190	mc_ards_curr		radio
	Show the field ONLY if: [mc_ards]='1' and [mc_ards_end]="		1 Ongoing
	[mc_ards]= r and [mc_ards_cnd]=		Custom alignment: RH
191	mc_bronch	Bronchiolitis	radio
			1 Yes 0 No
			98 Unknown
192	mc_bronch_beg	Date of Onset/Diagnosis (Tier 2)	Custom alignment: RH text (date_mdy)
192	Show the field ONLY if:	MM/DD/YYY	Custom alignment: RH
	[mc_bronch]='1'		Field Annotation: @HIDEBUTTON
193	mc_bronch_end	Date of Resolution (Tier 2)	text (date_mdy) Custom alignment: RH
	Show the field ONLY if: [mc_bronch]='1' and [mc_bronch_curr]<>'1'	INNO COLLECTION	Field Annotation: @HIDEBUTTON
194	mc_bronch_curr		radio
	Show the field ONLY if:		1 Ongoing
	[mc_bronch]='1' and [mc_bronch_end]=''		Custom alignment: RH
195	mc_pul	Deterioration of prior chronic pulmonary diseases	radio
			1 Yes
			0 No
			98 Unknown
			Custom alignment: RH
196	mc_pul_beg	Date of Onset/Diagnosis (Tier 2)	text (date_mdy) Custom alignment: RH
	Show the field ONLY if: [mc_pul]='1'		Field Annotation: @HIDEBUTTON
197	mc_pul_end	Date of Resolution (Tier 2)	text (date_mdy)
	Show the field ONLY if: [mc_pul]='1' and [mc_pul_curr]<>'1'	NUMBOOTITI	Custom alignment: RH Field Annotation: @HIDEBUTTON
	[inc_pui]= i and [inc_pui_cuir]<> i		

198	mc_pul_curr Show the field ONLY if: [mc_pul]='1' and [mc_pul_end]="		radio 1 Ongoing Custom alignment DU
199	mc_lungfibr	Lung fibrosis	Custom alignment: RH  radio  1 Yes  0 No  98 Unknown
200	mc_lungfibr_beg Show the field ONLY if: [mc_lungfibr]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	Custom alignment: RH  text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
201	mc_lungfibr_end Show the field ONLY if: [mc_lungfibr]='1' and [mc_lungfibr_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
202	mc_lungfibr_curr  Show the field ONLY if: [mc_lungfibr]='1' and [mc_lungfibr_end]="		radio 1 Ongoing Custom alignment: RH
203	mc_pneu	Pneumonia	radio 1 Yes 0 No 98 Unknown
204	mc_pneu_beg Show the field ONLY if: [mc_pneu]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	Custom alignment: RH  text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
205	mc_pneu_end Show the field ONLY if: [mc_pneu]='1' and [mc_pneu_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
206	mc_pneu_curr Show the field ONLY if: [mc_pneu]='1' and [mc_pneu_end]="		radio 1 Ongoing Custom alignment: RH
207	mc_pe	Pulmonary embolism	radio  1
208	mc_pe_beg Show the field ONLY if: [mc_pe]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON

209	mc_pe_end  Show the field ONLY if: [mc_pe]='1' and [mc_pe_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
210	mc_pe_curr  Show the field ONLY if: [mc_pe]='1' and [mc_pe_end]="		radio  1 Ongoing  Custom alignment: RH
211	mc_ca	Cardiac arrhythmias	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH
212	mc_ca_beg Show the field ONLY if: [mc_ca]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
213	mc_ca_end Show the field ONLY if: [mc_ca]='1' and [mc_ca_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
214	mc_ca_curr  Show the field ONLY if: [mc_ca]='1' and [mc_ca_end]="		radio 1 Ongoing Custom alignment: RH
215	mc_hrtfail	Cardiac failure	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH
216	mc_hrtfail_beg Show the field ONLY if: [mc_hrtfail]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
217	mc_hrtfail_end Show the field ONLY if: [mc_hrtfail]='1' and [mc_hrtfail_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
218	mc_hrtfail_curr  Show the field ONLY if: [mc_hrtfail]='1' and [mc_hrtfail_end]="		radio 1 Ongoing Custom alignment: RH
219	mc_cm	Cardiomyopathy	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH

220	mc_cm_beg  Show the field ONLY if: [mc_cm]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
221	mc_cm_end Show the field ONLY if: [mc_cm]='1' and [mc_cm_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
222	mc_cm_curr  Show the field ONLY if: [mc_cm]='1' and [mc_cm_curr]="		radio 1 Ongoing Custom alignment: RH
223	mc_caab	Coronary artery abnormalities	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH
224	mc_caab_beg Show the field ONLY if: [mc_caab]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
225	mc_caab_end  Show the field ONLY if: [mc_caab]='1' and [mc_caab_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
226	mc_caab_curr  Show the field ONLY if: [mc_caab]='1' and [mc_caab_end]="		radio 1 Ongoing Custom alignment: RH
227	mc_pericard	Myocarditis/pericarditis/ pericardial effusion	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH
228	mc_pericard_beg Show the field ONLY if: [mc_pericard]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
229	mc_pericard_end Show the field ONLY if: [mc_pericard]='1' and [mc_pericard_curr]< >'1'	Date of Resolution (Tier 2)  MM/DD/YYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
230	mc_pericard_curr  Show the field ONLY if: [mc_pericard]='1' and [mc_pericard_end]="		radio 1 Ongoing Custom alignment: RH

	T		
231	mc_myositis	Myositis	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH
232	mc_myositis_beg Show the field ONLY if: [mc_myositis]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
233	mc_myositis_end Show the field ONLY if: [mc_myositis]='1' and [mc_myositis_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
234	mc_myositis_curr Show the field ONLY if: [mc_myositis]='1' and [mc_myositis_end]="		radio 1 Ongoing Custom alignment: RH
235	mc_shock	Shock	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH
236	mc_shock_beg Show the field ONLY if: [mc_shock]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
237	mc_shock_end Show the field ONLY if: [mc_shock]='1' and [mc_shock_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
238	mc_shock_curr Show the field ONLY if: [mc_shock]='1' and [mc_shock_end]="		radio 1 Ongoing Custom alignment: RH
239	mc_arth	Arthritis	radio  1 Yes  0 No 98 Unknown  Custom alignment: RH
240	mc_arth_beg Show the field ONLY if: [mc_arth]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
241	mc_arth_end Show the field ONLY if: [mc_arth]='1' and [mc_arth_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON

24	2 mc_arth_curr  Show the field ONLY if: [mc_arth]='1' and [mc_arth_end]="		radio 1 Ongoing
			Custom alignment: RH
24	3 mc_physdis	Physical disability/muscular weakness	radio  1 Yes  0 No  98 Unknown
			Custom alignment: RH
24	4 mc_physdis_beg  Show the field ONLY if: [mc_physdis]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
24	mc_physdis_end Show the field ONLY if: [mc_physdis]='1' and [mc_physdis_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
24	mc_physdis_curr  Show the field ONLY if: [mc_physdis]='1' and [mc_physdis_end]="		radio 1 Ongoing Custom alignment: RH
24	7 mc_acutekid	Acute kidney injury	radio 1 Yes 0 No 98 Unknown
			Custom alignment: RH
24	mc_acutekid_beg  Show the field ONLY if: [mc_acutekid]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
24	mc_acutekid_end  Show the field ONLY if: [mc_acutekid]='1' and [mc_acutekid_curr]< >'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
25	mc_acutekid_curr  Show the field ONLY if: [mc_acutekid]='1' and [mc_acutekid_end]="		radio 1 Ongoing Custom alignment: RH
25	1 mc_acuteliv	Acute liver dysfunction	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH
25	2 mc_acuteliv_beg Show the field ONLY if: [mc_acuteliv]='1'	Date of Onset/Diagnosis (Tier 2)  MM//DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON

	mc_acuteliv_end  Show the field ONLY if: [mc_acuteliv]='1' and [mc_acuteliv_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
254	mc_acuteliv_curr Show the field ONLY if: [mc_acuteliv]='1' and [mc_acuteliv_end]="		radio 1 Ongoing Custom alignment: RH
255	mc_esrd	End stage renal disease (ESRD)	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH
	mc_esrd_beg Show the field ONLY if: [mc_esrd]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
	mc_esrd_end Show the field ONLY if: [mc_esrd]='1' and [mc_esrd_curr]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
	mc_esrd_curr Show the field ONLY if: [mc_esrd]='1' and [mc_esrd_end]="		radio 1 Ongoing Custom alignment: RH
259	mc_bleeding	Bleeding events	radio  1 Yes  0 No 98 Unknown  Custom alignment: RH
	mc_bleeding_beg Show the field ONLY if: [mc_bleeding]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
	mc_bleeding_end Show the field ONLY if: [mc_bleeding]='1' and [mc_bleeding_curr]< >'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
	mc_bleeding_curr Show the field ONLY if: [mc_bleeding]='1' and [mc_bleeding_end]="		radio 1 Ongoing Custom alignment: RH
263	mc_dvthrom	Deep vein thrombosis	radio  1 Yes  0 No 98 Unknown  Custom alignment: RH

264	ms venthrom	If there is a venous thrombosis, where is it leasted? (Tier 2)	radio
264	mc_venthrom	If there is a venous thrombosis, where is it located? (Tier 2)	radio 1 Intracranial
	Show the field ONLY if: [mc_dvthrom]='1'		
	[mc_avamom] 1		
			3 Both
			98 Unknown or not reported
265	mc_dvthrom_beg	Date of Onset/Diagnosis (Tier 2)	text (date_mdy)
	Show the field ONLY if:	MM/DD/YYYY	Custom alignment: RH Field Annotation: @HIDEBUTTON
	[mc_dvthrom]='1'		
266	mc_dvthrom_end	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH
	Show the field ONLY if:		Field Annotation: @HIDEBUTTON
	[mc_dvthrom]='1' and [mc_dvthrom_curr]< >'1'		
267	mc_dvthrom_curr		radio
	Show the field ONLY if:		1 Ongoing
	[mc_dvthrom]='1' and [mc_dvthrom_end]="		
			Custom alignment: RH
268	mc_append	Appendicitis	radio
			1 Yes
			0 No
			98 Unknown
			Custom alignment: RH
269	mc_append_beg	Date of Onset/Diagnosis (Tier 2)	text (date_mdy)
	Show the field ONLY if:	MM/DD/YYYY	Custom alignment: RH Field Annotation: @HIDEBUTTON
	[mc_append]='1'		Field Affiliotation. @FIDEBOTTON
270	mc_append_end	Date of Resolution (Tier 2)	text (date_mdy)
	Show the field ONLY if:	MM/DD/YYYY	Custom alignment: RH Field Annotation: @HIDEBUTTON
	[mc_append]='1' and [mc_append_curr]<>'1'		1.6.6 7 1.111 64.115 2.25 7 7 6 1 7
271	mc_append_curr		radio
	Show the field ONLY if:		1 Ongoing
	[mc_append]='1' and [mc_append_end]="		Custom alignment: RH
272	mc_gerd	Gastroesophageal reflux disease (GERD)	radio
	0-15		1 Yes
			0 No
			98 Unknown
			55 5
			Custom alignment: RH
273	mc_gerd_beg	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH
	Show the field ONLY if:	THE BOTTE	Field Annotation: @HIDEBUTTON
274	[mc_gerd]='1' mc_gerd_end	Date of Resolution (Tier 2)	text (date_mdy)
	Show the field ONLY if:	MM/DD/YYYY	Custom alignment: RH
	[mc_gerd]='1' and [mc_gerd_curr]<>'1'		Field Annotation: @HIDEBUTTON
			Field Annotation: @HIDEBUTTON

275	mc_gerd_curr		radio
	Show the field ONLY if: [mc_gerd]='1' and [mc_gerd_end]="		1 Ongoing
	[ine_gera]		Custom alignment: RH
276	mc_gastrohem	Gastrointestinal hemorrhage	radio 1 Yes 0 No 98 Unknown
			Custom alignment: RH
277	mc_gastrohem_beg Show the field ONLY if: [mc_gastrohem]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
278	mc_gastrohem_end Show the field ONLY if: [mc_gastrohem]='1' and [mc_gastrohem_cur r]<>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
279	mc_gastrohem_curr Show the field ONLY if: [mc_gastrohem]='1' and [mc_gastrohem_en d]="		radio 1 Ongoing Custom alignment: RH
280	mc_gastroperf	Gastrointestinal perforation	radio  1 Yes  0 No 98 Unknown  Custom alignment: RH
281	mc_gastroperf_beg Show the field ONLY if: [mc_gastroperf]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
282	mc_gastroperf_end Show the field ONLY if: [mc_gastroperf]='1' and [mc_gastroperf_curr] <>'1'	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
283	mc_gastroperf_curr Show the field ONLY if: [mc_gastroperf]='1' and [mc_gastroperf_end] ="		radio 1 Ongoing Custom alignment: RH
284	mc_perito	Peritonitis	radio  1 Yes  0 No 98 Unknown  Custom alignment: RH
285	mc_perito_beg  Show the field ONLY if: [mc_perito]='1'	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON

	286	mc_perito_end	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH
		Show the field ONLY if: [mc_perito]='1' and [mc_perito_curr]<>'1'		Field Annotation: @HIDEBUTTON
	287	mc_perito_curr		radio 1 Ongoing
		Show the field ONLY if: [mc_perito]='1' and [mc_perito_end]="		Custom alignment: RH
	288	mc_bacteremia	Bacteremia	radio
				1 Yes 0 No
				98 Unknown
				Custom alignment: RH
	289	mc_bacteremia_beg	Date of Onset/Diagnosis (Tier 2)	text (date_mdy) Custom alignment: RH
		Show the field ONLY if: [mc_bacteremia]='1'		Field Annotation: @HIDEBUTTON
	290	mc_bacteremia_end	Date of Resolution (Tier 2)	text (date_mdy) Custom alignment: RH
		Show the field ONLY if: [mc_bacteremia]='1' and [mc_bacteremia_cur r]<>'1'		Field Annotation: @HIDEBUTTON
	291	mc_bacteremia_curr		radio
		Show the field ONLY if: [mc_bacteremia]='1' and [mc_bacteremia_en d]="		1 Ongoing  Custom alignment: RH
	292	mc_pulmasp	Pulmonary aspergillosis	radio 1 Yes
				1 Yes 0 No
				98 Unknown
				Custom alignment: RH
	293	mc_pulmasp_beg	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH
		Show the field ONLY if: [mc_pulmasp]='1'		Field Annotation: @HIDEBUTTON
	294	mc_pulmasp_end	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH
		Show the field ONLY if: [mc_pulmasp]='1' and [mc_pulmasp_curr]< >'1'		Field Annotation: @HIDEBUTTON
		mc_pulmasp_curr		radio
		Show the field ONLY if: [mc_pulmasp]='1' and [mc_pulmasp_end]="		1 Ongoing
$\vdash$	296	mc_tss	Toxic shock syndrome (TSS)	Custom alignment: RH radio
		-		1 Yes
				0   No     98   Unknown
				Custom alignment: RH

	297	mc_tss_beg Show the field ONLY if:	Date of Onset/Diagnosis (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH
		[mc_tss]='1'		Field Annotation: @HIDEBUTTON
	298	mc_tss_end Show the field ONLY if:	Date of Resolution (Tier 2)  MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: @HIDEBUTTON
	299	[mc_tss]='1' and [mc_tss_curr]<>'1'		radio
	233	mc_tss_curr  Show the field ONLY if: [mc_tss]='1' and [mc_tss_end]="		1 Ongoing
				Custom alignment: RH
	300	mc_oth	Other (specify)	radio  1
				Custom alignment: RH
	301	mc_oth_spfy	Specify other	text
		Show the field ONLY if: [mc_oth]='1'		Custom alignment: RH
	302	mc_oth_beg	Date of Onset/Diagnosis (Tier 2)	text (date_mdy)
		Show the field ONLY if: [mc_oth]='1'	MM/DD/YYYY	Custom alignment: RH Field Annotation: @HIDEBUTTON
	303	mc_oth_end	Date of Resolution (Tier 2)	text (date_mdy)
		Show the field ONLY if: [mc_oth]='1' and [mc_oth_curr]<>'1'	Inne Butti	Custom alignment: RH Field Annotation: @HIDEBUTTON
	304	mc_oth_curr		radio
		Show the field ONLY if:		1 Ongoing
		[mc_oth]='1' and [mc_oth_end]="		Custom alignment: RH
	305	manifestations_clinical_complete	Section Header: Form Status	dropdown
			Complete?	0 Incomplete
				1 Unverified
				2 Complete
Ins	trument:	Manifestations: Laboratory (manifest	ations_laboratory) 🛂 Enabled as survey	^ Collapse Collapse
	306	ml_intro	Labs at Diagnosis (work up of condition) Additional Guidance: The Tier 1 lab values include, but are not limited to, those parameters necessary for the diagnosis of MIS-C (including markers of inflammation) and other conditions associated with acute and long COVID/PASC. Inclusion in Tier 1 does not suggest that all of these labs are recommended to be performed in all pediatric patients/studies, but rather that the test values or Not Done should be reported when performed. Similar to vital signs, the Working Group is not currently recommending frequency for documentation of specific clinical labs. Study sites are encouraged to provide any lab data that are collected for routine monitoring of participants in addition to the value at diagnosis (i.e., work up of condition), which will vary between outpatient and inpatient settings. However, the reference time period for labs should be a 24-hour clock from midnight to midnight (00:00-23:59) to allow for consistency across studies.	descriptive Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1   Biomedical Pediatric WG modifications

307	ml_labsperformed	Section Header: Lab tests performed?	radio 1 Yes
			0 No
			98 Unknown
			Custom alignment: RH
308	ml_sampcoll_date1	Date of Lab Sample Collection	text (date_mdy) Custom alignment: RH
	Show the field ONLY if: [ml_labsperformed]='1'		
309	ml_sampcoll_tm1	Time of lab sample collection  HHMM	text (timenocolon) Custom alignment: RH
	Show the field ONLY if: [ml_labsperformed]='1'		Custom dignificit. NT
310	ml_desc		descriptive
	Show the field ONLY if: [ml_sampcoll_date1]<>"		
311	ml_sampcoll_date2	Date of Lab Sample Collection	text (date_mdy)
	Show the field ONLY if: [ml_sampcoll_date1]<>"	INNICOTITY	Custom alignment: RH
312	ml_sampcoll_tm2	Time of lab sample collection  HHMM	text (timenocolon)
	Show the field ONLY if: [ml_sampcoll_date1]<>"	HHMW	Custom alignment: RH
313	ml_desc_2		descriptive
	Show the field ONLY if: [ml_sampcoll_date2]<>"		
314	ml_sampcoll_date3	Date of Lab Sample Collection	text (date_mdy) Custom alignment: RH
	Show the field ONLY if: [ml_sampcoll_date2]<>"		Custom anguinent. MT
315	ml_sampcoll_tm3	Time of lab sample collection  HHMM	text (timenocolon) Custom alignment: RH
	Show the field ONLY if: [ml_sampcoll_date2]<>"		Custom alignment. NT
316	ml_desc_3		descriptive
	Show the field ONLY if: [ml_sampcoll_date3]<>"		
317	ml_sampcoll_date4	Date of Lab Sample Collection	text (date_mdy) Custom alignment: RH
	Show the field ONLY if: [ml_sampcoll_date3]<>"		custom angument. Kri
318	ml_sampcoll_tm4	Time of lab sample collection  HHMM	text (timenocolon) Custom alignment: RH
	Show the field ONLY if: [ml_sampcoll_date3]<>"		Custom anginneric NT
319	ml_desc_4		descriptive
	Show the field ONLY if: [ml_sampcoll_date4]<>"		
320	ml_sampcoll_date5	Date of Lab Sample Collection  MM/DD/YYYY	text (date_mdy) Custom alignment: RH
	Show the field ONLY if: [ml_sampcoll_date4]<>"		Custom angulitetic ici

a	21	ml_sampcoll_tm5	Time of lab sample collection	text (timenocolon)
	12 1	Show the field ONLY if:	HHMM	Custom alignment: RH
		[ml_sampcoll_date4]<>"		
3	22	ml_desc_5		descriptive
		Show the field ONLY if:		
		[ml_sampcoll_date5]<>"		
3	23	ml_sampcoll_date6	Date of Lab Sample Collection  MM/DD/YYYY	text (date_mdy) Custom alignment: RH
		Show the field ONLY if: [ml_sampcoll_date5]<>"		Custom digriment. NT
3	24	ml_sampcoll_tm6	Time of lab sample collection  HHMM	text (timenocolon)
		Show the field ONLY if: [ml_sampcoll_date5]<>''	ппии	Custom alignment: RH
3	25	ml_diag_wbc	Section Header: For each of the below, report test value at diagnosis (i.e., work up of condition) or trial entry with	radio (Matrix)
		Show the field ONLY if:	units or "Not Done" Any lab tests performed? (Tier 1)  White blood cell count (WBC)	1 Yes
		[ml_labsperformed]='1'		0 No
				98 Unknown
				97 Not Performed
3	26	ml_diag_wbc_result	Result	text (number)
		Show the field ONLY if:	[unit type]	Custom alignment: RH
		[ml_diag_wbc]='1'		
3	27	ml_diag_alc	Absolute lymphocyte count (ALC)	radio (Matrix)
		Show the field ONLY if: [ml_labsperformed]='1'		1 Yes 0 No
		[asspenson.es]		98 Unknown
				97 Not Performed
3	28	ml_diag_alc_result	Result	text (number) Custom alignment: RH
		Show the field ONLY if: [ml_diag_alc]='1'		
3	29	ml_diag_anc	Absolute neutrophil count (ANC)	radio (Matrix)
		Show the field ONLY if:		1 Yes
		[ml_labsperformed]='1'		0 No
				98 Unknown
				97 Not Performed
3	30	ml_diag_anc_result	Result	text (number)
		Show the field ONLY if:		Custom alignment: RH
		[ml_diag_anc]='1'		
3	31	ml_diag_platelet	Platelets	radio (Matrix)
		Show the field ONLY if:		1 Yes
		[ml_labsperformed]='1'		0 No
				98 Unknown
				97 Not Performed

332	ml_diag_platelet_result	Result	text (number)
	Show the field ONLY if: [ml_diag_platelet]='1'		Custom alignment: RH
333	ml_diag_crp	C-reactive protein (CRP)	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
334	ml_diag_crp_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_diag_crp]='1'		
335	ml_diag_esr	Erythrocyte sedimentation rate (ESR)	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
336	ml_diag_esr_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_diag_esr]='1'		
337	ml_diag_procalc	Procalcitonin	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
338	ml_diag_procalc_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_diag_procalc]='1'		
339	ml_diag_ferrit	Ferritin	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
340	ml_diag_ferrit_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_diag_ferrit]='1'		
341	ml_diag_ldh	LDH	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed

	342	ml_diag_ldh_result	Result	text (number) Custom alignment: RH
		Show the field ONLY if: [ml_diag_ldh]='1'		Casto 61,6,11,01.4
	343	ml_diag_album	Albumin	radio (Matrix)
		Show the field ONLY if:		1 Yes
		[ml_labsperformed]='1'		0 No
				98 Unknown
				97 Not Performed
	344	ml_diag_album_result	Result	text (number)
		Show the field ONLY if:		Custom alignment: RH
		[ml_diag_album]='1'		
	345	ml_diag_gluc	Glucose	radio (Matrix)
		Show the field ONLY if:		1 Yes
		[ml_labsperformed]='1'		0 No
				98 Unknown
				97 Not Performed
	346	ml_diag_gluc_result	Result	text (number)
		Show the field ONLY if:		Custom alignment: RH
		[ml_diag_gluc]='1'		
	347	ml_diag_sodium	Sodium	radio (Matrix)
		Show the field ONLY if: [ml_labsperformed]='1'		1 Yes
				0 No
				98 Unknown
				97 Not Performed
	348	ml_diag_sodium_result	Result	text (number)
		Show the field ONLY if:		Custom alignment: RH
		[ml_diag_sodium]='1'		
	349	ml_diag_creatin	Creatinine	radio (Matrix)
		Show the field ONLY if:		1 Yes
		[ml_labsperformed]='1'		0 No
				98 Unknown
				97 Not Performed
	350	ml_diag_creatin_result	Result	text (number)
		Show the field ONLY if: [ml_diag_creatin]='1'		Custom alignment: RH
+	351	ml_diag_bun	Blood urea nitrogen (BUN)	radio (Matrix)
	ا دد	Show the field ONLY if:	Siood area maragem (Dors)	1 Yes
		Snow the field ONLY If:   [ml_labsperformed]='1'		0 No
				98 Unknown
				97 Not Performed
				37 Not refformed

252	and all and house on the	Describ	And County of
352	ml_diag_bun_result	Result	text (number) Custom alignment: RH
	Show the field ONLY if:		edstorri dilgriment. NY
	[ml_diag_bun]='1'		
353	ml_diag_ast	Aspartate aminotransferase (AST)	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
			97 Not Performed
354	ml_diag_ast_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_diag_ast]='1'		
355	ml_diag_alt	Alanine transaminase (ALT)	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
356	ml_diag_alt_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_diag_alt]='1'		
357	ml_diag_ddimer	D-dimer	radio (Matrix)
			1 Yes
	Show the field ONLY if: [ml_labsperformed]='1'		<del>                                   </del>
	[m_iabsperiormed]= 1		0 No
			98 Unknown
			97 Not Performed
358	ml_diag_ddimer_result	Result	text (number)
			Custom alignment: RH
	Show the field ONLY if: [ml_diag_ddimer]='1'		
359		Eibringen	radio (Matrix)
339	ml_diag_fibri	Fibrinogen	radio (Matrix)  1 Yes
	Show the field ONLY if:		<del>                                    </del>
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
360	ml diag fibri result	Result	text (number)
300	ml_diag_fibri_result	Nesuit	Custom alignment: RH
	Show the field ONLY if:		• ·······
	[ml_diag_fibri]='1'		
361	ml_diag_tni	Troponin (TNI)	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
			[37] Hott chomica

	362	ml_diag_tni_result	Result	text (number)
		Show the field ONLY if: [ml_diag_tni]='1'		Custom alignment: RH
	363	ml_diag_bnp	BNP/NT-Pro-BNP	radio (Matrix)
		Show the field ONLY if:		1 Yes
		[ml_labsperformed]='1'		0 No
				98 Unknown
				97 Not Performed
	364	ml_diag_bnp_result	Result	text (number)
		Show the field ONLY if:		Custom alignment: RH
		[ml_diag_bnp]='1'		
	365	ml_diag_lact	Lactate	radio (Matrix)
		Show the field ONLY if:		1 Yes
		[ml_labsperformed]='1'		0 No
				98 Unknown
				97 Not Performed
	366	ml_diag_lact_result	Result	text (number)
		Show the field ONLY if:		Custom alignment: RH
$\vdash$		[ml_diag_lact]='1'		
		ml_diag_aec	Section Header: Tier 2 Labs	radio (Matrix)
		Show the field ONLY if:	Absolute eosinophil count	1 Yes
		[ml_labsperformed]='1'		0 No
				98 Unknown
				97 Not Performed
	368	ml_diag_aec_result	Result	text (number)
		Show the field ONLY if:		Custom alignment: RH
		[ml_diag_aec]='1'		
	369	ml_diag_amc	Absolute monocyte count	radio (Matrix)
		Show the field ONLY if:		1 Yes
		[ml_labsperformed]='1'		0 No
				98 Unknown
				97 Not Performed
	370	ml_diag_amc_result	Result	text (number)
		Show the field ONLY if:		Custom alignment: RH
		[ml_diag_amc]='1'		
	371	ml_diag_abc	Absolute basophil count	radio (Matrix)
		Show the field ONLY if:		1 Yes
		[ml_labsperformed]='1'		0 No
				98 Unknown
				97 Not Performed

		T	
372	ml_diag_abc_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_diag_abc]='1'		
373	ml_diag_hemog	Hemoglobin	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			<del>  </del>
			98 Unknown
			97 Not Performed
374	ml_diag_hemog_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_diag_hemog]='1'		
375	ml_diag_bili	Total bilirubin	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
376	ml_diag_bili_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_diag_bili]='1'		
377	ml_diag_pt	Prothrombin time (PT)	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
378	ml_diag_pt_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_diag_pt]='1'		
379	ml_diag_inr	International normalized ratio (INR)	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
380	ml_diag_inr_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_diag_inr]='1'		
381	ml_diag_aptt	Activated partial thromboplastin time (aPTT)	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
			77 Noct enothed

382	ml_diag_aptt_result	Result	text (number)
	Show the field ONLY if: [ml_diag_aptt]='1'		Custom alignment: RH
383	ml_diag_il6	IL-6	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
384	ml_diag_il6_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_diag_il6]='1'		
385	ml_diag_comp	Complement	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
386	ml_diag_comp_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_diag_comp]='1'		
387	ml_diag_ha1c	Hemoglobin A1C	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
388	ml_diag_ha1c_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_diag_ha1c]='1'		
389	ml_diag_ph	рН	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
390	ml_diag_ph_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_diag_ph]='1'		
391	ml_diag_pco2	pCO2	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed

		T	
392	ml_diag_pco2_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_diag_pco2]='1'		
393	ml_diag_paco2	paCO2	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
394	ml_diag_paco2_result	Result	text (number) Custom alignment: RH
	Show the field ONLY if:		Custom alignment. Kri
	[ml_diag_paco2]='1'		
395	ml_diag_calc	Calcium	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
306	ml diag sale vesult	Dogult	text (number)
396	ml_diag_calc_result	Result	Custom alignment: RH
	Show the field ONLY if: [ml_diag_calc]='1'		
H			
397	ml_diag_csfwbc	Cerebrospinal fluid (CSF) WBC	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
398	ml_diag_csfwbc_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_diag_csfwbc]='1'		
399	ml_diag_csfrbc	CSF red blood cell count (RBC)	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			<del>   </del>
			97 Not Performed
400	ml_diag_csfrbc_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_diag_csfrbc]='1'		
401	ml_diag_csfprot	CSF Protein	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
			97 Not Performed

402	ml_diag_csfprot_result	Result	text (number)
	Show the field ONLY if: [ml_diag_csfprot]='1'		Custom alignment: RH
403	ml_diag_csfgluc Show the field ONLY if: [ml_labsperformed]='1'	CSF Glucose	radio (Matrix)  1
404	ml_diag_csfgluc_result Show the field ONLY if: [ml_diag_csfgluc]='1'	Result	text (number) Custom alignment: RH
405	ml_diag_oth Show the field ONLY if: [ml_labsperformed]='1'	Other, Specify	radio (Matrix)  1 Yes  0 No  98 Unknown  97 Not Performed
406	ml_diag_oth_spfy Show the field ONLY if: [ml_diag_oth]='1'	Specify other	text Custom alignment: RH
407	ml_diag_oth_result Show the field ONLY if: [ml_diag_oth]='1'	Result	text (number) Custom alignment: RH
408	ml_admit_repeatbld Show the field ONLY if: [ml_labsperformed]='1'	Section Header: Most Abnormal Labs (Tier 2)  Any labs repeated during admission that were more abnormal than initial values?	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
409	ml_admit_wbc Show the field ONLY if: [ml_admit_repeatbld]='1'	White blood cell count (WBC)	Children Case Report Form  radio (Matrix)  1 Yes  0 No  98 Unknown  97 Not Performed  Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
410	ml_admit_wbc_result Show the field ONLY if: [ml_admit_wbc]='1'	Result	text (number) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form

411	ml_admit_alc	Absolute lymphocyte count (ALC)	radio (Matrix)
	Show the field ONLY if: [ml_admit_repeatbld]='1'		1 Yes 0 No
			98 Unknown
			97 Not Performed
			Field Assessment Children Is Described of Dhiladelphia Discussion of AUC Circ February
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
412	ml_admit_alc_result	Result	text (number) Custom alignment: RH
	Show the field ONLY if: [ml_admit_alc]='1'		Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
			Children Case Report Form
413	ml_admit_anc	Absolute neutrophil count (ANC)	radio (Matrix)
	Show the field ONLY if: [ml_admit_repeatbld]='1'		0 No
			98 Unknown
			97 Not Performed
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
414	ml_admit_anc_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
	[ml_admit_anc]='1'		Children Case Report Form
415	ml_admit_platelet	Platelets	radio (Matrix)
	Show the field ONLY if: [ml_admit_repeatbld]='1'		1 Yes
	[m_aumic_repeatblu]= 1		0 No
			98 Unknown 97 Not Performed
			197 Not Performed
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
416	ml_admit_platelet_result	Result	text (number)
410	Show the field ONLY if:	nesut	Custom alignment: RH
	[ml_admit_platelet]='1'		Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
417	ml_admit_crp	C-reactive protein (CRP)	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_admit_repeatbld]='1'		0 No
			98 Unknown
			97 Not Performed
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
418	ml_admit_crp_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
	[ml_admit_crp]='1'		Children Case Report Form

A19	osis of MIS-C in Febrile
Madmit_repeatbid]=11	osis of MIS-C in Febrile
Process   Proc	osis of MIS-C in Febrile
Field Annotation: Children's Hospital of Philadelphia Diagn Children Case Report Form  ### Age of the Field ONLY if:  ### [ml_admit_esr]="1"  ### Annotation: Children's Hospital of Philadelphia Diagn Children Case Report Form  ### Field Annotation: Children's Hospital of Philadelphia Diagn Children Case Report Form  ### Age of the Field ONLY if:  ### [ml_admit_procalc Show the field ONLY if:  ### [ml_admit_repeatbid]="1"  ### Annotation: Children's Hospital of Philadelphia Diagn Children Case Report Form  ### Annotation: Children's Hospital of Philadelphia Diagn Children Case Report Form  ### Field Annotation: Children's Hospital of Philadelphia Diagn Children Case Report Form  ### ### ### ### ### ### ### ### ### #	osis of MIS-C in Febrile
A 20    mLadmit_esr_result   Show the field ONLY if: [mLadmit_esr]='1'   Custom alignment: RH   Field Annotation: Children's Hospital of Philadelphia Diagn Children Case Report Form	osis of MIS-C in Febrile
A 20    mLadmit_esr_result   Show the field ONLY if: [mLadmit_esr]='1'   Custom alignment: RH   Field Annotation: Children's Hospital of Philadelphia Diagn Children Case Report Form	osis of MIS-C in Febrile
Show the field ONLY if: [ml_admit_esr]='1'  421 ml_admit_procalc Show the field ONLY if: [ml_admit_repeatbld]='1'  422 ml_admit_procalc_result Show the field ONLY if: [ml_admit_procalc_result Show the field ONLY if: [ml_admit_procalc]='1'  423 ml_admit_ferrit Show the field ONLY if: [ml_admit_procalc]='1'  Ferritin  Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagn Children Case Report Form  text (number) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagn Children Case Report Form  radio (Matrix) [ml_admit_ferrit Show the field ONLY if: [ml_admit_ferrit] Show the field ONLY if: [ml_admit_ferrit Show the field ONLY if: [ml_admit_ferrit Show the field ONLY if: [ml_admit_ferri	
Show the field ONLY if: [ml_admit_esr]='1'	
Machine   Mach	
Show the field ONLY if: [ml_admit_repeatbld]='1'  422  ml_admit_procalc_result Show the field ONLY if: [ml_admit_procalc]='1'  423  ml_admit_procalc]='1'  424  ml_admit_procalc]='1'  425  ml_admit_procalc]='1'  426  ml_admit_procalc]='1'  427  ml_admit_procalc]='1'  428  ml_admit_procalc]='1'  429  ml_admit_procalc]='1'  420  ml_admit_procalc]='1'  420  ml_admit_procalc]='1'  421  ml_admit_procalc]='1'  422  ml_admit_procalc]='1'  423  ml_admit_ferrit Show the field ONLY if: [ml_admit_procalc]='1'  424  ml_admit_ferrit Show the field ONLY if: [ml_admit_procalc]='1'  425  ml_admit_ferrit Show the field ONLY if: [ml_admit_ferrit] Show the field ONLY if:	osis of MIS-C in Febrile
Mode	osis of MIS-C in Febrile
Solution   Part   Par	osis of MIS-C in Febrile
Show the field ONLY if:   Show the field O	osis of MIS-C in Febrile
Field Annotation: Children's Hospital of Philadelphia Diagn Children Case Report Form  422 ml_admit_procalc_result Show the field ONLY if: [ml_admit_procalc]='1' Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagn Children Case Report Form  423 ml_admit_ferrit Show the field ONLY if: [ml_admit_ferrit] Ferritin radio (Matrix)  500 the field ONLY if: [ml_admit_ferrit] Ferritin radio (Matrix)  1 Yes	osis of MIS-C in Febrile
A22   ml_admit_procalc_result   Show the field ONLY if: [ml_admit_procalc]='1'   Ferritin   Ferritin   Show the field ONLY if:   1   Yes       1   Yes     1   Yes     1   Yes       1   Yes       1   Yes       1   Yes       1   Yes       1   Yes	osis of MIS-C in Febrile
A	osis of Mis-C in Februe
Show the field ONLY if:  [ml_admit_procalc]='1'  423 ml_admit_ferrit Show the field ONLY if:  Show the field ONLY if:  Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagn Children Case Report Form  radio (Matrix)  1 Yes	
Show the field ONLY II: [ml_admit_procalc]='1'  423 ml_admit_ferrit Show the field ONLY if:  Field Annotation: Children's Hospital of Philadelphia Diagn Children Case Report Form  radio (Matrix)  1 Yes	
[ml_admit_procalc]='1'  423 ml_admit_ferrit Ferritin radio (Matrix)  Show the field ONLY if:	
Show the field ONLY if:	osis of Mis-C in Februe
Show the field offer in.	
[ml_admit_repeatbld]='1'	
98 Unknown	
97 Not Performed	
Field Apparation, Children at Description of Dhiladelphia Disease	ania of MIC C in Fahrila
Field Annotation: Children's Hospital of Philadelphia Diagn Children Case Report Form	3SIS OF MIS-C IN FEBRUE
424 ml_admit_ferrit_result Result text (number)	
Show the field ONLY if:	
Field Annotation: Children's Hospital of Philadelphia Diagn [ml_admit_ferrit]='1' Children Case Report Form	osis of MIS-C in Febrile
425 ml_admit_ldh LDH radio (Matrix)	
Show the field ONLY if:	
[ml_admit_repeatbld]='1'	
98 Unknown	
97 Not Performed	
Field Annotation: Children's Hospital of Philadelphia Diagn Children Case Report Form	
426 ml_admit_ldh_result Result text (number)	osis of MIS-C in Febrile
Custom alignment: RH	osis of MIS-C in Febrile
Show the field ONLY if:  [ml_admit_ldh]='1'  Show the field Annotation: Children's Hospital of Philadelphia Diagn  [ml_admit_ldh]='1'	

427	ml_admit_album Show the field ONLY if: [ml_admit_repeatbld]='1'	Albumin	radio (Matrix)  1 Yes  0 No  98 Unknown  97 Not Performed  Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
428	ml_admit_album_result Show the field ONLY if: [ml_admit_album]='1'	Result	text (number) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
429	ml_admit_gluc Show the field ONLY if: [ml_admit_repeatbld]='1'	Glucose	radio (Matrix)  1 Yes  0 No  98 Unknown  97 Not Performed  Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
430	ml_admit_gluc_result Show the field ONLY if: [ml_admit_gluc]='1'	Result	text (number) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
431	ml_admit_sodium Show the field ONLY if: [ml_admit_repeatbld]='1'	Sodium	radio (Matrix)  1 Yes  0 No  98 Unknown  97 Not Performed  Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
432	ml_admit_sodium_result Show the field ONLY if: [ml_admit_sodium]='1'	Result	text (number) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
433	ml_admit_creatin Show the field ONLY if: [ml_admit_repeatbld]='1'	Creatinine	radio (Matrix)  1 Yes  0 No  98 Unknown  97 Not Performed  Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
434	ml_admit_creatin_result Show the field ONLY if: [ml_admit_creatin]='1'	Result	text (number) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form

435	ml_admit_bun Show the field ONLY if:	Blood urea nitrogen (BUN)	radio (Matrix)  1 Yes
	[ml_admit_repeatbld]='1'		0 No
			98 Unknown
			97 Not Performed
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
436	ml_admit_bun_result	Result	text (number)
	Show the field ONLY if: [ml_admit_bun]='1'		Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
437	ml_admit_ast	Aspartate aminotransferase (AST)	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_admit_repeatbld]='1'		0 No
			98 Unknown
			97 Not Performed
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
438	ml_admit_ast_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
	[ml_admit_ast]='1'		Children Case Report Form
439	ml_admit_alt	Alanine transaminase (ALT)	radio (Matrix)
	Show the field ONLY if: [ml_admit_repeatbld]='1'		1 Yes
	[m_admc_repeatoid]= 1		0 No
			98 Unknown
			97 Not Performed
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
440	ml_admit_alt_result	Result	text (number) Custom alignment: RH
	Show the field ONLY if: [ml_admit_alt]='1'		Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
			Children Case Report Form
441	ml_admit_ddimer	D-dimer	radio (Matrix)
	Show the field ONLY if: [ml_admit_repeatbld]='1'		1 Yes 0 No
			98 Unknown
			97 Not Performed
			57 Hour cromined
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
442	ml_admit_ddimer_result	Result	text (number) Custom alignment: RH
	Show the field ONLY if: [ml_admit_ddimer]='1'		Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
	[m_admic_ddimer]= 1		Children Case Report Form

443		Fibrinogen	radio (Matrix)  1 Yes
	Show the field ONLY if: [ml_admit_repeatbld]='1'		0 No
			98 Unknown
			97 Not Performed
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
444	ml_admit_fibri_result	Result	text (number) Custom alignment: RH
	Show the field ONLY if: [ml_admit_fibri]='1'		Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
445	ml_admit_tni	Troponin (TNI)	radio (Matrix)
	Show the field ONLY if: [ml_admit_repeatbld]='1'		1 Yes
	[m_admic_repeatoid]= r		0   No     98   Unknown
			97 Not Performed
			[57] Note Chomica
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
446		Result	text (number) Custom alignment: RH
	Show the field ONLY if: [ml_admit_tni]='1'		Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
447	ml_admit_bnp	BNP/NT-Pro-BNP	radio (Matrix)
	Show the field ONLY if: [ml_admit_repeatbld]='1'		1 Yes 0 No
	[m_damic_repeatora]		0 No 98 Unknown
			97 Not Performed
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
448		Result	text (number) Custom alignment: RH
	Show the field ONLY if: [ml_admit_bnp]='1'		Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
449	ml_admit_lact	Lactate	radio (Matrix)
	Show the field ONLY if: [ml_labsperformed]='1'		1 Yes 0 No
	[idosperioied]		0 No 98 Unknown
			97 Not Performed
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
450		Result	text (number) Custom alignment: RH
	Show the field ONLY if: [ml_admit_lact]='1'		Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
	1		Children Case Report Form

451	ml_admit_aec	Section Header: Tier 2	radio (Matrix)
	Show the field ONLY if:	Absolute eosinophil count	1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
452	ml_admit_aec_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
	[ml_admit_aec]='1'		Children Case Report Form
453	ml_admit_amc	Absolute monocyte count	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
			Field Association Children's Heavited of Philadelphia Diagrapsis of MCC Cir. Februite
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
454	ml_admit_amc_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_admit_amc]='1'		Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
455	ml_admit_abc	Absolute basophil count	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
456	ml_admit_abc_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH
	[ml_admit_abc]='1'		Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
457	ml_admit_hemog	Hemoglobin	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
458	ml_admit_hemog_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
	[ml_admit_hemog]='1'		Children Case Report Form
			Children case Report Form

459	ml_admit_bili	Total bilirubin	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
460	ml_admit_bili_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
	[ml_admit_bili]='1'		Children Case Report Form
461	ml_admit_pt	Prothrombin time (PT)	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
			Children Case Report Form
462	ml_admit_pt_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
	[ml_admit_pt]='1'		Children Case Report Form
463	ml_admit_inr	International normalized ratio (INR)	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
			Children Case Report Form
464	ml_admit_inr_result	Result	text (number)
	Show the field ONLY if:		Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
	[ml_admit_inr]='1'		Children Case Report Form
465	ml_admit_aptt	Activated partial thromboplastin time (aPTT)	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[ml_labsperformed]='1'		0 No
			98 Unknown
			97 Not Performed
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
			Children Case Report Form
466	ml_admit_aptt_result	Result	text (number) Custom alignment: RH
	Show the field ONLY if:		Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
	[ml_admit_aptt]='1'		Children Case Report Form

467	ml_admit_il6 Show the field ONLY if: [ml_labsperformed]='1'	IL-6	radio (Matrix)  1 Yes  0 No  98 Unknown  97 Not Performed
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
468	ml_admit_il6_result Show the field ONLY if: [ml_admit_il6]='1'	Result	text (number) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
469	ml_admit_comp Show the field ONLY if: [ml_labsperformed]='1'	Complement	radio (Matrix)  1 Yes  0 No  98 Unknown  97 Not Performed  Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
470	ml_admit_comp_result Show the field ONLY if: [ml_admit_comp]='1'	Result	text (number) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
471	ml_admit_ha1c Show the field ONLY if: [ml_labsperformed]='1'	Hemoglobin A1C	radio (Matrix)  1 Yes  0 No  98 Unknown  97 Not Performed  Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
472	ml_admit_ha1c_result Show the field ONLY if: [ml_admit_ha1c]='1'	Result	Children Case Report Form  text (number) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
473	ml_admit_ph Show the field ONLY if: [ml_labsperformed]='1'	pH	radio (Matrix)  1 Yes  0 No  98 Unknown  97 Not Performed  Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
474	ml_admit_ph_result Show the field ONLY if: [ml_admit_ph]='1'	Result	text (number) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form

475	ml_admit_pco2 Show the field ONLY if: [ml_labsperformed]='1'	pCO2	radio (Matrix)  1 Yes  0 No  98 Unknown  97 Not Performed
			Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
476	ml_admit_pco2_result  Show the field ONLY if: [ml_admit_pco2]='1'	Result	text (number) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
477	ml_admit_paco2 Show the field ONLY if: [ml_labsperformed]='1'	paCO2	radio (Matrix)  1 Yes  0 No  98 Unknown  97 Not Performed  Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
478	ml_admit_paco2_result Show the field ONLY if: [ml_admit_paco2]='1'	Result	text (number) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
479	ml_admit_calc Show the field ONLY if: [ml_labsperformed]='1'	Calcium	radio (Matrix)  1 Yes  0 No  98 Unknown  97 Not Performed  Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
480	ml_admit_calc_result Show the field ONLY if: [ml_admit_calc]='1'	Result	Children Case Report Form  text (number) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
481	ml_admit_csfwbc Show the field ONLY if: [ml_labsperformed]='1'	Cerebrospinal fluid (CSF) WBC	radio (Matrix)  1 Yes  0 No  98 Unknown  97 Not Performed  Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
482	ml_admit_csfwbc_result Show the field ONLY if: [ml_admit_csfwbc]='1'	Result	text (number) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form

4	183	ml_admit_csfrbc	CSF red blood cell count (RBC)	radio (Matrix)
		Show the field ONLY if:		1 Yes
		[ml_labsperformed]='1'		0 No
				98 Unknown
				97 Not Performed
				Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
				Children Case Report Form
4	184	ml_admit_csfrbc_result	Result	text (number) Custom alignment: RH
		Show the field ONLY if: [ml_admit_csfrbc]='1'		Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
				Children Case Report Form
	485	ml_admit_csfprot	CSF Protein	radio (Matrix)  1 Yes
		Show the field ONLY if: [ml_labsperformed]='1'		0 No
				98 Unknown
				97 Not Performed
				Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
4	186	ml_admit_csfprot_result	Result	text (number)
		Show the field ONLY if:		Custom alignment: RH
		[ml_admit_csfprot]='1'		Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
4	187	ml_admit_csfgluc	CSF Glucose	radio (Matrix)
		Show the field ONLY if:		1 Yes
		[ml_labsperformed]='1'		0 No
				98 Unknown
				97 Not Performed
				Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
				Children Case Report Form
4	488	ml_admit_csfgluc_result	Result	text (number) Custom alignment: RH
		Show the field ONLY if: [ml_admit_csfgluc]='1'		Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile
				Children Case Report Form
4	189	ml_admit_oth	Other, Specify	radio (Matrix)  1 Yes
		Show the field ONLY if: [ml_labsperformed]='1'		0 No
				98 Unknown
				97 Not Performed
				27 Hour charmed
				Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
	190	ml_admit_oth_spfy	Specify other	text
	-50	Show the field ONLY if:	specify other	Custom alignment: RH
		[ml_admit_oth]='1'		Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
				emaren case report romi

491	ml_admit_oth_result Show the field ONLY if: [ml_admit_oth_spfy]='1'	Result	text (number) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
492	ml_pos_viraltest	Section Header: Other Viral/Bacterial/Fungal Test Positive (Tier 2)  Any other viral testing positive?	yesno 1 Yes 0 No
			Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
493	ml_pos_viraltest1 Show the field ONLY if: [ml_pos_viraltest]='1'	Section Header: List other viral tests that were positive  Specify other positive viral test	text Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
494	ml_pos_viraltest2 Show the field ONLY if: [ml_pos_viraltest1]<>"	Specify other positive viral test	text Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
495	ml_pos_viraltest3 Show the field ONLY if: [ml_pos_viraltest2]<>"	Specify other positive viral test	text Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
496	ml_pos_viraltest4 Show the field ONLY if: [ml_pos_viraltest3]<>"	Specify other positive viral test	text Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
497	ml_pos_viraltest5 Show the field ONLY if: [ml_pos_viraltest4]<>"	Specify other positive viral test	text Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
498	ml_pos_viraltest6 Show the field ONLY if: [ml_pos_viraltest5]<>"	Specify other positive viral test	text Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
499	ml_pos_blood	Section Header: Blood Cultures Positive blood cultures?	yesno 1
			Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
500	ml_organism1 Show the field ONLY if: [ml_pos_blood]='1'	Organism	text Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
501	ml_culturedate1 Show the field ONLY if: [ml_pos_blood]='1'	Date MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form

		T		<u></u>
	502	ml_organism2 Show the field ONLY if: [ml_organism1]<>"	Organism	text Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
	503	ml_culturedate2 Show the field ONLY if: [ml_organism1]<>"	Date MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
	504	ml_organism3 Show the field ONLY if: [ml_organism2]<>"	Organism	text Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
	505	ml_culturedate3 Show the field ONLY if: [ml_organism2]<>"	Date MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
	506	ml_organism4 Show the field ONLY if: [ml_organism3]<>"	Organism	text Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
	507	ml_culturedate4 Show the field ONLY if: [ml_organism3]<>"	Date MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
	508	ml_organism5 Show the field ONLY if: [ml_organism4]<>"	Organism	text Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
	509	ml_culturedate5 Show the field ONLY if: [ml_organism4]<>"	Date MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
	510	ml_organism6 Show the field ONLY if: [ml_organism5]<>"	Organism	text Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
	511	ml_culturedate6 Show the field ONLY if: [ml_organism5]<>"	Date MM/DD/YYYY	text (date_mdy) Custom alignment: RH Field Annotation: Children's Hospital of Philadelphia Diagnosis of MIS-C in Febrile Children Case Report Form
	512	manifestations_laboratory_complete	Section Header: Form Status Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
Instr	ument:	Manifestations: Cardiopulmonary	Diagnostic Assessments (manifestations_cardiopulmonary_diagnostic_assessme)	☐ Enabled as survey
	513	mcda_intro	Additional Guidance: Similar to vital signs and clinical labs, the Working Group is not currently recommending frequency for documentation of specific cardiopulmonary assessments. Study sites are encouraged to provide any cardiopulmonary assessment data that are collected for monitoring of participants, in addition to the data reporting abnormality.	descriptive

514	mcda_cardiodiagnost	Section Header: Cardiovascular Diagnostic Assessment Abnormalities	radio
	incad_curaioulagnost	Did the patient have any cardiovascular diagnostic assessments performed (beyond	1 Yes
		physical exam) ?	0 No
			98 Unknown
			Custom alignment: RH
			Field Annotation: WHO Post COVID Case Report Form   Biomedical Pediatric WG
			modifications  https://cdn.who.int/media/docs/default-source/3rd-edl- submissions/who_crf_postcovid_feb9_2021.pdf?
			sfvrsn=76afd14_1&download=true
515	mcda_ecg	ECG (Tier 2)	radio (Matrix)
	Show the field ONLY if: [mcda_cardiodiagnost]='1'		1 Yes - abnormalities detected
	[mcua_cardiodiagnost]= 1		2 Yes normal
			0 No - not performed
			98 Unknown
516	mcda_ecg_date	Cardiovascular Diagnostic Assessment Date	text (date_mdy) Field Annotation: @HIDEBUTTON
	Show the field ONLY if:		Field Affilotation. @FIDEBOTTON
517	[mcda_ecg]='1' or [mcda_ecg]='2' mcda_ecg_abnormal	Was there	radio
	Show the field ONLY if:	was triefe	1 Abnormal function
	[mcda_ecg]='1'		2 Pericardial effusion
			3 Coronary artery abnormalities
518	mcda_echo	ECHO (Tier 2)	radio (Matrix)
	Show the field ONLY if:		1 Yes - abnormalities detected
	[mcda_cardiodiagnost]='1'		2 Yes normal
			0 No - not performed
			98 Unknown
519	mcda_echo_date	Cardiovascular Diagnostic Assessment Date	text (date_mdy)
	Show the field ONLY if:		Field Annotation: @HIDEBUTTON
	[mcda_echo]='1' or [mcda_echo]='2'		
520	mcda_echo_abnormal	Was there	radio 1 Abnormal function
	Show the field ONLY if: [mcda_echo]='1'		2 Pericardial effusion
			3 Coronary artery abnormalities
521	meda cardiaemri	Cardiac MDI (Tier 2)	
321	mcda_cardiacmri Show the field ONLY if:	Cardiac MRI (Tier 2)	radio (Matrix)  1 Yes - abnormalities detected
	[mcda_cardiodiagnost]='1'		2 Yes normal
			0 No - not performed
			98 Unknown
522	mcda_cardiacmri_date	Cardiovascular Diagnostic Assessment Date	text (date_mdy)
	Show the field ONLY if:		Field Annotation: @HIDEBUTTON
	[mcda_cardiacmri]='1' or [mcda_cardiacmri]		
	='2'		

	500	and a south and the	West them.	and the
	523	mcda_cardiacmri_abnormal	Was there	radio 1 Abnormal function
		Show the field ONLY if: [mcda_cardiacmri]='1'		2 Pericardial effusion
		[meda_cararachin]		
				3 Coronary artery abnormalities
	524	mcda_cda_oth	Other test	radio (Matrix)
		Show the field ONLY if:		1 Yes - abnormalities detected
		[mcda_cardiodiagnost]='1'		2 Yes normal
				0 No - not performed
				98 Unknown
	525	mcda_cda_oth_spfy	Specify test	text
		Show the field ONLY if:		
		[mcda_cda_oth]='1' or [mcda_cda_oth]='2'		
	526	mcda_cda_oth_date	Cardiovascular Diagnostic Assessment Date	text (date_mdy) Field Annotation: @HIDEBUTTON
		Show the field ONLY if: [mcda_cda_oth]='1' or [mcda_cda_oth]='2'		The day will octation. Grid Essential
	527	mcda_oth_abnormal	Was there	radio
	327		was triefe	1 Abnormal function
		Show the field ONLY if: [mcda_cda_oth]='1'		2 Pericardial effusion
				3 Coronary artery abnormalities
	528	mcda_pulmdiag	Section Header: Pulmonary Diagnostic Assessment Abnormalities  Did the patient have any pulmonary diagnostic testing (beyond physical exam and	radio
			radiographic imaging)	1 Yes
				0 No
				98 Unknown
				Field Annotation: WHO Post COVID Case Report Form  Biomedical Pediatric WG
				modifications  https://cdn.who.int/media/docs/default-source/3rd-edl-
				submissions/who_crf_postcovid_feb9_2021.pdf? sfvrsn=76afd14_1&download=true  https://pubmed.ncbi.nlm.nih.gov/28637155/
-	529	meda faatnata	Additional Guidance: Please note that while the 6 Minute Walk Test (6 MWT) is surrently	† · · · · · · · · · · · · · · · · · · ·
	529	mcda_footnote	Additional Guidance: Please note that while the 6-Minute Walk Test (6-MWT) is currently grouped with the Pulmonary Diagnostic Assessments, it is also used as a Cardiovascular	descriptive
			Diagnostic Assessment. Please refer to the footnote for 6-MWT assessment in MIS-C	
			patients.	
	530	mcda_6walk	6-Minute Walk Test (Tier 2) [only ages 6+]	radio (Matrix)  1 Yes - abnormalities detected
		Show the field ONLY if: [mcda_pulmdiag]='1'		
		[meaa_paimaiagi= i		2 Yes normal
				0 No - not performed
				98 Unknown
				Field Annotation: Penner J, Abdel-Mannan O, Grant K, Maillard S, Kucera F,
				Hassell J, Eyre M, Berger Z, Hacohen Y, Moshal K; GOSH PIMS-TS MDT Group. 6-
				month multidisciplinary follow-up and outcomes of patients with paediatric inflammatory multisystem syndrome (PIMS-TS) at a UK tertiary paediatric
				hospital: a retrospective cohort study. Lancet Child Adolesc Health. 2021
				Jul;5(7):473-482. doi: 10.1016/S2352-4642(21)00138-3. PMID:
				34043958. https://www.thelancet.com/journals/lanchi/article/PIIS2352-4642(21)00138-3/fulltext
				7072(21)00130°3/10IILEAL

	T		
531	mcda_6walk_date Show the field ONLY if:	Pulmonary Diagnostic Assessment Date  MM/DD/YYYY	text (date_mdy) Field Annotation: @HIDEBUTTON
	[mcda_6walk]='1' or [mcda_6walk]='2'		
532	mcda_pulmon Show the field ONLY if: [mcda_pulmdiag]='1'	Pulmonary Function Test (Tier 2) [only ages 6+]	radio (Matrix)  1 Yes - abnormalities detected 2 Yes normal
			0 No - not performed 98 Unknown
533	mcda_pulmon_date  Show the field ONLY if: [mcda_pulmon]='1' or [mcda_pulmon]='2'	Pulmonary Diagnostic Assessment Date  MM/DD/YYYY	text (date_mdy) Field Annotation: @HIDEBUTTON
534	mcda_coox Show the field ONLY if: [mcda_pulmdiag]='1'	Co-oximetry (Tier 2)	radio (Matrix)  1 Yes - abnormalities detected 2 Yes normal 0 No - not performed 98 Unknown
535	mcda_coox_date  Show the field ONLY if: [mcda_coox]='1' or [mcda_coox]='2'	Pulmonary Diagnostic Assessment Date  MM/DD/YYYY	text (date_mdy) Field Annotation: @HIDEBUTTON
536	mcda_2walk  Show the field ONLY if: [mcda_pulmdiag]='1'	2-Minute Walk Test (Tier 2)	radio (Matrix)  1
537	mcda_2walk_date Show the field ONLY if: [mcda_2walk]='1' or [mcda_2walk]='2'	Pulmonary Diagnostic Assessment Date  MM/DD/YYYY	text (date_mdy) Field Annotation: @HIDEBUTTON
538	mcda_pda_oth  Show the field ONLY if: [mcda_pulmdiag]='1'	Other tests (specify test) performed (Tier 2)	radio (Matrix)  1 Yes - abnormalities detected 2 Yes normal 0 No - not performed 98 Unknown
539	mcda_pda_oth_spfy  Show the field ONLY if: [mcda_pda_oth]='1' or [mcda_pda_oth]='2'	Specify other	text
540	mcda_pda_oth_date Show the field ONLY if: [mcda_pda_oth]='1' or [mcda_pda_oth]='2'	Pulmonary Diagnostic Assessment Date  MM/DD/YYYY	text (date_mdy) Field Annotation: @HIDEBUTTON

	541	manifestations_cardiopulmonary_diagnostic_ assessme_complete	Section Header: Form Status Complete?	dropdown  0 Incomplete  1 Unverified 2 Complete
Ins	trument:	Manifestations: Imaging (manifestatio	Ins_imaging)	^ Collapse Collapse
	542	mi_xray	Section Header: Radiographic Imaging Abnormalities Additional Guidance: Similar to vital signs and clinical labs, the Working Group is not currently recommending frequency for documentation of specific radiographic imaging. Study sites are encouraged to provide any radiographic imaging data that are collected for monitoring of participants, in addition to the data reporting abnormality.  Did the patient have a chest x-ray performed?	radio (Matrix)  1
	543	mi_xray_date Show the field ONLY if: [mi_xray]='1' or [mi_xray]='2'	Date of Chest X-Ray  MM/DD/YYYY	text (date_mdy) Field Annotation: @HIDEBUTTON
	544	mi_xray_tm Show the field ONLY if: [mi_xray]='1' or [mi_xray]='2'	Time of Chest X-Ray  MM/DD/YYYY	text (timenocolon) Field Annotation: @HIDEBUTTON
	545	mi_radioimage	Section Header: <i>Tier 2</i> Did the patient have any other radiographic imaging performed?	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH
	546	mi_ctbrain Show the field ONLY if: [mi_radioimage]='1'	CT Brain	radio (Matrix)  1 Yes - abnormalities detected 2 Yes - normal 0 No - not performed 98 Unknown
	547	mi_ctbrain_date Show the field ONLY if: [mi_ctbrain]='1' or [mi_ctbrain]='2'	Date of CT Brain  MM/DD/YYYY	text (date_mdy) Field Annotation: @HIDEBUTTON
	548	mi_ctchest Show the field ONLY if: [mi_radioimage]='1'	CT Chest	radio (Matrix)  1 Yes - abnormalities detected  2 Yes - normal  0 No - not performed  98 Unknown
	549	mi_ctchest_date Show the field ONLY if: [mi_ctchest]='1' or [mi_ctchest]='2'	Date of CT Chest  MM/DD/YYYY	text (date_mdy) Field Annotation: @HIDEBUTTON

	T		
550	mi_ctabdomen	CT Abdomen	radio (Matrix)
	Show the field ONLY if:		1 Yes - abnormalities detected
	[mi_radioimage]='1'		2 Yes - normal
			0 No - not performed
			98 Unknown
551	mi_ctabdomen_date	Date of CT Abdomen	text (date_mdy)
	Show the field ONLY if:	MM/DD/YYYY	Field Annotation: @HIDEBUTTON
	[mi_ctabdomen]='1' or [mi_ctabdomen]='2'		
552	mi_lung	Lung Ultrasound	radio (Matrix)
	Show the field ONLY if:		1 Yes - abnormalities detected
	[mi_radioimage]='1'		2 Yes - normal
			0 No - not performed
			98 Unknown
553	mi_lung_date	Date of Lung Ultrasound	text (date_mdy)
	Show the field ONLY if:	MM/DD/YYYY	Field Annotation: @HIDEBUTTON
	[mi_lung]='1' or [mi_lung]='2'		
554	mi_vascular	Vascular Ultrasound	radio (Matrix)
	Show the field ONLY if:		1 Yes - abnormalities detected
	[mi_radioimage]='1'		2 Yes - normal
			0 No - not performed
			98 Unknown
555	mi_vascular_date	Date of Vascular Ultrasound	text (date_mdy)
	Show the field ONLY if:	MM/DD/YYYY	Field Annotation: @HIDEBUTTON
	[mi_vascular]='1' or [mi_vascular]='2'		
556	mi_abs	Abdominal Ultrasound	radio (Matrix)
	Show the field ONLY if:		1 Yes - abnormalities detected
	[mi_radioimage]='1'		2 Yes - normal
			0 No - not performed
			98 Unknown
	and the date	Data of Abdominal Ulbranound	
557	mi_abs_date	Date of Abdominal Ultrasound  MM/DD/YYYY	text (date_mdy) Field Annotation: @HIDEBUTTON
	Show the field ONLY if: [mi_abs]='1' or [mi_abs]='2'		-
558	mi neonatal	Neonatal Ultrasound Brain	radio (Matrix)
330	_		1 Yes - abnormalities detected
	Show the field ONLY if: [mi_radioimage]='1'	(Only performed on infants with open anterior fontanelle)	2 Yes - normal
	_		0 No - not performed
			98 Unknown
559	mi_neonatal_date	Date of Neonatal Ultrasound (brain)	text (date_mdy) Field Annotation: @HIDEBUTTON
	Show the field ONLY if:	MMM/DD/1111	FIEID AHHOUALION: @MIDEBUTION
	[mi_neonatal]='1' or [mi_neonatal]='2'		

560	mi_mribrain	MRI Brain	radio (Matrix)
	Show the field ONLY if:		1 Yes - abnormalities detected
	[mi_radioimage]='1'		2 Yes - normal
			0 No - not performed
			98 Unknown
561	mi_mribrain_date	Date of MRI Brain	text (date_mdy)
	Show the field ONLY if:	MM/DD/YYYY	Field Annotation: @HIDEBUTTON
	[mi_mribrain]='1' or [mi_mribrain]='2'		
562	mi_mrispine	MRI Spine	radio (Matrix)
	Show the field ONLY if:		1 Yes - abnormalities detected
	[mi_radioimage]='1'		2 Yes - normal
			0 No - not performed
			98 Unknown
563	mi_mrispine_date	Date of MRI Spine  MM/DD/YYYY	text (date_mdy) Field Annotation: @HIDEBUTTON
	Show the field ONLY if:		Tield Allifotation. @Thoebot Toly
	[mi_mrispine]='1' or [mi_mrispine]='2'		
564	mi_mriabdomen	MRI Abdomen	radio (Matrix)
	Show the field ONLY if:		1 Yes - abnormalities detected
	[mi_radioimage]='1'		2 Yes - normal
			0 No - not performed
			98 Unknown
565	mi_mriabdomen_date	Date of MRI Abdomen	text (date_mdy)
	Show the field ONLY if:	MM/DD/YYYY	Field Annotation: @HIDEBUTTON
	[mi_mriabdomen]='1' or [mi_mriabdomen]		
	='2'		
566	mi_oth	Section Header:	radio (Matrix)
	Show the field ONLY if:	Other radiographic imaging (specify test) performed	1 Yes - abnormalities detected
	[mi_radioimage]='1'		2 Yes - normal
			0 No - not performed
			98 Unknown
567	mi_oth1	1. Specify test	text
	Show the field ONLY if:		
	[mi_oth]='1' or [mi_oth]='2'		
568	mi_oth1_date	1. Date of Other Radiographic Imaging (Tier 2)	text (date_mdy)
	Show the field ONLY if:	MM/DD/YYYY	Field Annotation: @HIDEBUTTON
	[mi_oth]='1' or [mi_oth]='2'		
569	mi_oth2	2. Specify test 2	text
	Show the field ONLY if:		
	[mi_oth]='1' or [mi_oth]='2'		
570	mi_oth2_date	2. Date of Other Radiographic Imaging (Tier 2)	text (date_mdy)
	Show the field ONLY if:	MM/DD/YYYY	Field Annotation: @HIDEBUTTON
	[mi_oth]='1' or [mi_oth]='2'		

	571	mi_oth3	3. Specify test 3	text
		Show the field ONLY if: [mi_oth]='1' or [mi_oth]='2'		
	572	mi_oth3_date	3. Date of Other Radiographic Imaging (Tier 2)	text (date_mdy)
		Show the field ONLY if:	ווידעטאוווו	Field Annotation: @HIDEBUTTON
	572	[mi_oth]='1' or [mi_oth]='2'	Section Header: Form Status	dura dura
	573	manifestations_imaging_complete	Complete?	dropdown    0   Incomplete
				1 Unverified
				2 Complete
Ins	trument:	<b>Diagnosis</b> (diagnosis) <b>♣</b> Enabled as su	irvey	^ Collapse Collapse
	574	diag_cov2test	Section Header: SARS-CoV-2 Tested	radio
			Has the participant been tested for SARS-CoV-2?	1 Tested
				2 Not Tested
				98 Unknown
				Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
	575	diag_cov2test_rslt	What was the result?	radio
		Show the field ONLY if:		1 Positive
		[diag_cov2test]='1'		0 Negative
				98 Unknown
				Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
	576	diag_rtpcr_quant	Section Header: What tests were performed?	radio
		Show the field ONLY if:	Molecular amplification test (RT PCR, NAAT) - SARS-CoV-2 RNA level Quantitative	1 Yes
		[diag_cov2test]='1'		0 No
				98 Unknown
				Custom alignment: RH
				Field Annotation: Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants  https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206
				Clinical Data Coordination Group (Project 5) CDE, Tier 1
	577	diag_rtpcr_quant_rslt	Result	radio (Matrix)
		Show the field ONLY if:		1 Detected
		[diag_rtpcr_quant]='1'		2 Not Detected
				3 Not detected in pooled specimen
				4 Inconclusive
				97 N/A or Not reported
				98 Unknown
				Field Annotation: Recommendations for CDEs for COVID-19 Studies Including
				Pregnant Participants   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206 Clinical Data Coordination Group (Project 5) CDE, Tier 1
				Clinical Data Coordination Group (Project 5) CDE, Her 1

578	diag_rtpcr_quant_date	Date of test	text (date_mdy)
	Show the field ONLY if:		Field Annotation: Recommendations for CDEs for COVID-19 Studies Including
	[diag_rtpcr_quant]='1'		Pregnant Participants   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206 Clinical Data Coordination Group (Project 5) CDE, Tier 1
579	dxdesc2		descriptive
	Show the field ONLY if: [diag_cov2test]='1'		
580	diag_rtpcr_qual	Molecular amplification test (RT PCR, NAAT) - SARS-CoV-2 RNA detection Qualitative	radio
	Show the field ONLY if:		1 Yes
	[diag_cov2test]='1'		0 No
			98 Unknown
			Custom alignment: RH
			Field Annotation: Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206
			Clinical Data Coordination Group (Project 5) CDE, Tier 1
581	diag_rtpcr_qual_rslt	Result	radio (Matrix)
	Show the field ONLY if:		1 Detected
	[diag_rtpcr_qual]='1'		2 Not Detected
			3 Not detected in pooled specimen
			4 Inconclusive
			97 N/A or Not reported
			98 Unknown
			Field Annotation: Recommendations for CDEs for COVID-19 Studies Including
			Pregnant Participants  https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206
500			Clinical Data Coordination Group (Project 5) CDE, Tier 1
582	diag_rtpcr_qual_date	Date of test	text (date_mdy) Field Annotation: Recommendations for CDEs for COVID-19 Studies Including
	Show the field ONLY if: [diag_rtpcr_qual]='1'		Pregnant Participants   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206
583	dxdesc3		Clinical Data Coordination Group (Project 5) CDE, Tier 1
363			descriptive
	Show the field ONLY if: [diag_cov2test]='1'		
584	diag_rapid_ag	SARS-CoV-2 Antigen - SARS-CoV-2 Rapid Antigen	radio
	Show the field ONLY if:		1 Yes
	[diag_cov2test]='1'		0 No
			98 Unknown
			Custom alignment: RH
			Field Annotation: Recommendations for CDEs for COVID-19 Studies Including
			Pregnant Participants   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206 Clinical Data Coordination Group (Project 5) CDE, Tier 1
			Cirrical Data Coordination Group (Project 5) CDE, Tier 1

	T	T	1
585	diag_rapid_ag_rslt	Result	radio (Matrix)
	Show the field ONLY if:		1 Detected
	[diag_rapid_ag]='1'		2 Not Detected
			3 Not detected in pooled specimen
			4 Inconclusive
			97 N/A or Not reported
			98 Unknown
			Field Annotation: Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants  https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206
			Clinical Data Coordination Group (Project 5) CDE, Tier 1
586	diag_rapid_ag_date	Date of test	text (date_mdy)
	Show the field ONLY if:		Field Annotation: Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206
	[diag_rapid_ag]='1'		Clinical Data Coordination Group (Project 5) CDE, Tier 1
587	dxdesc4		descriptive
	Show the field ONLY if: [diag_cov2test]='1'		
588	diag_igm	Serology - SARS CoV-2 IgM	radio
	Show the field ONLY if:		1 Yes
	[diag_cov2test]='1'		0 No
			98 Unknown
			98 OHKHOWIT
			Custom alignment: RH
			Field Annotation: Recommendations for CDEs for COVID-19 Studies Including
			Pregnant Participants   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206 Clinical Data Coordination Group (Project 5) CDE, Tier 1
589	diag_igm_rslt	Result	radio (Matrix)
	Show the field ONLY if:		1 Detected
	[diag_igm]='1'		2 Not Detected
			3 Not detected in pooled specimen
			4 Inconclusive
			97 N/A or Not reported
			98 Unknown
			Field Annotation: Recommendations for CDEs for COVID-19 Studies Including
			Pregnant Participants   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206
			Clinical Data Coordination Group (Project 5) CDE, Tier 1
590	diag_ign_date	Date of test	text (date_mdy) Field Annotation: Recommendations for CDEs for COVID-19 Studies Including
	Show the field ONLY if:		Pregnant Participants   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206
	[diag_igm]='1'		Clinical Data Coordination Group (Project 5) CDE, Tier 1
591	dxdesc5		descriptive
	Show the field ONLY if:		
	[diag_cov2test]='1'		

592	diag_igg Show the field ONLY if: [diag_cov2test]='1'	Serology - SARS CoV-2 IgG or Neutralizing Antibody/Serologic	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH Field Annotation: Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants  https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206 Clinical Data Coordination Group (Project 5) CDE, Tier 1
593	diag_igg_abtype Show the field ONLY if: [diag_igg]='1'	if yes, what is the antibody to?	radio  1 Spike protein antibody 2 Nucleocapsid antibody  Field Annotation: Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206 Clinical Data Coordination Group (Project 5) CDE, Tier 1
594	diag_igg_rslt  Show the field ONLY if: [diag_igg]='1'	Result	radio (Matrix)  1 Detected  2 Not Detected  3 Not detected in pooled specimen  4 Inconclusive  97 N/A or Not reported  98 Unknown  Field Annotation: Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206 Clinical Data Coordination Group (Project 5) CDE, Tier 1
595	diag_igg_date Show the field ONLY if: [diag_igg]='1'	Date of test	text (date_mdy) Field Annotation: Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants  https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206 Clinical Data Coordination Group (Project 5) CDE, Tier 1
596	dxdesc6 Show the field ONLY if: [diag_cov2test]='1'		descriptive
597	diag_oth  Show the field ONLY if: [diag_cov2test]='1'	Other	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH  Field Annotation: Recommendations for CDEs for COVID-19 Studies Including  Pregnant Participants   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206  Clinical Data Coordination Group (Project 5) CDE, Tier 1
598	diag_oth_spec Show the field ONLY if: [diag_oth]='1'	Specify other test performed	text Field Annotation: Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206 Clinical Data Coordination Group (Project 5) CDE, Tier 1

599	diag_oth_rslt  Show the field ONLY if: [diag_oth]='1'	Result	radio (Matrix)  1 Detected 2 Not Detected 3 Not detected in pooled specimen 4 Inconclusive 97 N/A or Not reported 98 Unknown  Field Annotation: Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206 Clinical Data Coordination Group (Project 5) CDE, Tier 1
600	diag_oth_date Show the field ONLY if: [diag_oth]='1'	Date of test	text (date_mdy) Field Annotation: Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants  https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206 Clinical Data Coordination Group (Project 5) CDE, Tier 1
601	diag_samptype  Show the field ONLY if: [diag_cov2test]='1'	Section Header: Sample Type Collected (Tier 2)	checkbox  1 diag_samptype1 Nasal 2 diag_samptype2 Nasopharyngeal 3 diag_samptype3 Saliva 4 diag_samptype4 Endotracheal aspirate 5 diag_samptype5 Bronchoalveolar lavage (BAL) fluid 6 diag_samptype6 Blood 7 diag_samptype7 Stool 8 diag_samptype8 Cord Blood 98 diag_samptype98 Unknown  Field Annotation: acute BRAVE KIDS casereportform @NONEOFTHEABOVE='98'
602	diagnosis_complete	Section Header: Form Status  Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
Instrumer	t: <b>Treatment</b> (treatment) <b></b> Enabled as	survey	^ Collapse Collapse
603	tx_high_care	Highest level of care received during the COVID-19 episode?	radio  1 Admitted to the intensive care unit (ICU)  2 Admitted to the hospital  3 Emergency Department assessment  4 Outpatient (in-person and telemedicine)  5 Self-care alone/over-the-counter medications  98 Unknown  Custom alignment: LV Field Annotation: WHO Post COVID Case Report Form   https://cdn.who.int/media/docs/default-source/3rd-edl-submissions/who_crf_postcovid_feb9_2021.pdf?  sfvrsn=76afd14 1&download=true

604	tx_admitx_date	Date of current or any previous hospital admission for COVID-19	text (date_mdy)
605	tx_discharge_date	Date of discharge	text (date_mdy)
606	tx_discharge_diag	Were any of the following conditions listed as a discharge diagnosis for this COVID-19 related admission?	checkbox
		related admission?	1 tx_discharge_diag1 Acute COVID
			2 tx_discharge_diag2 MIS-C
			3 tx_discharge_diag3 Kawasaki Disease
			4 tx_discharge_diag4 Long COVID/Post-Acute Sequaelae of COVID (PASC)
			5 tx_discharge_diag5 None of the above
			Custom alignment: LV Field Annotation: Biomedical Pediatric WG @NONEOFTHEABOVE='5'
607	tx_icu_admitx_date	Date of current or any previous ICU Admission	text (date_mdy)
608	tx_icu_discharge_date	Date of ICU Discharge	text (date_mdy)
609	tx_meds	Medications of Interest (Acute COVID/MIS-C/Long COVID (PASC) Directed)	descriptive
	Show the field ONLY if: [tx_discharge_diag(1)] = '1' or [tx_discharge_d iag(2)] = '1' or [tx_discharge_diag(4)] = '1'	What medications did the patient take or receive to treat Acute COVID-19/MIS-C/Long COVID (PASC)	Field Annotation: CONNECTS NHLBI Common Data Elements   WG modifications   https://nhlbi-connects.org/common_data_elements
610	tx_heparin	Anti-coagulant - Heparin	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[tx_discharge_diag(1)] = '1' or [tx_discharge_d iag(2)] = '1' or [tx_discharge_diag(4)] = '1'		0 No
	lag(2)] = 1 01 [tx_discharge_diag(4)] = 1		98 Unknown
			99 Not Reported
611	tx_heparin_start	Date Medication Started	text (date_mdy)
	Show the field ONLY if: [tx_heparin] = '1'	MM/DD/YYYY	Field Annotation: POP02 Case Report Form
612	tx_heparin_ongoing	Ongoing?	yesno
	Show the field ONLY if:		1 Yes
	[tx_heparin] = '1'		0 No
			Custom alignment: RH
			Field Annotation: POP02 Case Report Form
613	tx_heparin_stop	Date Medication Stopped	text (date_mdy)
	Show the field ONLY if:	MM/DD/YYYY	Field Annotation: POP02 Case Report Form
	[tx_heparin_ongoing]='0'		
614	tx_enoxaparin	Anti-coagulant - Enoxaparin	radio (Matrix)
	Show the field ONLY if: [tx_discharge_diag(1)] = '1' or [tx_discharge_d		1 Yes
	iag(2)] = '1' or [tx_discharge_diag(4)] = '1'		0 No
			98 Unknown
			99 Not Reported
615	tx_enoxaparin_start	Date Medication Started	text (date_mdy)
	Show the field ONLY if:	וווזעטאוווו	Field Annotation: POP02 Case Report Form
	[tx_enoxaparin] = '1'		

	T		
616	tx_enoxaparin_ongoing	Ongoing?	yesno 1 Voo
	Show the field ONLY if:		1 Yes
	[tx_enoxaparin] = '1'		0 No
			Custom alignment: RH
			Field Annotation: POP02 Case Report Form
617	tx_enoxaparin_stop	Date Medication Stopped	text (date_mdy)
	Show the field ONLY if:	MM/DD/YYYY	Field Annotation: POP02 Case Report Form
	[tx_enoxaparin_ongoing]='0'		
618	tx_warfarin	Anti-coagulant - Warfarin	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[tx_discharge_diag(1)] = '1' or [tx_discharge_d		0 No
	iag(2)] = '1' or [tx_discharge_diag(4)] = '1'		98 Unknown
			99 Not Reported
619	tx_warfarin_start	Date Medication Started	text (date_mdy)
619		MM/DD/YYYY	Field Annotation: POP02 Case Report Form
	Show the field ONLY if: [tx_warfarin] = '1'		,
620	tx_warfarin_ongoing	Ongoing?	yesno
	Show the field ONLY if:		1 Yes
	[tx_warfarin] = '1'		0 No
			Custom alignment: RH
			Field Annotation: POP02 Case Report Form
621	tx_warfarin_stop	Date Medication Stopped  MM/DD/YYYY	text (date_mdy)
	Show the field ONLY if:	ווווווווווווווווווווווווווווווווווווווו	Field Annotation: POP02 Case Report Form
	[tx_warfarin_ongoing]='0'		
622	tx_doac	Anti-coagulant - Direct oral anticoagulant (DOAC)	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[tx_discharge_diag(1)] = '1' or [tx_discharge_d iag(2)] = '1' or [tx_discharge_diag(4)] = '1'		0 No
	189(2)		98 Unknown
			99 Not Reported
623	tx_doac_start	Date Medication Started	text (date_mdy)
	Show the field ONLY if:	MM/DD/YYYY	Field Annotation: POP02 Case Report Form
	[tx_doac] = '1'		
624	tx_doac_ongoing	Ongoing?	yesno
	Show the field ONLY if:		1 Yes
	[tx_doac] = '1'		0 No
			Custom alignment: RH Field Annotation: POP02 Case Report Form
625	tx_doac_stop	Date Medication Stopped	text (date_mdy)
023	·	MM/DD/YYYY	Field Annotation: POP02 Case Report Form
	Show the field ONLY if: [tx_doac_ongoing]='0'		
	r	<u>l</u>	

			[	
	626	tx_antiplate	Anti-coagulant - Antiplatelets/Aspirin therapy	radio (Matrix)
		Show the field ONLY if:		1 Yes
		[tx_discharge_diag(1)] = '1' or [tx_discharge_d iag(2)] = '1' or [tx_discharge_diag(4)] = '1'		0 No
				98 Unknown
				99 Not Reported
	627	tx_antiplate_start	Date Medication Started	text (date_mdy)
		Show the field ONLY if: [tx_antiplate] = '1'	MM/DD/YYYY	Field Annotation: POP02 Case Report Form
	628	tx_antiplate_ongoing	Ongoing?	yesno
		Show the field ONLY if:		1 Yes
		[tx_antiplate] = '1'		0 No
				Custom alignment: RH
				Field Annotation: POP02 Case Report Form
	629	tx_antiplate_stop	Date Medication Stopped	text (date_mdy)
		Show the field ONLY if:	MM/DD/YYYY	Field Annotation: POP02 Case Report Form
-		[tx_antiplate_ongoing]='0'		
	630	tx_antibio	Systemic antibiotic	radio (Matrix)  1 Yes
		Show the field ONLY if: [tx_discharge_diag(1)] = '1' or [tx_discharge_d		
		iag(2)] = '1' or [tx_discharge_diag(4)] = '1'		0 No
				98 Unknown
				99 Not Reported
	631	tx_antibio_spfy	Specify Antibiotic	text
		Show the field ONLY if: [tx_antibio]='1'		
	632	tx_antibio_start	Date Medication Started	text (date_mdy)
		Show the field ONLY if:	MM/DD/YYYY	Field Annotation: POP02 Case Report Form
		[tx_antibio] = '1'		
	633	tx_antibio_ongoing	Ongoing?	yesno
		Show the field ONLY if: [tx_antibio] = '1'		1 Yes
		[cv_ditciplo] = 1		0 No
				Custom alignment: RH
$\square$				Field Annotation: POP02 Case Report Form
	634	tx_antibio_stop	Date Medication Stopped	text (date_mdy) Field Apparation: PORO3 Case Report Form
		Show the field ONLY if: [tx_antibio_ongoing]='0'	mmsouttt	Field Annotation: POP02 Case Report Form
	635	tx_anakinra	Immune modulators/Immunosuppresants - Anakinra	radio (Matrix)
		Show the field ONLY if:		1 Yes
		[tx_discharge_diag(1)] = '1' or [tx_discharge_d		0 No
		iag(2)] = '1' or [tx_discharge_diag(4)] = '1'		98 Unknown
				99 Not Reported
$\perp \perp$			I	

6	636	tx_anakinra_start Show the field ONLY if: [tx_anakinra] = '1'	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
•	637	tx_anakinra_ongoing Show the field ONLY if: [tx_anakinra] = '1'	Ongoing?	yesno  1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
•		tx_anakinra_stop  Show the field ONLY if: [tx_anakinra_ongoing]='0'	Date Medication Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
6		tx_tociliz  Show the field ONLY if:  [tx_discharge_diag(1)] = '1' or [tx_discharge_d iag(2)] = '1' or [tx_discharge_diag(4)] = '1'	Immune modulators/Immunosuppresants - Tocilizumab	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported
•	640	tx_tociliz_start Show the field ONLY if: [tx_tociliz] = '1'	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
6		tx_tociliz_ongoing  Show the field ONLY if: [tx_tociliz] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
6		tx_tociliz_stop  Show the field ONLY if: [tx_tociliz_ongoing]='0'	Date Medication Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
•		tx_conplasma  Show the field ONLY if:  [tx_discharge_diag(1)] = '1' or [tx_discharge_d iag(2)] = '1' or [tx_discharge_diag(4)] = '1'	Immune modulators/Immunosuppresants - Convalescent plasma	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported
•	644	tx_conplasma_start Show the field ONLY if: [tx_conplasma] = '1'	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
6		tx_conplasma_ongoing Show the field ONLY if: [tx_conplasma] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form

646	tx_conplasma_stop Show the field ONLY if: [tx_conplasma_ongoing]='0'	Date Medication Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
647	tx_monoanti  Show the field ONLY if: [tx_discharge_diag(1)] = '1' or [tx_discharge_diag(2)] = '1' or [tx_discharge_diag(4)] = '1'	Immune modulators/Immunosuppresants - SARS-CoV-2 monoclonal antibodies	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported
648	tx_monoanti_start Show the field ONLY if: [tx_monoanti] = '1'	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
649	tx_monoanti_ongoing Show the field ONLY if: [tx_monoanti] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
650	tx_monoanti_stop Show the field ONLY if: [tx_monoanti_ongoing]='0'	Date Medication Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
651	tx_ivig  Show the field ONLY if: [tx_discharge_diag(1)] = '1' or [tx_discharge_diag(2)] = '1' or [tx_discharge_diag(4)] = '1'	Immune modulators/Immunosuppresants - Intravenous immunoglobulins (IVIG)	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported
652	tx_ivig_start Show the field ONLY if: [tx_ivig] = '1'	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
653	tx_ivig_ongoing  Show the field ONLY if: [tx_ivig] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
654	tx_ivig_stop Show the field ONLY if: [tx_ivig_ongoing]='0'	Date Medication Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
655	tx_interferon  Show the field ONLY if: [tx_discharge_diag(1)] = '1' or [tx_discharge_d iag(2)] = '1' or [tx_discharge_diag(4)] = '1'	Immune modulators/immunosuppresants - Interferon	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported

	tx_interferon_start Show the field ONLY if: [tx_interferon] = '1'	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
657	tx_interferon_ongoing  Show the field ONLY if: [tx_interferon] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
	tx_interferon_stop Show the field ONLY if: [tx_interferon_ongoing]='0'	Date Medication Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
	tx_tnfinhib  Show the field ONLY if:  [tx_discharge_diag(1)] = '1' or [tx_discharge_d iag(2)] = '1' or [tx_discharge_diag(4)] = '1'	Immune modulators/Immunosuppresants - Tumor necrosis factor (TNF) inhibitors (i.e. infliximab, etanercept, adalimumab)	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported
660	tx_tnfinhib_start Show the field ONLY if: [tx_tnfinhib] = '1'	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
	tx_tnfinhib_ongoing Show the field ONLY if: [tx_tnfinhib] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
662	tx_tnfinhib_stop Show the field ONLY if: [tx_tnfinhib_ongoing]='0'	Date Medication Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
	tx_nsaid  Show the field ONLY if:  [tx_discharge_diag(1)] = '1' or [tx_discharge_d iag(2)] = '1' or [tx_discharge_diag(4)] = '1'	Immune modulators/Immunosuppresants - NSAID-Ibuprofen	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported
664	tx_nsaid_start Show the field ONLY if: [tx_nsaid] = '1'	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
	tx_nsaid_ongoing Show the field ONLY if: [tx_nsaid] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form

666	tx_nsaid_stop	Date Medication Stopped	text (date_mdy)
	Show the field ONLY if: [tx_nsaid_ongoing]='0'	ΜΜ/οΔ/γγγ	Field Annotation: POP02 Case Report Form
667	tx_remdesivir  Show the field ONLY if:  [tx_discharge_diag(1)] = '1' or [tx_discharge_diag(2)] = '1' or [tx_discharge_diag(4)] = '1'	Anti-viral/Anti-COVID - Remdesivir	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported
668	tx_remdesivir_start Show the field ONLY if: [tx_remdesivir] = '1'	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
669	tx_remdesivir_ongoing Show the field ONLY if: [tx_remdesivir] = '1'	Ongoing?	yesno  1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
670	tx_remdesivir_stop  Show the field ONLY if: [tx_remdesivir_ongoing]='0'	Date Medication Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
671	tx_ribavirin  Show the field ONLY if:  [tx_discharge_diag(1)] = '1' or [tx_discharge_diag(2)] = '1' or [tx_discharge_diag(4)] = '1'	Anti-viral/Anti-COVID - Ribavirin	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported
672	tx_ribavirin_start Show the field ONLY if: [tx_ribavirin] = '1'	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
673	tx_ribavirin_ongoing Show the field ONLY if: [tx_ribavirin] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
674	tx_ribavirin_stop  Show the field ONLY if: [tx_ribavirin_ongoing]='0'	Date Medication Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
675	tx_insulin  Show the field ONLY if:  [tx_discharge_diag(1)] = '1' or [tx_discharge_d iag(2)] = '1' or [tx_discharge_diag(4)] = '1'	Diabetic Medications - Insulin	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported

676	tx_insulin_start  Show the field ONLY if: [tx_insulin] = '1'	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
677	tx_insulin_ongoing  Show the field ONLY if:  [tx_insulin] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
678	tx_insulin_stop  Show the field ONLY if: [tx_insulin_ongoing]='0'	Date Medication Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
679	tx_inhalesteroid  Show the field ONLY if:  [tx_discharge_diag(1)] = '1' or [tx_discharge_diag(2)] = '1' or [tx_discharge_diag(4)] = '1'	Inhaled Medications - Inhaled steroids	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported
680	tx_inhalesteroid_start Show the field ONLY if: [tx_inhalesteroid] = '1'	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
681	tx_inhalesteroid_ongoing  Show the field ONLY if: [tx_inhalesteroid] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
682	tx_inhalesteroid_stop  Show the field ONLY if: [tx_inhalesteroid_ongoing]='0'	Date Medication Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
683	tx_albuterol  Show the field ONLY if:  [tx_discharge_diag(1)] = '1' or [tx_discharge_diag(2)] = '1' or [tx_discharge_diag(4)] = '1'	Inhaled Medications - Albuterol	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported
684	tx_albuterol_start  Show the field ONLY if: [tx_albuterol] = '1'	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
685	tx_albuterol_ongoing  Show the field ONLY if: [tx_albuterol] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form

686	tx_albuterol_stop	Date Medication Stopped	text (date_mdy)
080	Show the field ONLY if:	MM/DD/YYY	Field Annotation: POP02 Case Report Form
	[tx_albuterol_ongoing]='0'		
687	tx_ipratropium	Inhaled Medications - Ipratropium	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[tx_discharge_diag(1)] = '1' or [tx_discharge_d iag(2)] = '1' or [tx_discharge_diag(4)] = '1'		0 No
	198(1)		98 Unknown
			99 Not Reported
688	tx_ipratropium_start	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
	Show the field ONLY if:	ווווווווווווווווווווווווווווווווווווווו	Field Affilotation: POP02 Case Report Form
	[tx_ipratropium] = '1'		
689	tx_ipratropium_ongoing	Ongoing?	yesno 1 Yes
	Show the field ONLY if: [tx_ipratropium] = '1'		
	Tornibra a browni		0 No
			Custom alignment: RH
			Field Annotation: POP02 Case Report Form
690	tx_ipratropium_stop	Date Medication Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
	Show the field ONLY if:		Tield Affilotation, FOF02 Case Report Form
	[tx_ipratropium_ongoing]='0'		
691	tx_dexameth	Systemic Steriods - Dexamethasone	radio (Matrix)  1 Yes
	Show the field ONLY if: [tx_discharge_diag(1)] = '1' or [tx_discharge_d		0 No
	iag(2)] = '1' or [tx_discharge_diag(4)] = '1'		98 Unknown
			99 Not Reported
692	tx_dexameth_start	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
	Show the field ONLY if:		Tield Allinotation. For 62 case Report Form
	[tx_dexameth] = '1'	Opening?	Liana.
693	tx_dexameth_ongoing	Ongoing?	yesno 1 Yes
	Show the field ONLY if: [tx_dexameth] = '1'		0 No
			Custom alignment: RH
			Field Annotation: POP02 Case Report Form
694	tx_dexameth_stop	Date Medication Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
	Show the field ONLY if: [tx_dexameth_ongoing]='0'		The Authorities of the Code Report Form
	tx_methylpred	Systemic Steriods - Methylprednisolone	radio (Matrix)
	Show the field ONLY if:	2	1 Yes
	[tx_discharge_diag(1)] = '1' or [tx_discharge_d		0 No
	iag(2)] = '1' or [tx_discharge_diag(4)] = '1'		98 Unknown
			99 Not Reported
			33 Not Reported

69	tx_methylpred_start  Show the field ONLY if: [tx_methylpred] = '1'	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
69	tx_methylpred_ongoing Show the field ONLY if: [tx_methylpred] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
69	tx_methylpred_stop  Show the field ONLY if:  [tx_methylpred_ongoing]='0'	Date Medication Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
69	tx_prednisone  Show the field ONLY if:  [tx_discharge_diag(1)] = '1' or [tx_discharge_diag(2)] = '1' or [tx_discharge_diag(4)] = '1'	Systemic Steriods - Prednisone/Prednisolone	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported
70	tx_prednisone_start Show the field ONLY if: [tx_prednisone] = '1'	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
70	tx_prednisone_ongoing Show the field ONLY if: [tx_prednisone] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
70	tx_prednisone_stop  Show the field ONLY if:  [tx_prednisone_ongoing]='0'	Date Medication Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
70.	tx_hydrocort  Show the field ONLY if:  [tx_discharge_diag(1)] = '1' or [tx_discharge_diag(2)] = '1' or [tx_discharge_diag(4)] = '1'	Systemic Steriods - Hydrocortisone	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported
70	tx_hydrocort_start  Show the field ONLY if:  [tx_hydrocort] = '1'	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
70	tx_hydrocort_ongoing  Show the field ONLY if:  [tx_hydrocort] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form

	1		<u> </u>
706	tx_hydrocort_stop	Date Medication Stopped	text (date_mdy) Field Annotation: POP02 Case Report Form
	Show the field ONLY if: [tx_hydrocort_ongoing]='0'		
707	tx_fludrocort	Systemic Steriods - Fludrocortisone	radio (Matrix)
, , ,	Show the field ONLY if:	Systemic sterious Tradiocordsorie	1 Yes
	[tx_discharge_diag(1)] = '1' or [tx_discharge_d		0 No
	iag(2)] = '1' or [tx_discharge_diag(4)] = '1'		98 Unknown
			99 Not Reported
708	tx_fludrocort_start	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
	Show the field ONLY if: [tx_fludrocort] = '1'		
709	tx_fludrocort_ongoing	Ongoing?	yesno
	Show the field ONLY if:		1 Yes
	[tx_fludrocort] = '1'		0 No
			Custom alignment: RH
			Field Annotation: POP02 Case Report Form
710	tx_fludrocort_stop	Date Medication Stopped	text (date_mdy)
	Show the field ONLY if:	MM/DD/YYYY	Field Annotation: POP02 Case Report Form
	[tx_fludrocort_ongoing]='0'		
711	tx_med_oth	Other medications	radio (Matrix)
	Show the field ONLY if:		1 Yes
	[tx_discharge_diag(1)] = '1' or [tx_discharge_d iag(2)] = '1' or [tx_discharge_diag(4)] = '1'		0 No
	1.08(-)3		98 Unknown
			99 Not Reported
712	tx_med_oth_spfy	Specify other	text
	Show the field ONLY if:		
	[tx_med_oth]='1'		
713	tx_med_oth_start	Date Medication Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
	Show the field ONLY if:		Theid Almotation. For 02 case Report form
714	[tx_med_oth] = '1'  tx_med_oth_ongoing	Ongoing?	yesno
/   -	Show the field ONLY if:	300-	1 Yes
	[tx_med_oth] = '1'		0 No
			Custom alignment: RH
71.5	ty mad ath stan	Data Madication Ctannad	Field Annotation: POP02 Case Report Form
715	tx_med_oth_stop	Date Medication Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
	Show the field ONLY if: [tx_med_oth_ongoing]='0'		·
716	tx_medguide	Timing of medications, particularly immune modulators/immunosuppressants, may be	descriptive
		important for assessing other relevant data elements, such as lab values. Therefore, as appropriate, the Working	
		Group recommends	
		documenting the time as well as the date when these specific medications are	
		administered.	

	717	tx_invasive  tx_invasive_start	Section Header: Intensive Intervention (Treatment/Device) Invasive mechanical ventilation (e.g., endotracheal intubation, mechanical ventilation via tracheostomy)  Date Invasive Treatment Started	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported  Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1  text (date_mdy)
		Show the field ONLY if: [tx_invasive] = '1'	MM/DD/YYYY	Field Annotation: POP02 Case Report Form
	719	tx_invasive_ongoing Show the field ONLY if: [tx_invasive] = '1'	Ongoing?	yesno  1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
-		tx_invasive_stop Show the field ONLY if: [tx_invasive_ongoing]='0'	Date Invasive Treatment Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
	721	tx_tracheostomy	New tracheostomy	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported  Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
		tx_tracheostomy_start Show the field ONLY if: [tx_tracheostomy] = '1'	Date Invasive Treatment Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
		tx_tracheostomy_ongoing Show the field ONLY if: [tx_tracheostomy] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
		tx_tracheostomy_stop Show the field ONLY if: [tx_tracheostomy_ongoing]='0'	Date Invasive Treatment Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
	725	tx_noninvasive	Noninvasive mechanical ventilation (e.g., CPAP, BiPAP, NIPPV)	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported  Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1

726	tx_noninvasive_start	Date Invasive Treatment Started	text (date_mdy)
,25	Show the field ONLY if:	MM/DD/YYYY	Field Annotation: POP02 Case Report Form
707	[tx_noninvasive] = '1'	0	
727	tx_noninvasive_ongoing Show the field ONLY if: [tx_noninvasive] = '1'	Ongoing?	yesno 1
			Custom alignment: RH Field Annotation: POP02 Case Report Form
728	tx_noninvasive_stop Show the field ONLY if: [tx_noninvasive_ongoing]='0'	Date Invasive Treatment Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
729	tx_ecmo	Extracorporeal membrane oxygenation (ECMO)	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported  Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
730	tx_ecmo_start Show the field ONLY if: [tx_ecmo] = '1'	Date Invasive Treatment Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
731	tx_ecmo_ongoing Show the field ONLY if: [tx_ecmo] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH
			Field Annotation: POP02 Case Report Form
732	tx_ecmo_stop  Show the field ONLY if: [tx_ecmo_ongoing]='0'	Date Invasive Treatment Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
733	tx_vasomed	Vasoactive medications	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported  Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
734	tx_vasomed_start  Show the field ONLY if: [tx_vasomed] = '1'	Date Invasive Treatment Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form

735	tx_vasomed_ongoing  Show the field ONLY if: [tx_vasomed] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH
736	tx_vasomed_stop  Show the field ONLY if: [tx_vasomed_ongoing]='0'	Date Invasive Treatment Stopped  MM/DD/YYYY	Field Annotation: POP02 Case Report Form  text (date_mdy) Field Annotation: POP02 Case Report Form
737	tx_artcath	Arterial catheter placement	radio (Matrix)  1
738	tx_artcath_start  Show the field ONLY if: [tx_artcath] = '1'	Date Invasive Treatment Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
739	tx_artcath_ongoing  Show the field ONLY if: [tx_artcath] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
740	tx_artcath_stop  Show the field ONLY if: [tx_artcath_ongoing]='0'	Date Invasive Treatment Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
741	tx_cardioresus	Cardiopulmonary resuscitation with/without return of spontaneous circulation	radio (Matrix)  1
742	tx_cardioresus_start Show the field ONLY if: [tx_cardioresus] = '1'	Date Invasive Treatment Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
743	tx_cardioresus_ongoing Show the field ONLY if: [tx_cardioresus] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form

744	tx_cardioresus_stop	Date Invasive Treatment Stopped	text (date_mdy)
	Show the field ONLY if: [tx_cardioresus_ongoing]='0'	MM/DD/YYYY	Field Annotation: POP02 Case Report Form
745	tx_cntrven	Central venous catheter placement	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported  Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
746	tx_cntrven_start Show the field ONLY if: [tx_cntrven] = '1'	Date Invasive Treatment Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
747	tx_cntrven_ongoing Show the field ONLY if: [tx_cntrven] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
748	tx_cntrven_stop Show the field ONLY if: [tx_cntrven_ongoing]='0'	Date Invasive Treatment Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
749	tx_lowoxy	Low flow oxygen therapy (e.g. nasal cannula, simple mask, face tent)	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported  Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
750	tx_lowoxy_start Show the field ONLY if: [tx_lowoxy] = '1'	Date Invasive Treatment Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
751	tx_lowoxy_ongoing Show the field ONLY if: [tx_lowoxy] = '1'	Ongoing?	yesno  1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
752	tx_lowoxy_stop Show the field ONLY if: [tx_lowoxy_ongoing]='0'	Date Invasive Treatment Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form

753	tx_highoxy	High flow oxygen therapy	radio (Matrix)  1
754	tx_highoxy_start  Show the field ONLY if: [tx_highoxy] = '1'	Date Invasive Treatment Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
755	tx_highoxy_ongoing  Show the field ONLY if: [tx_highoxy] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
756	tx_highoxy_stop Show the field ONLY if: [tx_highoxy_ongoing]='0'	Date Invasive Treatment Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
757	tx_invasivethrom	Invasive management of thrombosis (e.g., surgical thrombectomy, endovascular thrombectomy, catheter-directed thrombolysis)	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported  Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
758	tx_invasivethrom_start Show the field ONLY if: [tx_invasivethrom] = '1'	Date Invasive Treatment Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
759	tx_invasivethrom_ongoing Show the field ONLY if: [tx_invasivethrom] = '1'	Ongoing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
760	tx_invasivethrom_stop  Show the field ONLY if: [tx_invasivethrom_ongoing]='0'	Date Invasive Treatment Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
761	tx_rrt	Renal replacement therapy (RRT)	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported  Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1

762	tx_rrt_start	Date Invasive Treatment Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
	Show the field ONLY if: [tx_rrt] = '1'		,
763	tx_rrt_ongoing	Ongoing?	yesno 1 Yes
	Show the field ONLY if: [tx_rrt] = '1'		0 No
			Custom alignment: RH Field Annotation: POP02 Case Report Form
764	tx_rrt_stop	Date Invasive Treatment Stopped	text (date_mdy) Field Annotation: POP02 Case Report Form
	Show the field ONLY if: [tx_rrt_ongoing]='0'		Tield Alliotation. 1 Of 02 Case Report 10111
765	tx_pacemaker	Pacemaker placement	radio (Matrix)
			0 No
			98 Unknown
			99 Not Reported
			Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
766	tx_pacemaker_start	Date Invasive Treatment Started	text (date_mdy) Field Annotation: POP02 Case Report Form
	Show the field ONLY if: [tx_pacemaker] = '1'		The Annotation 1999 and the port of the
767	tx_pacemaker_ongoing	Ongoing?	yesno
	Show the field ONLY if: [tx_pacemaker] = '1'		1 Yes 0 No
			Custom alignment: RH Field Annotation: POP02 Case Report Form
768	tx_pacemaker_stop	Date Invasive Treatment Stopped	text (date_mdy)
	Show the field ONLY if: [tx_pacemaker_ongoing]='0'	INNO LOTTET	Field Annotation: POP02 Case Report Form
769	tx_lvad	Left ventricular assist device (LVAD)	radio (Matrix)  1 Yes
			0 No
			98 Unknown
			99 Not Reported
			Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
770	tx_lvad_start	Date Invasive Treatment Started	text (date_mdy)
	Show the field ONLY if: [tx_lvad] = '1'	וווואסטווווו	Field Annotation: POP02 Case Report Form

	771	tx_lvad_ongoing  Show the field ONLY if: [tx_lvad] = '1'	Ongoing?	yesno 1 Yes 0 No
				Custom alignment: RH Field Annotation: POP02 Case Report Form
	772	tx_lvad_stop Show the field ONLY if: [tx_lvad_ongoing]='0'	Date Invasive Treatment Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
	773	tx_inter_oth	Other intensive intervention	radio (Matrix)  1 Yes  0 No  98 Unknown  99 Not Reported  Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1
	774	tx_inter_oth_spfy Show the field ONLY if: [tx_inter_oth]='1'	Specify other	text
	775	tx_inter_oth_start Show the field ONLY if: [tx_inter_oth] = '1'	Date Invasive Treatment Started  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
	776	tx_inter_oth_ongoing  Show the field ONLY if:  [tx_inter_oth] = '1'	Ongoing?	yesno  1 Yes 0 No  Custom alignment: RH Field Annotation: POP02 Case Report Form
	777	tx_inter_oth_stop  Show the field ONLY if: [tx_inter_oth_ongoing]='0'	Date Invasive Treatment Stopped  MM/DD/YYYY	text (date_mdy) Field Annotation: POP02 Case Report Form
	778	tx_resuscitate	Section Header: <i>Do Not Resuscitate/Limitation of Support</i> Was there a "Do Not Resuscitate" order or any other limitation of support?	radio  1 Yes  0 No  98 Unknown  Custom alignment: RH Field Annotation: Biomedical Pediatric WG
	779	treatment_complete	Section Header: Form Status Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
Ins	trument:	Outcomes (outcomes)	survey	^ Collapse Collapse

	1		T
780	o_die	Section Header: Patient Survival	radio
		Did the patient die?	1 Yes
			0 No
			98 Unknown
			Field Annotation: St. Jude U.S. Registry COVID Case Report Form
781	o_die_covid	Was the death COVID-19 related (including MIS-C)?	radio
	Show the field ONLY if:		1 Yes
	[o_die]='1'		0 No
			98 Unknown
			97 N/A or not reported
			Field Annotation: St. Jude U.S. Registry COVID Case Report Form
782	o_die_date	Date of Death	text (date_mdy)
	Show the field ONLY if:		
	[o_die]='1'		
783	o_discharge	If hospitalized for suspected or diagnosed COVID-19 and survived, to where was the	radio
	Show the field ONLY if:	participant discharged?	1 Home
	[o_die]<>'1'		2 Rehabilitation Facility/Nursing Facility
			96 Other
			98 Unknown
			97 N/A or not reported
			Field Annotation: PRISM Case Report Form   Clinical Data Coordination Group
<u> </u>			(Project 5) CDE, Tier 1 Modified to add "Rehabilitation Facility / Nursing Facility"
784	o_discharge_spfy	Specify other	text
	Show the field ONLY if:		
705	[o_discharge]='96'	What is compared to the compar	
785	o_severity	What was the COVID-19 severity at time of maximum severity of illness?	radio
			Asymptomatic/presymptomatic infection
			2 Mild illness
			3 Moderate illness
			4 Severe illness
			5 Critical illness
			98 Unknown
			97 N/A or not reported
			Field Annotation: NIH Clinical Spectrum of SARS-CoV-2 Infection
			https://www.covid19treatmentguidelines.nih.gov/overview/clinical-spectrum/

	786	o_severitydef	NIH Severity Definitions: - Asymptomatic or Presymptomatic Infection: Individuals who test positive for SARS-CoV-2 using a virologic test (i.e., a nucleic acid amplification test [NAAT] or an antigen test) but who have no symptoms that are consistent with COVID-19 Mild Illness: Individuals who have any of the various signs and symptoms of COVID-19 (e.g., fever, cough, sore throat, malaise, headache, muscle pain, nausea, vomiting, diarrhea, loss of taste and smell) but who do not have shortness of breath, dyspnea, or abnormal chest imaging Moderate Illness: Individuals who show evidence of lower respiratory disease during clinical assessment or imaging and who have an oxygen saturation (SpO2) ?94% on room air at sea level Severe Illness: Individuals who have SpO2 < 94% on room air at sea level, a ratio of arterial partial pressure of oxygen to fraction of inspired oxygen (PaO2/FiO2) < 300 mm Hg, or lung infiltrates >50% Critical Illness: Individuals who have respiratory failure, septic shock, and/or multiple organ dysfunction In pediatric patients, radiographic abnormalities are common and, for the most part, should not be the only criteria used to determine the severity of illness. The normal values for respiratory rate also vary with age in children; thus, hypoxia should be the primary criterion used to define severe COVID-19, especially in younger children.	descriptive
	787	outcomes_complete	Section Header: Form Status  Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
Ins	rument:	Psychosocial Recommended Measur	es (psychosocial_recommended_measures)	↑ Collapse Collapse

788	psychosocial_recommended_measures_com	The following document includes the Psychosocial Pediatric Working Group's recommended instruments for collecting information on the Group's Tier 1 and Tier 2 recommended data elements, organized by Domain.Document Notes:- Navigation: You may use the Navigation Pane to efficiently navigate the document. To do so, click "View" on the top of the Word doc and check the box labeled "Navigation Pane" under "Show."- Endnotes: References are marked by endnotes; you may hover over or click on the endnote to display the reference, and modifications to the source if applicable Tiers: Tier 1 elements are marked in Blue, Tier 2 elements are marked in GreenCommon Data Elements (CDE) User Guidance:Unless specified as "Parent Self-Report", questions refer to the child study participant. Studies should choose between you/your child depending on if they are collecting information via child or parent/caregiver report. When information appears in brackets (such as [you/your child]), please choose the option relevant to the questionnaire."Parent Self-Report" - refers to parents answering about themselves."Parent Report About Child" - refers to parent answering about their child. Please note, sometimes the verbiage "this child" or "the child" is used rather than " your child" to maintain consistency with the language in the original measure."Child Self-Report" - refers to children answering about themselves.Child Self-Report measures are recommended for specific age groups based on the following/Validated: Recommendation is based on validation data, for example, PROMIS®, NIH Toolbox®, PhenX protocols validated in specified age ranges.Used in COVID-19 Questionnaires: Recommendation is based on use of the items in pediatric cohort studies, for example, the Adolescent Brain Cognitive Development Study SM (ABCD Study®), Adolescent Behaviors and Experiences Survey (ABES), Environmental influences on Child Health Outcomes (ECHO) COVID-19 Questionnaires, Modified*: For measures modified from adult questionnaires, this Working Group has	dropdown
/89	plete	Complete?	0 Incomplete 1 Unverified 2 Complete

790	se_education	Section Header: Highest Education Level/Degree (Parent) Parent Self-Report	dropdown
		What is the highest grade or level of school you have completed or the highest degree you	1 8th grade or less
		have received?	2 9th to 12th grade; no diploma
			3 High school graduate or GED completed
			4 Completed a vocational, trade, or business school program
			5 Some college credit, but no degree
			6 Associate Degree (AA, AS)
			7 Bachelor's Degree (BA, BS, AB)
			8 Master's Degree (MA, MS, MSW, MBA)
			9 Doctorate (PhD, EdD) or Professional Degree (MD, DDS, DVM, JD)
			99 Prefer not to answer
			98 Don't know
			Field Annotation: PhenX: National Health and Nutrition Examination Survey (NHANES), Demographics Module, 2019-2020 https://wwwn.cdc.gov/nchs/nhanes/continuousnhanes/questionnaires.aspx? BeginYear=2019 National Survey of Children's Health, 2020 Questionnaire   https://mchb.hrsa.gov/data/national-surveys/questionnaires-datasets-supporting-documents
791	se_2nd_caregiver	Does this child have another parent or adult caregiver who lives in this household?	yesno 1 Yes 0 No  Custom alignment: RH
792	se_2nd_caregiver_edu	What is the highest grade or level of school this caregiver has completed?	dropdown
/ 5	Show the field ONLY if:	The title the man test great of test of serious and test spirot had temperature	1 8th grade or less
	[se_2nd_caregiver]='1'		2 9th to 12th grade; no diploma
			3 High school graduate or GED completed
			4 Completed a vocational, trade, or business school program
			5 Some college credit, but no degree
			6 Associate Degree (AA, AS)
			7 Bachelor's Degree (BA, BS, AB)
			8 Master's Degree (MA, MS, MSW, MBA)
			9 Doctorate (PhD, EdD) or Professional Degree (MD, DDS, DVM, JD)
			99 Prefer not to answer
			98 Don't know
			Field Annotation: PhenX: National Health and Nutrition Examination Survey (NHANES), Demographics Module, 2019-2020 https://wwwn.cdc.gov/nchs/nhanes/continuousnhanes/questionnaires.aspx? BeginYear=2019

793	se_oth_lang_home	Section Header: English Proficiency (Parent) Parent Self-Report  Do you speak a language other than English at home?	radio  1 Yes  0 No  99 Prefer not to answer  Custom alignment: RH Field Annotation: P270201 California Health Interview Survey https://www.phenxtoolkit.org/protocols/view/270201?origin=search http://healthpolicy.ucla.edu/chis/design/Documents/2021%20Questionnaires%20and
794	se_oth_lang_desc  Show the field ONLY if: [se_oth_lang_home]='1'	Since you speak a language other than English at home, we are interested in your own opinion of how well you speak English.	descriptive
795	se_english_profici Show the field ONLY if: [se_oth_lang_home]='1'	Would you say you speak English	radio 3 Very well 2 Well 1 Not well 0 Not at all
796	se_household_num	Section Header: Number of Household Members Parent Self-Report or Child Self-Report (Ages 13+)* How many people live in your household now? Please enter a number	text (integer) Field Annotation: 2020 COVID-19 Household Pulse Survey https://www.census.gov/data/experimental-data-products/household-pulse- survey.html Rutgers LINK Impact of Social Determinants of Health on Contracting COVID  *Age Group: Modified from Parent Using Best Practices Guidance
797	se_adults_num	Please indicate the number of adults living in your household  Please enter a number	text (integer) Field Annotation: 2020 COVID-19 Household Pulse Survey https://www.census.gov/data/experimental-data-products/household-pulse-survey.html
798	se_under18_num	Please indicate the number of children (< 18 years old) living in your household Please enter a number	text (integer) Field Annotation: 2020 COVID-19 Household Pulse Survey https://www.census.gov/data/experimental-data-products/household-pulse-survey.html

700	so employment	Section Header: Employment Status (Parent) Parent Self-Report	radio
799	se_employment	What is your current employment situation?	radio 1 Employed full-time
			2 Employed rain-time
			5   Not employed and not looking for work
			6 Retired
			7 Disabled, permanently or temporarily
			8 Student
			96 Other
			98 Don't know
			Field Annotation: https://www.phenxtoolkit.org/protocols/view/11301 PhenX: Panel Study of Income Dynamics (PSID), 2007 National Survey of Children's Health, 2020 Questionnaire   Modified to be "mark all that apply," added from P11301 "retired", "disabled, permanently, or temporarily" and "student"   https://mchb.hrsa.gov/data/national-surveys/questionnaires-datasets- supporting-documents   https://www.phenxtoolkit.org/protocols/view/11301? origin=search
800	se_employment_sp	Specify other	text
	Show the field ONLY if: [se_employment]='96'		
801	se_2nd_caregiver_2	Does this child have another parent or adult caregiver who lives in this household?	yesno 1 Yes 0 No  Custom alignment: RH
802	se_2nd_caregiver_employ	Which of the following best describes this caregiver's current employment status?	radio
	Show the field ONLY if:		1 Employed full-time
	[se_2nd_caregiver_2]='1'		2 Employed part-time
			3 Working without pay
			4 Not employed, but looking for work
			5 Not employed and not looking for work
			6 Retired
			7 Disabled, permanently or temporarily
			8 Student
			96 Other
			98 Don't know
			Field Annotation: https://www.phenxtoolkit.org/protocols/view/11301 PhenX: Panel Study of Income Dynamics (PSID), 2007
803	se_2nd_caregiver_employ_sp	Specify other	text
	Show the field ONLY if:		
	[se_2nd_caregiver_employ]='96'		

1			
804	se_household_work_hlthcare	Section Header: Employment Risk for COVID-19 "Frontline Status" (Family) (Tier 2) Parent Self-Report  Are you or is anyone in your household employed in healthcare and have direct patient contact?	radio  1
			Custom alignment: RH Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1   https://loinc.org/sars-cov-2- and-covid-19/
805	se_household_work_frntline	Are you or is anyone in your household a frontline or essential worker other than in healthcare (such as employed at a grocery store or factory)?	radio  1 Yes 2 No 98 Unknown  Custom alignment: RH
			Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1   https://loinc.org/sars-cov-2- and-covid-19/
806	se_covid_effect_income	Section Header: COVID 19 Effect on Work (Tier 2)  Have you, or has anyone in your household, experienced a loss of employment income since the start of the COVID-19 pandemic (since March 2020)?	yesno 1 Yes 0 No
			Custom alignment: RH Field Annotation: RADxUP CDE   https://cde.nlm.nih.gov/deView? tinyld=ZwgnESEjK
807	se_self_desc	Section Header: Changes in Employment Situation  Which of the following changes in employment have occurred due to the COVID-19 pandemic?	descriptive Field Annotation: https://www.nlm.nih.gov/dr2/COPE- Impact_Survey_Perinatal_Pandemic_Survey.pdf Coronavirus Perinatal Experiences-Impact Survey (COPE-IS) Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants   Modified to add "furloughed" and add "less challenging than usual" to final question   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206
808	se_employ_embed	Self Partner (1) Move to remote work, telework {se_self_remotework} {se_part_remotework} {se_part_remotework} {2) Loss of hours {se_self_losshrs} {se_part_losshrs} {3) Decreased pay {se_self_dec_pay} {se_part_dec_pay} {4) Furloughed {se_self_furlough} {se_part_furlough} {5) Loss of job {se_self_lossjob} {se_part_lossjob} {6) Decreased job security {se_self_decjob_security} {se_part_decjob_security} {7) Disruptions due to childcare challenges {se_self_childcare_chall} {se_part_childcare_chall} {8) Increased hours {se_self_increasehrs} {se_part_increasehrs} {9) Another change {se_cify} {se_self_oth_change} {se_part_oth_change}	descriptive
809	se_self_remotework	(1) Move to remote work, telework	radio (Matrix)  1 Yes  0 No  97 Not Applicable
810	se_self_losshrs	(2) Loss of hours	radio (Matrix)  1 Yes  0 No 97 Not Applicable

	T	T	
811	se_self_dec_pay	(3) Decreased pay	radio (Matrix)
			1 Yes
			0 No
			97 Not Applicable
812	se_self_furlough	(4) Furloughed	radio (Matrix)
			1 Yes
			0 No
			97 Not Applicable
013		(F)   6   - -	
813	se_self_lossjob	(5) Loss of job	radio (Matrix)  1 Yes
			0 No
			97 Not Applicable
814	se_self_decjob_security	(6) Decreased job security	radio (Matrix)
			1 Yes
			0 No
			97 Not Applicable
815	se_self_childcare_chall	(7) Disruptions due to childcare challenges	radio (Matrix)
		(,,====================================	1 Yes
			0 No
			97 Not Applicable
<del>                                     </del>			
816	se_self_increasehrs	(8) Increased hours	radio (Matrix)
			1 Yes
			0 No
			97 Not Applicable
817	se_self_oth_change	(9) Another change	radio (Matrix)
			1 Yes
			0 No
			97 Not Applicable
818	se_part_remotework	(1) Move to remote work, telework	radio (Matrix)
	, -		1 Yes
			0 No
			97 Not Applicable
<u> </u>			
819	se_part_losshrs	(2) Loss of hours	radio (Matrix)
			1 Yes
			0 No
			97 Not Applicable
820	se_part_dec_pay	(3) Decreased pay	radio (Matrix)
			1 Yes
			0 No
			97 Not Applicable

	821	se_part_furlough	(4) Furloughed	radio (Matrix)
				1 Yes
				0 No
				97 Not Applicable
	822	se_part_lossjob	(5) Loss of job	radio (Matrix)
				1 Yes
				0 No
				97 Not Applicable
	022		(0.5)	<u> </u>
	823	se_part_decjob_security	(6) Decreased job security	radio (Matrix)
				0 No
				97 Not Applicable
	824	se_part_childcare_chall	(7) Disruptions due to childcare challenges	radio (Matrix)
				1 Yes
				0 No
				97 Not Applicable
	825	se part increasehrs	(8) Increased hours	radio (Matrix)
	623	se_part_increaserirs	(o) increased flours	1 Yes
				<del>                                    </del>
				0 No
				97 Not Applicable
	826	se_part_oth_change	(9) Another change	radio (Matrix)
				1 Yes
				0 No
				97 Not Applicable
-	827	se_money_food	Section Header: Financial Strain (Family) (Tier 2) Parent Self-Report How difficult is/was it to meet each of the	radio (Matrix)
			following needs for you and/or your family during the COVID-19 pandemic (since March 2020)?	0 Not Difficult
			Have enough money for food	1 Somewhat Difficult
				3 Very Difficult
				3 Very Difficult
				Field Annotation: Stanford COVID-19 Community Outcomes (COCO) Survey
				https://drive.google.com/file/d/1zHnqLG-l8Htl6SdhyFxuJzP_qYRFPgKi/view
				Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants  Modified to specify "financial strain" in first question
				https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206
	828	se_money_utilities	Have enough money to pay for electricity or heating or water	radio (Matrix)
		-		0 Not Difficult
				1 Somewhat Difficult
				3 Very Difficult
				S respondent
				Field Annotation: Stanford COVID-19 Community Outcomes (COCO) Survey
				https://drive.google.com/file/d/1zHnqLG-l8Htl6SdhyFxuJzP_qYRFPgKi/view
				Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants  Modified to specify "financial strain" in first question
				https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206
				https://drive.google.com/file/d/1zHnqLG-I8Htl6SdhyFxuJzP_qYRFPgKi/view

829	se_money_housing	Have enough money to pay for housing	radio (Matrix)  0 Not Difficult  1 Somewhat Difficult  3 Very Difficult  Field Annotation: Stanford COVID-19 Community Outcomes (COCO) Survey https://drive.google.com/file/d/1zHnqLG-I8Htl6SdhyFxuJzP_qYRFPgKi/view Recommendations for CDEs for COVID-19 Studies Including Pregnant
			Participants  Modified to specify "financial strain" in first question  https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206 https://drive.google.com/file/d/1zHnqLG-I8Htl6SdhyFxuJzP_qYRFPgKi/view
830	se_community_help	Get help from community organizations that I trust	radio (Matrix)  0 Not Difficult  1 Somewhat Difficult  3 Very Difficult  Field Annotation: Stanford COVID-19 Community Outcomes (COCO) Survey
			https://drive.google.com/file/d/1zHnqLG-l8Htl6SdhyFxuJzP_qYRFPgKi/view Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants   Modified to specify "financial strain" in first question   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206 https://drive.google.com/file/d/1zHnqLG-l8Htl6SdhyFxuJzP_qYRFPgKi/view
831	se_family_help	Get help from family members and friends	radio (Matrix)  0 Not Difficult  1 Somewhat Difficult  3 Very Difficult
			Field Annotation: Stanford COVID-19 Community Outcomes (COCO) Survey https://drive.google.com/file/d/1zHnqLG-I8Htl6SdhyFxuJzP_qYRFPgKi/view Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants   Modified to specify "financial strain" in first question   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206 https://drive.google.com/file/d/1zHnqLG-I8Htl6SdhyFxuJzP_qYRFPgKi/view
832	se_healthcare	See a healthcare provider if you or your family needs it	radio (Matrix)  0 Not Difficult  1 Somewhat Difficult  3 Very Difficult
			Field Annotation: Stanford COVID-19 Community Outcomes (COCO) Survey https://drive.google.com/file/d/1zHnqLG-I8Htl6SdhyFxuJzP_qYRFPgKi/view Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants  Modified to specify "financial strain" in first question  https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206 https://drive.google.com/file/d/1zHnqLG-I8Htl6SdhyFxuJzP_qYRFPgKi/view

833	se_routine_meds	Get routine / essential medications	radio (Matrix)  0 Not Difficult  1 Somewhat Difficult  3 Very Difficult  Field Annotation: Stanford COVID-19 Community Outcomes (COCO) Survey https://drive.google.com/file/d/1zHnqLG-I8Htl6SdhyFxuJzP_qYRFPgKi/view Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants   Modified to specify "financial strain" in first question   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206 https://drive.google.com/file/d/1zHnqLG-I8Htl6SdhyFxuJzP_qYRFPgKi/view
834	se_transportation	Get transportation when I need it	radio (Matrix)  0 Not Difficult  1 Somewhat Difficult  3 Very Difficult  Field Annotation: Stanford COVID-19 Community Outcomes (COCO) Survey https://drive.google.com/file/d/1zHnqLG-I8Htl6SdhyFxuJzP_qYRFPgKi/view Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants   Modified to specify "financial strain" in first question   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206   https://drive.google.com/file/d/1zHnqLG-I8Htl6SdhyFxuJzP_qYRFPgKi/view
835	se_internet	Use the internet for things like work, school, medical visits, socializing	radio (Matrix)  0 Not Difficult  1 Somewhat Difficult  3 Very Difficult  Field Annotation: Stanford COVID-19 Community Outcomes (COCO) Survey https://drive.google.com/file/d/1zHnqLG-I8Htl6SdhyFxuJzP_qYRFPgKi/view Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants   Modified to specify "financial strain" in first question   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206 https://drive.google.com/file/d/1zHnqLG-I8Htl6SdhyFxuJzP_qYRFPgKi/view
836	se_3month_challenging	Section Header: Thinking about the future, over the next 3 months, because of coronavirus, how challenging will it be to make ends meet?	radio  3   A lot more challenging than usual  2   A little more challenging than usual  1   No more challenging than usual  0   Less challenging than usual  98   Don't know  Field Annotation: Pittsburgh Hill / Homewood Research on Neighborhood Change and Health (PHRESH)  https://drive.google.com/file/d/1q9DOJGNT7oe_KGMUXFCi73vlu57W3D3O/view
837	se_desc	Section Header: Housing Instability (Family) Parent Self-Report  Have any of the following occurred during the COVID-19 pandemic (since March 2020)?	descriptive Field Annotation: https://www.nlm.nih.gov/dr2/MACS- WIHS_questionnaire_BLCOVID-040620.pdf MACS-WIHS Baseline COVID-19 Abbreviated Questionnaire Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants  MACS-WIHS Baseline COVID-19 Abbreviated Questionnaire  https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206

836	se_relocation	Relocation or moving from where you lived before the pandemic (e.g., downsizing, moving in with family, etc.)	yesno
83'	se_possible_eviction	Faced possible eviction since March 2020	yesno           1         Yes           0         No    Custom alignment: RH
841	se_becoming_homeless	Loss of your housing, or becoming homeless since March 2020	yesno
84	se_food_didntlast	Section Header: Food Insecurity (Family) Parent Self-Report The following are several statements that people have made about their food situation. Please tell me whether the statement was "often", "sometimes", or "never" true for you and for other members of your household in the last 12 months, since (date 12 months ago)  1. The food that we bought just didn't last, and we didn't have money to get more.	radio (Matrix)  2 Often true  1 Sometimes true  0 Never true  98 Don't know  Field Annotation: https://www.phenxtoolkit.org/protocols/view/270301#tabsource PhenX: 6 item standard measure from USDA Economic Research Service
84:	se_food_balancedmeals	2. We couldn't afford to eat balanced meals.	radio (Matrix)  2 Often true  1 Sometimes true  0 Never true  98 Don't know
84:	se_food_cutmeal	3. In the last 12 months, since (date 12 months ago) did you or other adults in your household ever cut the size of your meals or skip meals because there wasn't enough money for food?	radio  1 Yes 0 No 98 Don't know  Custom alignment: RH
84-	se_optscreen	Optional Screener: If any of the first 3 questions are answered affirmatively (i.e., if either Q1 or Q2 are "often true" or "sometimes true" or Q3 is "yes"), proceed to the next question. Otherwise, skip to question 5.	descriptive Field Annotation: @HIDDENSURVEY
84:	se_food_cutmeal_freq Show the field ONLY if: [se_food_didntlast] = '2' or [se_food_didntlast] = '1' or [se_food_balancedmeals] = '2' or [se_food_balancedmeals] = '1' or [se_food_cutmeal] = '1'	3a. How often did this happen - almost every month, some months but not every month, or in only 1 or 2 months?	radio  1 Almost every month 2 Some months but not every month 3 Only 1 or 2 months 4 Don't know

1		T	T
846	se_food_lessfood	4. In the last 12 months, did you ever eat less than you felt you should because there	radio
	Show the field ONLY if:	wasn't enough money to buy food?	1 Yes
	[se_food_cutmeal]='1'		0 No
			98 Don't know
			Custom alignment: RH
847	se_food_hungry	5. In the last 12 months, were you ever hungry but didn't eat because you couldn't afford	radio
	Show the field ONLY if:	enough food?	1 Yes
	[se_food_cutmeal] <> "		0 No
			98 Don't know
			Custom alignment: RH
848	se_food_enough_why	6.In the last 12 months, if you didn't have enough to eat or what you wanted to eat, why was that?	checkbox
	Show the field ONLY if: [se_food_cutmeal] <> "	Choose all that apply. select all that apply	1   se_food_enough_why1   Couldn't get out to buy food (for example, didn't have transportation, or had mobility or health problems that prevented you from getting out)
			2 se_food_enough_why2 Didn't want to go out to buy food
			3 se_food_enough_why3 Afraid to go out because of the chance of contracting COVID-19
			4 se_food_enough_why4 Couldn't get groceries or meals delivered to me
			5 se_food_enough_why5 The stores didn't have the food I wanted
			96 se_food_enough_why96 Other(specify)
			0 se_food_enough_why0 I always had enough to eat and what I wanted to eat
			Custom alignment: LV Field Annotation: Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206 @NONEOFTHEABOVE='0'
849	se_food_enough_why_sp	Specify other	text
	Show the field ONLY if: [se_food_enough_why(96)]='1'		
850	se_schoollunch_precovid	Section Header: Breakfast/Lunch from School (Tier 2) Parent Report About Child	radio
		Did your child get breakfast and/or lunch from the school in the 2019-2020 school year	1 Yes
		before the COVID-19 pandemic?	0 No
			98 Don't Know
			Custom alignment: RH
			Field Annotation: ABCD COVID-19 Impact Parent Report   Modified second question responses from Y/N to Y (frequency)/N
			duestion responses from Y/N to Y (frequency)/N    https://www.nlm.nih.gov/dr2/ABCD_COVID-19_Impact_Measure-Parent.pdf
		<u>l</u>	1

851	se_schoollunch_covid Show the field ONLY if: [se_schoollunch_precovid]='1'	If yes, did the school continue to provide breakfast and/or lunch during the COVID-19 pandemic (since March 2020)?	radio  0 No 1 Yes, less frequently 2 Yes, same frequency 3 Yes, more frequently  Field Annotation: ABCD COVID-19 Impact Parent Report   Modified second question responses from Y/N to Y (frequency)/N   https://www.nlm.nih.gov/dr2/ABCD_COVID-19_Impact_Measure-Parent.pdf
852	se_income	Section Header: Household Income Parent Self-Report  Thinking about members of your family living in this household, what is your combined annual income, meaning the total pre-tax income from all sources earned in the past year?	radio  1 \$0 to \$9,999 2 \$10,000 to \$14,999 3 \$15,000 to \$19,999 4 \$20,000 to \$34,999 5 \$35,000 to \$49,999 6 \$50,000 to \$74,999 7 \$75,000 to \$99,999 8 \$100,000 or more 98 Don't Know/Not sure 99 Prefer not to answer  Field Annotation: Columbia COVID-19 Questionnaire http://www.columbiamedicine.org/divisions/kiryluk/study_covid19.php Recommendations for CDEs for COVID-19 Studies Including Pregnant Participants   Columbia COVID-19 Questionnaire   https://tools.niehs.nih.gov/dr2/index.cfm/resource/24206
853	se_life_treatbad_race  se_covid_treatbad_race	Section Header: Racial/Ethnic Discrimination Child Self-Report (Ages 13+)  During your life, how often have you felt that you were treated badly or unfairly because of your race or ethnicity?  Since the start of the pandemic (since March 2020), have you felt that you were treated badly or unfairly because of your race or ethnicity?	radio    Never
855	se_covid_race_desc	Section Header: Coronavirus Racial/Ethnic Bias (Tier 2) Child Self-Report (Ages 15+) Please answer the following questions on your beliefs about how the coronavirus is affecting people of your race/ethnicity	Field Annotation: Added by Working Group  descriptive Field Annotation: Tao, X. (2021). Social Media Use, Online Racial Discrimination, and Mental Health Risks Among Adolescents of Color. Fordham University   Age group: Used in COVID-19 Questionnaire   https://www.phenxtoolkit.org/protocols/view/970201?origin=search

856	se_covid_race_danger	I believe the country has become more dangerous for people in my racial/ethnic group because of fear of the coronavirus.	1 Strongly disagree 2 Somewhat disagree 3 Somewhat agree 4 Strongly agree
857	se_covid_race_losejob	People of my race/ethnicity are more likely to lose their job because of the coronavirus.	radio (Matrix)  1 Strongly disagree  2 Somewhat disagree  3 Somewhat agree  4 Strongly agree
858	se_covid_race_worry	I worry about people thinking I have the coronavirus simply because of my race/ethnicity.	radio (Matrix)  1 Strongly disagree  2 Somewhat disagree  3 Somewhat agree  4 Strongly agree
859	se_covid_race_socialmedia	Most social and mass media reports about the coronavirus create bias against people of my racial/ethnic group.	radio (Matrix)  1 Strongly disagree  2 Somewhat disagree  3 Somewhat agree  4 Strongly agree
860	se_covid_race_getvirus	People of my race/ethnicity are more likely to get the coronavirus.	radio (Matrix)  1 Strongly disagree  2 Somewhat disagree  3 Somewhat agree  4 Strongly agree
861	se_covid_race_beencyber	Due to the coronavirus, I have been cyberbullied because of my race/ethnicity.	radio (Matrix)  1 Strongly disagree  2 Somewhat disagree  3 Somewhat agree  4 Strongly agree
862	se_covid_race_seencyber	Since the coronavirus, I have seen a lot more cyberbullying of people of my race/ethnicity.	radio (Matrix)  1 Strongly disagree 2 Somewhat disagree 3 Somewhat agree 4 Strongly agree
863	se_covid_race_negsocialmed	Negative social media posts against people of my race/ethnicity have increased because of the coronavirus.	radio (Matrix)  1 Strongly disagree  2 Somewhat disagree  3 Somewhat agree  4 Strongly agree

	864	social_determinants_of_health_complete	Section Header: Form Status Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
Ins	strument:	Educational Factors (educational_factor	s) 🗗 Enabled as survey	^ Collapse Collapse
	865	edu_par_currgrade	Section Header: Grade Level (School-age Child) Parent Report About Child  What is this child's current grade, grade equivalent, or year of school? If this child is not assigned a specific grade or is homeschooled, mark the grade level of the curriculum the child receives. If between school years, mark the last grade level attended	radio  O Child has not yet started kindergarten  13 Full-day kindergarten  14 Partial-day kindergarten  1 1st grade  2 2nd grade  3 3rd grade  4 4th grade  5 5th grade  6 6th grade  7 7th grade  8 8th grade  9 9th grade  10 10th grade  11 11th grade  11 11th grade  12 12th grade  Custom alignment: LV Field Annotation: National Household Education Survey, 2019   https://nces.ed.gov/nhes/pdf/pfi/2019_pfi.pdf
	866	edu_ch_currgrade	Section Header: Child Self-Report (Ages 12+)  Think about the school you [currently/last] [attend/attended]. What grade [are/were] you in?	radio  4  4th grade 5  5th grade 6  6th grade 7  7th grade 8  8th grade 9  9th grade 10  10th grade 11  11th grade 12  12th grade  Custom alignment: LV Field Annotation: CTC 2010 Youth Survey General School Environment   Age group: Validated   https://www.phenxtoolkit.org/toolkit_content/PDF/PX540501.pdf

867	edu_par_schooltype	Section Header: Current School Type Parent Report About Child	radio
-3,		ls your child's current school a	1 A public school, including charter school or magnet school
			2 A private school, including private religious schools
			3 Bureau of Indian Affairs (BIA) or tribal school
			4 Early Childhood Center (school/center includes preschool and/or early elementary grades)
			5 Special Education school - primarily serves children with disabilities
			6 College, community college, or university
			7 Homeschool, including co-ops
			8 Full-time cyber school
			Custom alignment: LV Field Annotation: National Household Education Survey, 2019   https://nces.ed.gov/nhes/pdf/pfi/2019_pfi.pdf   Modified to remove reference to "in a physical building" and add "Bureau of Indian Affairs or tribal school", "Early Childhood Center" and "Special Education school"   *Age group: Modified from Parent Report Using Best Practices Guidance
868	edu_ch_schooltype	Section Header: Child Self-Report (Ages 13+)*	radio
		Is your current school a	1 A public school, including charter school or magnet school
			2 A private school, including private religious schools
			3 Bureau of Indian Affairs (BIA) or tribal school
			4 Early Childhood Center (school/center includes preschool and/or early elementary grades)
			5 Special Education school - primarily serves children with disabilities
			6 College, community college, or university
			7 Homeschool, including co-ops
			8 Full-time cyber school
			Custom alignment: LV
869	edu_domaindescript	Note: for the remaining elements in this Domain, the questions are primarily for grades K- 12:	descriptive
870	edu_iep	Section Header: Accommodations for Learning Difference Parent Report About Child	radio
		Does your child have an Individualized Education Plan (IEP) or 504 plan?	1 Yes
			0 No
			98 Don't know
			Custom alignment: RH Field Annotation: ABCD COVID-19 Impact Parent Report  https://www.nlm.nih.gov/dr2/ABCD_COVID-19_Impact_Measure-Parent.pdf
871	edu_iep_service_pre	If yes, was your child receiving specialized services or resources on an Individualized	radio
	Show the field ONLY if:	Education Plan (IEP) or 504 plan in the 2019-2020 school year before the pandemic?	1 Yes
	[edu_iep]='1'		0 No
			98 Don't know
			Custom alignment: RH Field Annotation: GCS Neuro COVID Case Report Form
			Their Annotation, Ges Neuro Covid Case Nepolt Form

872	edu_iep_service_durcov Show the field ONLY if: [edu_iep]='1'	During the pandemic (since March 2020) were the child's services less, the same, or more frequent compared to before the pandemic?	radio  1 Less 2 Same 3 More 97 N/A  Field Annotation: Psychosocial Pediatric WG
873	edu_schoolchange_desc	Section Header: Changes to Schooling During Pandemic  Additional Guidance: This is a high level element to capture predominant forms of schooling during the different school years spanning the COVID-19 pandemic. For studies that want more detailed assessment of the length of time spent in the different forms of schooling during the COVID-19 pandemic, the Working Group proposes two strategies for investigators to consider: 1) using an event history calendar as a visual guide to obtain more specific month to month information on changes to schooling; from parents, and/or 2) obtaining the school district information on changes to schooling during the pandemic, noting this may only be applicable to students attending public schools (i.e., if the student answers Current School Type with 'A public school, including charter school or magnet school').	descriptive Field Annotation: Psychosocial Pediatric WG
874	edu_school_mar20_jun20	Section Header: Parent Report About Child From March 2020-June 2020, what was the predominant form of schooling for your child:	radio  1 Attend school in person ONLY 2 Attend school remotely ONLY 3 Attend school via a hybrid model that included in person schooling and remote distance learning 4 Not attend school because school was cancelled 5 Not attend school because child dropped out 6 Not attend school for other reason (please specify) 97 Not applicable (N/A)  Custom alignment: LV
875	edu_school_sep20_jun21	From Sept 2020-June 2021, what was the predominant form of schooling for your child:	radio  1 Attend school in person ONLY 2 Attend school remotely ONLY 3 Attend school via a hybrid model that included in person schooling and remote distance learning 4 Not attend school because school was cancelled 5 Not attend school because child dropped out 6 Not attend school for other reason (please specify) 97 Not applicable (N/A)  Custom alignment: LV

876	edu_school_sep21_pres	From Sept 2021-present, what was the predominant form of schooling for your child:	radio
			1 Attend school in person ONLY
			2 Attend school remotely ONLY
			Attend school via a hybrid model that included in person schooling and remote distance learning
			4 Not attend school because school was cancelled
			5 Not attend school because child dropped out
			6 Not attend school for other reason (please specify)
			97 Not applicable (N/A)
			Custom alignment: LV
877	edu_absent_desc	Section Header: School Attendance/Absence (Tier 2) Parent Report About Child	descriptive
		Additional Guidance: Parent-reported absenteeism may be unreliable. Studies may alternatively seek to use school district records to calculate absences during each school	Field Annotation: 62 National Survey of Children's Health, 2020 Questionnaire   Modified to specify for illness due to COVID-19, added "Don't know," added 15 or
		year.	more days as it is used sometimes as a cutoff for chronic absenteeism
			https://mchb.hrsa.gov/data/national-surveys/questionnaires-datasets- supporting-documents 63
			https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6880919/
878	edu_absent_currentyr	Since start of the current school year (or past school year if on summer break), about how	radio
		many days did this child miss school (including missing remote learning)?	0 No missed school days [skip next question]
			1 1-3 days
			2 4-6 days
			3 7-10 days
			4 11-15 days
			5 15 or more days
			97 This child was not enrolled in school [skip next question]
			98 Don't know [skip next question]
			Custom alignment: LV
879	edu_absent_illness	If more than 1 day was missed, about how many days did this child miss school (including	radio
	Show the field ONLY if:	missing remote learning) because of illness of you or a family member from COVID-19?	0 No missed school days [skip next question]
	[edu_absent_currentyr] = '1' or [edu_absent_c urrentyr] = '2' or [edu_absent_currentyr] = '3'		1 1-3 days
	or [edu_absent_currentyr] = '4' or [edu_absen		2 4-6 days
	t_currentyr] = '5'		3 7-10 days
			4 11-15 days
			5 15 or more days
			97 This child was not enrolled in school
			98 Don't know
			Custom alignment: LV
880	edu_remote_desc	Section Header: Perception of Changes to Schooling (Tier 2) Parent Report About Child	descriptive
		Using a scale of 1-5, where 1 is not at all true, and 5 is completely true:	Field Annotation: Rutgers LINK Impact of Social Determinants of Health on Contracting COVID
		How true would you say each of the following statements is for your child's school/college, regarding how your experiences were/are during the COVID-19 pandemic (since March 2020)	

881	edu_remote_effective edu_remote_edugoals		radio (Matrix)  1  1, Not at all true 2  2 3  3 4  4 5  5, Completely true  radio (Matrix)  1  1, Not at all true 2  2 3  3
883	edu_remote_socialinteract	My child has sufficient social interaction with peers during remote learning.	4 4 5 5, Completely true  radio (Matrix) 1 1, Not at all true
			2 2 3 3 4 4 5 5, Completely true
884	edu_remote_lackinterest	It seems my child experiences a lack of interest during remote learning.	radio (Matrix)  1 1, Not at all true 2 2 3 3 4 4 5 5, Completely true
885	edu_remote_frustration	It seems my child experiences frustration during remote learning.	radio (Matrix)  1 1, Not at all true 2 2 3 3 4 4 5 5, Completely true
886	edu_teacher_desc	Teacher Relationships	descriptive Field Annotation: P211001   Age Group: Validated   https://www.phenxtoolkit.org/protocols/view/211001?origin=domain
887	edu_teacher_understnd_prob	1. Teachers understand my problems	radio (Matrix)  0 Strongly Disagree  1 Disagree  2 Neither Agree or Disagree  3 Agree  4 Strongly Agree

	20   1   1   1   1   1   1   1   1   1	0.7	
88	88 edu_teacher_interestfuture	2. Teachers and staff seem to take a real interest in my future	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
88	gedu_teacher_available	3. Teachers are available when I need to talk with them	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
89	edu_teacher_easytalk	4. It is easy to talk with teachers	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
89	edu_teacher_getsalong	5. Students get along well with teachers	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
89	92 edu_teacher_noticesabsent	6. At my school, there is a teacher or some other adult who notices when I'm not there	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
89	edu_teacher_helpchildren	7. Teachers at my school help us children with our problems	radio (Matrix)
	caa_ccachel_neipermaren	7. Teachers de my school help as chilaren with our problems	0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
			4 Strollgly Agree

004			P. AA. C. S.
894	edu_teacher_caresabout	8. My teachers care about me	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
895	edu_teacher_feelgoodself	9. My teacher makes me feel good about myself	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
896	edu_connect_desc	School Connectedness	descriptive
897	edu_connect_schwrk_excit	10. My schoolwork is exciting	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
898	edu_connect_makesuggest	11. Students can make suggestions on courses that are offered	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
899	edu_connect_public_recog	12. Students are publicly recognized for their outstanding performances in speech, drama,	radio (Matrix)
	caa_connect_pablic_recog	art, music, etc.	0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
<u> </u>	<u> </u>		<u> </u>
900	edu_connect_extraperiod	13. If this school had an extra period during the day, I would take an additional academic class	radio (Matrix)  0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree

001		14. This calculates at adapte anthropication beautiful against	unadia (Adaptaia)
901 edu_connect_en	ithusiastic	14. This school makes students enthusiastic about learning	radio (Matrix)  0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
902 edu_connect_pr	aised_rules	15. Students are frequently rewarded or praised by faculty and staff for following school	radio (Matrix)
		rules	0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
903 edu_support_de	PSC	Academic Support	descriptive
904 edu_support_un		16. I usually understand my homework assignments	radio (Matrix)
	_	, , ,	0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
905 edu_support_wr	tkelear grade	17. Teachers make it clear what work needs to be done to get the grade I want	radio (Matrix)
- Jos Fedd_support_wi	kcieai_grade	17. Teachers make it clear what work needs to be done to get the grade ( want	0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
906 edu_support_all	_learn _	18. I believe that teachers expect all students to learn	radio (Matrix)  0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			3 Agree 4 Strongly Agree
907 edu_support_ica	andowell	19. I feel that I can do well in this school	4 Strongly Agree radio (Matrix)
907 edu_support_ica	andowell	19. I feel that I can do well in this school	4 Strongly Agree  radio (Matrix) 0 Strongly Disagree
907 edu_support_ica	andowell	19. I feel that I can do well in this school	4 Strongly Agree  radio (Matrix)  0 Strongly Disagree  1 Disagree
907 edu_support_ica	andowell	19. I feel that I can do well in this school	4 Strongly Agree  radio (Matrix)  0 Strongly Disagree  1 Disagree  2 Neither Agree or Disagree
907 edu_support_ica	andowell	19. I feel that I can do well in this school	4 Strongly Agree  radio (Matrix)  0 Strongly Disagree  1 Disagree

908	edu_support_tchersbelieve	20. My teachers believe that I can do well in my school work	radio (Matrix)
908	eda_support_tchersbelleve	20. My teachers believe that i can do well in my school work	0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
909	edu_support_tryhard_suc	21. I try hard to succeed in my classes	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
910	edu_order_desc	Order and Discipline	descriptive
911	edu_order_classrules	22. Classroom rules are applied equally	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
912	edu_order_prob_solved	23. Problems in this school are solved by students and staff	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
913	edu_order_trbl_notfollow	24. Students get in trouble if they do not follow school rules	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
914	edu_order_rules_fair	25. The rules of the school are fair	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
			T SUNIBY ASICC

	915	edu_order_enforced_fair	26. School rules are enforced consistently and fairly	radio (Matrix)
	515	cua_order_ermoreed_ram	20. School rates are enforced consistently and family	0 Strongly Disagree
				1 Disagree
				2 Neither Agree or Disagree
				3 Agree
				4 Strongly Agree
$\vdash$	046			
	916	edu_order_clear_misbehave	27. My teachers make it clear to me when l have misbehaved in class	radio (Matrix)  0 Strongly Disagree
				1 Disagree
				2 Neither Agree or Disagree
				3 Agree
				4 Strongly Agree
	917	edu_order_discipline_fair	28. Discipline is fair	radio (Matrix)
				0 Strongly Disagree
				1 Disagree
				2 Neither Agree or Disagree
				3 Agree
				4 Strongly Agree
	918	edu_physenv_desc	(Only answer if in-person schooling)	descriptive
			School Physical Environment	
	919	edu_physenv_groundsclean	29. The school grounds are kept clean	radio (Matrix)
				0 Strongly Disagree
				1 Disagree
				2 Neither Agree or Disagree
				3 Agree
				4 Strongly Agree
	920	edu_physenv_neatclean	30. My school is neat and clean	radio (Matrix)
				0 Strongly Disagree
				1 Disagree
				2 Neither Agree or Disagree
				3 Agree
				4 Strongly Agree
	921	edu_physenv_wellmaintain	31. My school buildings are generally pleasant and well maintained	radio (Matrix)
		-		0 Strongly Disagree
				1 Disagree
				2 Neither Agree or Disagree
				3 Agree
				4 Strongly Agree

022	adu physopy sloantidy	22. My school is usually cloap and tidy	radio (Matrix)
922	edu_physenv_cleantidy	32. My school is usually clean and tidy	0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
	edu_social_desc	School Social Environment	descriptive
924	edu_social_happy_kinds_stu	33. I am happy with the kinds of students who go to my school	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
925	edu_social_happy_oth_stu	34. I am happy, in general, with the other students who go to my school	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
926	edu_privilege_desc	Perceived Exclusion/Privilege	descriptive
927	edu_priv_samehelp	35. At my school, the same person always gets to help the teacher	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
928	edu_priv_samechosen	36. At my school, the same kids get chosen every time to take part in after-school or special	radio (Matrix)
		activities	0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
929	edu_priv_same_usethings	37. The same kids always get to use things, like a computer, a ball or a piano, when we play	radio (Matrix)
	0	, , , , , , , , , , , , , , , , , , , ,	0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
030	adu satis dasc	Academic Satisfaction	
930	edu_satis_desc	Academic Satisfaction	descriptive

931	edu_satis_happy_numtests	38. I am happy about the number of tests I have	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
932	edu_satis_happy_amt_hmwrk	39. I am happy about the amount of homework I have	radio (Matrix)
			0 Strongly Disagree
			1 Disagree
			2 Neither Agree or Disagree
			3 Agree
			4 Strongly Agree
933	edu_academ_desc	Academic Performance/Achievement	descriptive
			Field Annotation: Healthy Pathways   Age group: Validated   Modified to add
		Child Self-Report (Ages 10+)/Parent Report About Child	"I/my child was not graded"   https://link.springer.com/article/10.1007/s11136- 010-9687-4
934	edu_pre_grades	In the months before the pandemic (2019-February 2020) how would you describe	radio
		your/your child's grades in school?	1 Below average (D's or F's)
			2 Average (C's)
			3 Good (B's)
			4 Very good (A's and B's)
			5 Excellent (A's)
			6 I/my child was not graded
			99 Refused
			98 Don't know
			Custom alignment: LV
935	edu_curr_grades	During the current school year (or most recent school year if on summer break) how would	radio
		you describe your/your child's grades in school?	1 Below average (D's or F's)
			2 Average (C's)
			3 Good (B's)
			4 Very good (A's and B's)
			5 Excellent (A's)
			6 I/my child was not graded
			99 Refused
			98 Don't know
			Custom alignment: LV

936	edu_childcare	Section Header: Childcare (Tier 2) Parent Self-Report	checkbox
	_	How has the COVID-19 outbreak affected your regular childcare/supervision of school aged	1 edu_childcare1 I had difficulty arranging for childcare/supervision
		children (K-12)? Mark all that apply	2 edu_childcare2 I had to pay more for childcare/supervision
			3 edu_childcare3 My co-parent or I no longer needed child care
			4 edu_childcare4 My co-parent or I had to change our work schedule or quit our job to care for our children
			5 edu_childcare5 My regular childcare/supervision was not affected by the COVID-19 outbreak
			0 edu_childcare0 I do not have a school-age child who needed regular supervision
			Custom alignment: LV Field Annotation: ECHO COVID-19 Adult Questionnaire   Modified to add "supervision of school aged children" and added response of "no longer needed child care"   https://www.nlm.nih.gov/dr2/C19-aPV_COVID-19_Questionnaire- Adult_Primary_Version_20200409_v01.30.pdf @NONEOFTHEABOVE="0"
937	edu_computer_desc	Section Header: Computer and Internet Access	descriptive
		Parent Report About Child	Field Annotation: 2020 COVID-19 CENSUS HOUSEHOLD PULSE   Modified to specify for remote learning and changed "children" to "your child"   https://www.phenxtoolkit.org/toolkit_content/PDF/Census_HPS.pdf
938	edu_computer	How often is a computer/laptop or other digital device (e.g., tablet) available to your child	radio
		for educational purposes to support remote distance learning?	1 Always available
			2 Usually available
			3 Sometimes available
			4 Rarely available
			0 Never available
			97 N/A
			Custom alignment: LV
939	edu_computer_provide	Is/are the computer(s) or other digital device(s)?	radio
		Select all that apply	1 Provided by the child's school or school district to use outside of school
			2 Provided by someone in the household or family, or it is the child's
			3 Provided by another source
			97 N/A
			Custom alignment: LV
940	edu_internet	How often is the Internet available to your child for educational purposes to support remote distance learning?	radio
		remote distance learning.	Always available
			2 Usually available
			3 Sometimes available
			4 Rarely available
			0 Never available
			97 N/A
			Custom alignment: LV

941	edu_internet_pay  educational_factors_complete	Are Internet services?  Select all that apply  Section Header: Form Status  Complete?	checkbox  1  edu_internet_pay1  Paid for by the children's school or school district 2  edu_internet_pay2  Paid for by someone in the household or family 3  edu_internet_pay3  Paid for by another source 97  edu_internet_pay97  N/A  Custom alignment: LV Field Annotation: @NONEOFTHEABOVE='97'  dropdown  0  Incomplete 1  Unverified 2  Complete
Instrume	t: Community, Family, and Peer Facto	<u> </u>	^ Collapse Collapse
943	cfp_ch_social	Section Header: Social Connection/Support Child Self-Report (Age 13+)  Compared to before the COVID-19 outbreak (before March 2020), do you feel	radio  1 Much less socially connected 2 Less socially connected 3 Slightly less socially connected 4 Slightly more socially connected 5 More socially connected 6 Much more socially connected Field Annotation: ECHO Child Self-Report  Age group: Used in COVID-19 Questionnaire  https://www.nlm.nih.gov/dr2/C19-cPV_COVID-19_Questionnaire-Child_Self-Report_Primary_Version_20200608_v01.31.pdf
944	cfp_p_abtch_social	Section Header: Parent Report About Child (Age 8+)  Compared to before the COVID-19 outbreak (before March 2020), does your child seem	radio  1 Much less socially connected 2 Less socially connected 3 Slightly less socially connected 4 Slightly more socially connected 5 More socially connected 6 Much more socially connected Field Annotation: ECHO Child Parent-Report   https://www.phenxtoolkit.org/toolkit_content/PDF/ECHO_Child_Parent_Report_Imp
945	promis_soc200	Section Header: Emotional Support/Social Support (Tier 2) NIH Toolbox Emotional Support FF Ages 8-17 v2.0 Child Self-Report (Ages 8-17) In the past month, please describe how often  I have someone who understands my problems	radio (Matrix)  1 Never  2 Rarely  3 Sometimes  4 Usually  5 Always  Field Annotation: NIH Toolbox Emotional Support FF Ages 8-17 v2.0 NIH Toolbox Emotional Support   Age group: Validated   https://www.healthmeasures.net/explore-measurement-systems/nihtoolbox/intro-to-nih-toolbox/emotion/184-nih-toolbox-emotion

946	promis_soc203	I have someone who will listen to me when I need to talk	radio (Matrix)  1 Never  2 Rarely  3 Sometimes  4 Usually  5 Always  Field Annotation: NIH Toolbox Emotional Support FF Ages 8-17 v2.0 NIH Toolbox Emotional Support   Age group: Validated   https://www.healthmeasures.net/explore-measurement-systems/nihtoolbox/intro-to-nih-toolbox/emotion/184-nih-toolbox-emotion
947	promis_soc205	I have someone to talk with when I have a bad day	radio (Matrix)  1 Never  2 Rarely  3 Sometimes  4 Usually  5 Always  Field Annotation: NIH Toolbox Emotional Support FF Ages 8-17 v2.0 NIH Toolbox Emotional Support   Age group: Validated   https://www.healthmeasures.net/explore-measurement-systems/nih-toolbox/intro-to-nih-toolbox/emotion/184-nih-toolbox-emotion
948	promis_soc216	There is someone around to help me if I need it	radio (Matrix)  1 Never  2 Rarely  3 Sometimes  4 Usually  5 Always  Field Annotation: NIH Toolbox Emotional Support FF Ages 8-17 v2.0 NIH Toolbox Emotional Support   Age group: Validated   https://www.healthmeasures.net/explore-measurement-systems/nih-toolbox/intro-to-nih-toolbox/emotion/184-nih-toolbox-emotion
949	promis_soc222	I can get helpful advice from others when dealing with a problem	radio (Matrix)  1 Never  2 Rarely  3 Sometimes  4 Usually  5 Always  Field Annotation: NIH Toolbox Emotional Support FF Ages 8-17 v2.0 NIH Toolbox Emotional Support   Age group: Validated   https://www.healthmeasures.net/explore-measurement-systems/nih-toolbox/intro-to-nih-toolbox/emotion/184-nih-toolbox-emotion

950	promis_soc225	I get useful advice about important things in my life	radio (Matrix)  1 Never  2 Rarely  3 Sometimes  4 Usually  5 Always  Field Annotation: NIH Toolbox Emotional Support FF Ages 8-17 v2.0 NIH Toolbox Emotional Support   Age group: Validated   https://www.healthmeasures.net/explore-measurement-systems/nihtoolbox/intro-to-nih-toolbox/emotion/184-nih-toolbox-emotion
951	promis_soc226	I have someone to talk with about school problems	radio (Matrix)  1 Never  2 Rarely  3 Sometimes  4 Usually  5 Always  Field Annotation: NIH Toolbox Emotional Support FF Ages 8-17 v2.0 NIH Toolbox Emotional Support   Age group: Validated   https://www.healthmeasures.net/explore-measurement-systems/nih-toolbox/intro-to-nih-toolbox/emotion/184-nih-toolbox-emotion
952	cfp_understands_probs_post	Section Header: Compared to before the COVID-19 pandemic (before March 2020)  I have someone who understands my problems	radio (Matrix)  1 Less 2 The same 3 More
953	cfp_talk_post	I have someone who will listen to me when I need to talk	radio (Matrix)  1 Less 2 The same 3 More
954	cfp_bad_day_post	I have someone to talk with when I have a bad day	radio (Matrix)  1 Less  2 The same  3 More
955	cfp_help_post	There is someone around to help me if I need it	radio (Matrix)  1 Less 2 The same 3 More
956	cfp_prob_adv_post	I can get helpful advice from others when dealing with a problem	radio (Matrix)  1 Less 2 The same 3 More

957	cfp_imp_adv_post	I get useful advice about important things in my life	radio (Matrix)  1 Less 2 The same 3 More
958	cfp_school_prob_post	I have someone to talk with about school problems	radio (Matrix)  1 Less 2 The same 3 More
959	promis_pf2socabil6r_ec	Section Header: Peer Relationships (Tier 2) Parent Report About Child (Ages 1-5) In the past 7 days  My child shared with other kids	radio (Matrix)  1 Never 2 Almost never 3 Sometimes 4 Often 5 Almost always  Field Annotation: PROMIS EC Parent-Report SF v1.0 - Social Relationships - Peer Relationships 4a PROMIS Peer Relationships   Age group: Validated   https://www.healthmeasures.net/search-view-measures?task=Search.search
960	promis_peer_ec2	My child played well with other children	radio (Matrix)  1 Never  2 Almost never  3 Sometimes  4 Often  5 Almost always  Field Annotation: PROMIS EC Parent-Report SF v1.0 - Social Relationships - Peer Relationships 4a PROMIS Peer Relationships   Age group: Validated   https://www.healthmeasures.net/search-view-measures?task=Search.search
961	promis_peer_ec3	My child laughed and smiled with other children	radio (Matrix)  1 Never  2 Almost never  3 Sometimes  4 Often  5 Almost always  Field Annotation: PROMIS EC Parent-Report SF v1.0 - Social Relationships - Peer Relationships 4a PROMIS Peer Relationships   Age group: Validated   https://www.healthmeasures.net/search-view-measures?task=Search.search

_				
	962	promis_peer_ec4	My child showed interest in other children	radio (Matrix)  1 Never  2 Almost never  3 Sometimes  4 Often  5 Almost always  Field Annotation: PROMIS EC Parent-Report SF v1.0 - Social Relationships - Peer Relationships 4a PROMIS Peer Relationships   Age group: Validated   https://www.healthmeasures.net/search-view-measures?task=Search.search
	963	cfp_cov_share	Section Header: Compared to before the COVID-19 pandemic (before March 2020)  My child shares with other kids	radio (Matrix)  1 Less 2 The same 3 More
	964	cfp_cov_play	My child plays well with other children	radio (Matrix)  1 Less 2 The same 3 More
	965	cfp_cov_laugh	My child laughs and smiles with other children	radio (Matrix)  1 Less 2 The same 3 More
	966	cfp_cov_interest	My child shows interest in other children	radio (Matrix)  1 Less 2 The same 3 More
	967	promis_pf3socabil9r	Section Header: Parent Report About Child (Ages 5-17) In the past 7 days  My child felt accepted by other kids his/her age	radio (Matrix)  1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  Field Annotation: PROMIS Parent Proxy SF v2.0 - Peer Relations 7a
	968	promis_pf4socabil12r	My child was able to count on his/her friends	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always  Field Annotation: PROMIS Parent Proxy SF v2.0 - Peer Relations 7a

_				
	969	promis_pf3socabil4r	My child was good at making friends	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always  Field Annotation: PROMIS Parent Proxy SF v2.0 - Peer Relations 7a
	970	promis_pf2socrole4r	My child and his/her friends helped each other out	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always  Field Annotation: PROMIS Parent Proxy SF v2.0 - Peer Relations 7a
	971	promis_pf1socabil2r	Other kids wanted to be my child's friend	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always  Field Annotation: PROMIS Parent Proxy SF v2.0 - Peer Relations 7a
	972	promis_pf3socrole4r	Other kids wanted to be with my child	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always  Field Annotation: PROMIS Parent Proxy SF v2.0 - Peer Relations 7a
	973	promis_pf2socabil9r	Other kids wanted to talk to my child	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always  Field Annotation: PROMIS Parent Proxy SF v2.0 - Peer Relations 7a
	974	cfp_cov_accept	Section Header: Compared to before the COVID-19 pandemic (before March 2020)  My child feels accepted by other kids his/her age	radio (Matrix)  1 Less 2 The same 3 More

975	cfp_cov_count_on	My child is able to count on his/her friends	radio (Matrix)
			1 Less
			2 The same
			3 More
976	cfp_cov_make_friends	My child is good at making friends	radio (Matrix)
			1 Less
			2 The same
			3 More
977	cfp_cov_help	My child and his/her friends help each other out	radio (Matrix)
311	cip_cov_ncip	my difficulties help each other out	1 Less
			2 The same
			<del>   </del>
			3 More
978	cfp_cov_child_friend	Other kids want to be my child's friend	radio (Matrix)
			1 Less
			2 The same
			3 More
979	cfp_cov_with_child	Other kids want to be with my child	radio (Matrix)
			1 Less
			2 The same
			3 More
980	cfp_cov_talk	Other kids want to talk to my child	radio (Matrix)
			1 Less
			2 The same
			3 More
981	promis_5018r1r	Section Header: Child Self-Report (Ages 8-17) PROMIS Pediatric Item Bank v2.0 - Peer Relationships - Short Form	radio (Matrix)
501	promis_5016111	8a In the past 7 days	1 Never
		I felt accepted by other kids my age	2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
			Field Annotation: PROMIS Pediatric Item Bank v2.0 - Peer Relationships - Short
			Form 8a
982	promis_5058r1r	I was able to count on my friends	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
			[1]
			Field Annotation: PROMIS Pediatric Item Bank v2.0 - Peer Relationships - Short
			Form 8a

	I		
983	promis_5056r1r	I was able to talk about everything with my friends	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
			Field Annotation: PROMIS Pediatric Item Bank v2.0 - Peer Relationships - Short
			Form 8a
984	promis_1147r1r	I was good at making friends	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
			Field Apparation: DROMIC Padiatric Itam Banky 2.0. Door Palationships Chart
			Field Annotation: PROMIS Pediatric Item Bank v2.0 - Peer Relationships - Short Form 8a
985	promis_5055r1r	My friends and I helped each other out	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
			Field Association PROMIS Published than People 2.0. People between the section of
			Field Annotation: PROMIS Pediatric Item Bank v2.0 - Peer Relationships - Short Form 8a
986	promis_233r2r	Other kids wanted to be my friend	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
			Elda and the BBONIS Della trialism Della 200 Della trialism State
			Field Annotation: PROMIS Pediatric Item Bank v2.0 - Peer Relationships - Short Form 8a
987	promis_210r1r	Other kids wanted to be with me	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
			Field Annotation: PROMIS Pediatric Item Bank v2.0 - Peer Relationships - Short Form 8a
			rottii oa

	988	promis_9020r1r	Other kids wanted to talk to me	radio (Matrix)
				1 Never
				2 Almost Never
				3 Sometimes
				4 Often
				5 Almost Always
				Field Annotation: PROMIS Pediatric Item Bank v2.0 - Peer Relationships - Short Form 8a
	989	cfp_pedcov_accept	Section Header: Compared to before the COVID-19 pandemic (before March 2020)	radio (Matrix)
			I felt accepted by other kids my age	1 Less
				2 The same
				3 More
	990	cfp_pedcov_count_on	I am able to count on my friends	radio (Matrix)
				1 Less
				2 The same
				3 More
	991	cfp_pedcov_talk_everything	I am able to talk about everything with my friends	radio (Matrix)
				1 Less
				2 The same
				3 More
	992	cfp_pedcov_make_friends	I am good at making friends	radio (Matrix)
		1-1		1 Less
				2 The same
				3 More
	993	cfp_pedcov_help	My friends and I help each other out	radio (Matrix)
	,,,,		ing menasana mepadan salai sal	1 Less
				2 The same
				3 More
$\vdash$	004	afin madan mant friend-	Osh and idda was state for any firing d	
	994	cfp_pedcov_want_friends	Other kids want to be my friend	radio (Matrix)  1 Less
				<del></del>
				2 The same
				3 More
	995	cfp_pedcov_with	Other kids want to be with me	radio (Matrix)
				1 Less
				2 The same
				3 More
	996	cfp_pedcov_talk	Other kids want to talk to me	radio (Matrix)
				1 Less
				2 The same
				3 More

997	cfp_p_selfdesc	Section Header: Family Impact/Household Interpersonal Conflict (Tier 2)	descriptive
		Parent Self-Report	
998	cfp_get_along_cov	How have/were you and your child(ren) (been) getting along during the COVID-19 outbreak	radio
		(since March 2020) ?	1 Very well - no problems or tension
			2 Well - occasional tension, some tension, but manageable
3 O ar			3 Okay - some tension and sometimes things get out of hand (a few heated arguments)
	4 Not very well - tense, lots of arguing, unsettled feeling, definite problems		
			5 Terribly
			Custom alignment: LV Field Annotation: COVID-19 Experiences (COVEX)   Age group: Used in COVID-19 Questionnaire   https://www.phenxtoolkit.org/toolkit_content/PDF/Fisher_COVEX_Living_Situation.p
999	cfp_get_along_change	Is this a change from how you were getting along before the outbreak (before March 2020)?	yesno 1 Yes 0 No
			Custom alignment: RH Field Annotation: COVID-19 Experiences (COVEX)   Age group: Used in COVID-19 Questionnaire   https://www.phenxtoolkit.org/toolkit_content/PDF/Fisher_COVEX_Living_Situation.
1000	cfp_chdesc	Child Self-report (Ages 13+)	descriptive
1001	cfp_get_along_cov_child	outbreak (since March 2020)?	radio
			1 Very well - no problems or tension
			2   Well - occasional tension, some tension, but manageable
			3 Okay - some tension and sometimes things get out of hand (a few heated arguments)
			4 Not very well - tense, lots of arguing, unsettled feeling, definite problems
			5 Terribly
			Custom alignment: LV Field Annotation: COVID-19 Experiences (COVEX)   Age group: Used in COVID-19 Questionnaire   https://www.phenxtoolkit.org/toolkit_content/PDF/Fisher_COVEX_Living_Situation.
1002	cfp_get_along_change_child	Is this a change from how you were getting along before the outbreak (before March 2020)?	yesno 1 Yes 0 No
			Custom alignment: RH Field Annotation: COVID-19 Experiences (COVEX)   Age group: Used in COVID-19 Questionnaire   https://www.phenxtoolkit.org/toolkit_content/PDF/Fisher_COVEX_Living_Situation.
1003	cfp_violent_living	Section Header: If study approval and privacy ensured; INTERVIEWER: IF CONDUCTING PHONE INTERVIEW, PLEASE SAY THE FOLLOWING: For the next 3 questions, I am going to ask you about some private matters, so please turn your speakerphone off.  During the COVID-19 outbreak (since March 2020), did things ever get to the point where an adult you were living with got physically violent with a child (for example, shoved, hit, kicked, or shook [her/him/them])?	yesno 1 Yes
			0 No

10	004 cf	fp_violent_household_you	During the COVID-19 outbreak (since March 2020), was an adult in your household ever physically violent with you (for example, shoved, hit, kicked, or shook you)?	yesno 1 Yes 0 No  Custom alignment: RH
10	005 cf	fp_violent_household_oth	During the COVID-19 outbreak (since March 2020), did things ever get to the point where an adult you were living with got physically violent with someone else (for example, shoved, hit, kicked, or shook someone else)?	yesno 1 Yes 0 No  Custom alignment: RH
10	006 cf	fp_addtinlguide	Additional Guidance: Guidance for conducting child maltreatment research and reporting varies depending on the scope of the project, study participants, setting of the study (school, hospital, etc.) and state mandatory reporting laws. More information on state statutes can be found at the HHS Childwelfare.gov site: https://www.childwelfare.gov/pubPDFs/manda.pdf (2019). Researchers should consult with their IRBs tominimize risks to study participants, appropriately consent and adhere to ethical practices and regulatoryrequirements for including vulnerable children in research: https://www.hhs.gov/ohrp/regulations-and-policy/guidance/special-protections-for-children/index.html. Additional NICHD resources for forensic orevidence-based interviewing of children include: http://nichdprotocol.com/ , https://youth.gov/content/nichdinvestigative-interview-protocol.	descriptive
10	007 cf	fp_p_selfdesc2	Section Header: Community Support (Cohesion) (Tier 2) Paren Self-Report	descriptive
10	008 cf	fp_coh_close	Section Header: Now I'm going to read some statements about things that people in your neighborhood may or may not do. For each of these statements, please tell me whether you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree.  This is a close-knit neighborhood	radio (Matrix)  1 Strongly agree  2 Agree  3 Neither agree nor disagree  4 Disagree  5 Strongly disagree  Field Annotation:  PX210801   https://www.phenxtoolkit.org/toolkit_content/PDF/PX210801.pdf
10	009 cf	fp_coh_help	People around here are willing to help their neighbors	radio (Matrix)  1 Strongly agree  2 Agree  3 Neither agree nor disagree  4 Disagree  5 Strongly disagree  Field Annotation: PX210801   https://www.phenxtoolkit.org/toolkit_content/PDF/PX210801.pdf

	1010	-6	December 19 Alice and the health and the control of	The Market A
	1010	cfp_coh_not_get_along	People in this neighborhood generally don't get along with each other	radio (Matrix)
				1 Strongly agree
				2 Agree
				3 Neither agree nor disagree
				4 Disagree
				5 Strongly disagree
				Field Annotation:
				PX210801 https://www.phenxtoolkit.org/toolkit_content/PDF/PX210801.pdf
	1011	cfp_coh_not_share_values	People in this neighborhood do not share the same values	radio (Matrix)
				1 Strongly agree
				2 Agree
				3 Neither agree nor disagree
				4 Disagree
				5 Strongly disagree
				Field Annotation: PX210801 https://www.phenxtoolkit.org/toolkit_content/PDF/PX210801.pdf
	1012	cfp_coh_neigh_trust	People in this neighborhood can be trusted	radio (Matrix)
				1 Strongly agree
				2 Agree
				3 Neither agree nor disagree
				4 Disagree
				5 Strongly disagree
				Field Annotation:
				PX210801 https://www.phenxtoolkit.org/toolkit_content/PDF/PX210801.pdf
	1013	cfp_neigh_skip_sch	Section Header: For each of the following, please tell me if it is very likely, likely, neither likely nor unlikely,	radio (Matrix)
			unlikely, or very unlikely that people in your neighborhood would act in the following manner  If a group of neighborhood children were skipping school and hanging out on a street	1 Very likely
			corner, how likely is it that your neighbors would do something about it?	2 Likely
				3 Neither likely nor unlikely
				4 Unlikely
				5 Very unlikely
	1014	cfp_neigh_graffiti	If some children were spray-painting graffiti on a local building, how likely is it that your	radio (Matrix)
			neighbors would do something about it?	1 Very likely
				2 Likely
				3 Neither likely nor unlikely
				4 Unlikely
				5 Very unlikely

	4045	- Commission of the second	is a state of the	Land Control of the C
	1015	cfp_neigh_disrespect	If a child was showing disrespect to an adult, how likely is it that people in your neighborhood would scold that child?	radio (Matrix)
				1 Very likely
				2 Likely
				3 Neither likely nor unlikely
				4 Unlikely
				5 Very unlikely
	1016	cfp_neigh_fight	If there was a fight in front of your house and someone was being beaten or threatened,	radio (Matrix)
			how likely is it that your neighbors would break it up?	1 Very likely
				2 Likely
				3 Neither likely nor unlikely
				4 Unlikely
				5 Very unlikely
	1017	cfp_neigh_fire_station	Suppose that because of budget cuts the fire station closest to your home was going to be	radio (Matrix)
	1017	crp_neign_me_station	closed down by the city. How likely is it that neighborhood residents would organize to try	1 Very likely
			to do something to keep the fire station open?	2 Likely
				3 Neither likely nor unlikely
				4 Unlikely
				5 Very unlikely
	1018	community_family_and_peer_factors_comple		dropdown
		te	Complete?	0 Incomplete
				1 Unverified
				2 Complete
Inst	trument:	Social Media/Screen Time (social_med	iascreen_time) 🔄 Enabled as survey	↑ Collapse Collapse
	1019	st_desc	Section Header: Time Spent in Front of a Screen (Tier 2)	descriptive
			Child Self-Report (Ages 13+)*/Parent Report About Child	
	1020	st_screen_time	ON MOST WEEKDAYS, about how much time did [you/your child] spend in front of a TV,	radio
			computer, cellphone or other electronic device watching programs, playing games, accessing the Internet or using social media? Do not include time spent doing schoolwork.	1 Less than 1 hour
			accessing the internet of using social media. So not include time spent doing schoolwork.	2 1 hour
				3 2 hours
				4 3 hours
				5 4 or more hours
				Custom alignment: LV Field Annotation: National Survey of Children's Health, 2020 Questionnaire   *Age
				group: Modified from Parent Report Using Best Practices Guidance
				https://mchb.hrsa.gov/data/national-surveys/questionnaires-datasets-
				supporting-documents
	1021	st_precov2	Compared to before the COVID-19 outbreak (before March 2020), how much are [you/your child] now	descriptive
			doing of the following:	
			<u> </u>	

	4000			
	1022	st_edu	Spending time watching TV/videos (such as YouTube), playing video/computer games, or using social media for educational purposes, including schoolwork	radio  1 Less 2 Same amount 3 More  Custom alignment: LV Field Annotation: National Survey of Children's Health, 2020 Questionnaire   *Age group: Modified from Parent Report Using Best Practices Guidance   https://mchb.hrsa.gov/data/national-surveys/questionnaires-datasets-supporting-documents
	1023	st_non_edu	Spending time watching TV/videos (such as YouTube), playing video/computer games, or using social media for non-educational purposes	radio  1 Less 2 Same amount 3 More  Custom alignment: LV Field Annotation: National Survey of Children's Health, 2020 Questionnaire   *Age group: Modified from Parent Report Using Best Practices Guidance   https://mchb.hrsa.gov/data/national-surveys/questionnaires-datasets-supporting-documents
	1024	social_mediascreen_time_complete	Section Header: Form Status  Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
	Instrument:	Well-being Factors (wellbeing_factors)	<b>₤</b> J Enabled as survey	↑ Collapse Collapse
	1025	wb_desc	Well-Being	descriptive
L				
	1026	wb_child_happy	Section Header: Child Self-Report (Ages 13+) Since becoming aware of the COVID-19 outbreak, how often have you felt happy and satisfied with your life	radio (Matrix)  1 Not at all  2 Rarely  3 Sometimes  4 Often  5 Very often  Field Annotation: ECHO Child Self-Report  Age group: used in COVID-19  Questionnaire  https://www.nlm.nih.gov/dr2/C19-cPV_COVID-19_Questionnaire-Child_Self-Report_Primary_Version_20200608_v01.31.pdf

1	028	wb_desc3	Section Header: Well-being (Tier 2)NIH Toolbox Positive Affect Fixed Form v2.0	descriptive
			Child Self-Report (Ages 8-12)	
1	029	promis_pa002	Section Header: In the past 7 days, I felt attentive	radio (Matrix)  1 Not at all  2 A little bit  3 Somewhat  4 Quite a bit  5 Very much
				Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self Report  Age group: Validated  https://www.healthmeasures.net/search-view-measures?task=Search.search
1	030	promis_pa006	I felt delighted	radio (Matrix)  1 Not at all  2 A little bit  3 Somewhat  4 Quite a bit  5 Very much
				Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self Report  Age group: Validated  https://www.healthmeasures.net/search-view-measures?task=Search.search
1	031	promis_pa009	I felt calm	radio (Matrix)  1 Not at all 2 A little bit 3 Somewhat 4 Quite a bit 5 Very much  Field Annotation: NIH Toolbox Positive Affect   ABCD COVID-19 Impact Self
				Report  Age group: Validated  https://www.healthmeasures.net/search-view-measures?task=Search.search
1	032	promis_pa018	I felt at ease	radio (Matrix)  1 Not at all  2 A little bit  3 Somewhat  4 Quite a bit  5 Very much
				Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self Report  Age group: Validated  https://www.healthmeasures.net/search-view-measures?task=Search.search

	<u> </u>		
1033	promis_pa019	l felt enthusiastic	radio (Matrix)
			1 Not at all
			2 A little bit
			3 Somewhat
			4 Quite a bit
			5 Very much
			Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self
			Report   Age group: Validated   https://www.healthmeasures.net/search-view-measures?task=Search.search
102		15-16-1	
1034	promis_pa021	I felt interested	radio (Matrix) 1   Not at all
			2 A little bit
			3 Somewhat
			4 Quite a bit
			5 Very much
			Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self
			Report  Age group: Validated  https://www.healthmeasures.net/search-view-
			measures?task=Search.search
1035	promis_pa022	I felt confident	radio (Matrix)
			1 Not at all
			2 A little bit
			3 Somewhat
			4 Quite a bit
			5 Very much
			Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self
			Report   Age group: Validated   https://www.healthmeasures.net/search-view-measures?task=Search.search
103/		I falk an aventia	
1036	promis_pa023	I felt energetic	radio (Matrix) 1   Not at all
			2 A little bit
			3 Somewhat
			4 Quite a bit
			5 Very much
			Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self
			Report  Age group: Validated  https://www.healthmeasures.net/search-view-
			measures?task=Search.search

	1037	promis_pa024	I felt able to concentrate	radio (Matrix)
				1 Not at all
				2 A little bit
				3 Somewhat
				4 Quite a bit
				5 Very much
				Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self
				Report  Age group: Validated  https://www.healthmeasures.net/search-view-measures?task=Search.search
	1038	promis_pa001	Section Header: Child Self-Report (Ages 13-17) In the past 7 days,	radio (Matrix)
	1030	promis_page1	I felt cheerful	1 Not at all
				2 A little bit
				<del>                                    </del>
				3 Somewhat
				4 Quite a bit
				5 Very much
				Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self
				Report   Age group: Validated   https://www.healthmeasures.net/search-view-
				measures?task=Search.search
	1039	promis_pa002_3bbfd5	I felt attentive	radio (Matrix)
				1 Not at all
				2 A little bit
				3 Somewhat
				4 Quite a bit
				5 Very much
				Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self
				Report  Age group: Validated  https://www.healthmeasures.net/search-view-measures?task=Search.search
-	1040	promis pa006 abb80a	I folt delighted	
	1040	promis_pa006_abb89a	I felt delighted	radio (Matrix) 1   Not at all
				2 A little bit
				3 Somewhat
				4 Quite a bit
				5 Very much
				Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self
				Report  Age group: Validated  https://www.healthmeasures.net/search-view-
				measures?task=Search.search

			1
1041	promis_pa014	I felt joyful	radio (Matrix)
			1 Not at all
			2 A little bit
			3 Somewhat
			4 Quite a bit
			5 Very much
			Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self
			Report  Age group: Validated  https://www.healthmeasures.net/search-view-measures?task=Search.search
1042	promis_pa018_ebd56b	I felt at ease	radio (Matrix)
1042	promis_pao ro_ebusob	Their at ease	1 Not at all
			2 A little bit
			<del>                                    </del>
			3 Somewhat
			4 Quite a bit
			5 Very much
			Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self
			Report  Age group: Validated  https://www.healthmeasures.net/search-view-
			measures?task=Search.search
1043	promis_pa019_b5b366	I felt enthusiastic	radio (Matrix)
			1 Not at all
			2 A little bit
			3 Somewhat
			4 Quite a bit
			5 Very much
			Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self
			Report  Age group: Validated  https://www.healthmeasures.net/search-view-measures?task=Search.search
1044	promis_pa021_c7d229	I felt interested	radio (Matrix)
1044	profitis_page1_c/g223	Troit interested	1 Not at all
			2 A little bit
			3 Somewhat
			4 Quite a bit
			5 Very much
			Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self
			Report  Age group: Validated  https://www.healthmeasures.net/search-view-
			measures?task=Search.search

	1			
	1045	promis_pa030	I felt peaceful	radio (Matrix)
				1 Not at all
				2 A little bit
				3 Somewhat
				4 Quite a bit
				5 Very much
				3 Very mach
				Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self
				Report  Age group: Validated  https://www.healthmeasures.net/search-view-
				measures?task=Search.search
	1046	promis_pa037	I felt good-natured	radio (Matrix)
				1 Not at all
				2 A little bit
				3 Somewhat
				4 Quite a bit
				5 Very much
				[s   very maen]
				Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self
				Report  Age group: Validated  https://www.healthmeasures.net/search-view-
				measures?task=Search.search
	1047	promis_pa044	I felt content	radio (Matrix)
				1 Not at all
				2 A little bit
				3 Somewhat
				4 Quite a bit
				5 Very much
				Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self
				Report  Age group: Validated  https://www.healthmeasures.net/search-view-measures?task=Search.search
+	1040	promis papur001	Section Header: Parent Report About Child (Ages 3-12) In the past 7 days,	
	1048	promis_papxy001	Section Header: Parent Report About Chila (Ages 3-12) in the past 7 days,  My child was cheerful	radio (Matrix) 1   Not at all
			my child was effectful	
				2 A little bit
				3 Somewhat
				4 Quite a bit
				5 Very much
				Field Annotation: NIH Toolbox Positive Affect   ABCD COVID-19 Impact Self
				Report  Age group: Validated  https://www.healthmeasures.net/search-view-measures?task=Search.search
				mcasarcs; task-scarcii.5carcii

1049	promis_papxy006	My child was delighted	radio (Matrix)  1 Not at all  2 A little bit  3 Somewhat  4 Quite a bit  5 Very much
			Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self Report  Age group: Validated  https://www.healthmeasures.net/search-view-measures?task=Search.search
1050	promis_papxy007	My child was inspired	radio (Matrix)  1 Not at all 2 A little bit 3 Somewhat 4 Quite a bit 5 Very much  Field Annotation: NIH Toolbox Positive Affect   ABCD COVID-19 Impact Self Report   Age group: Validated   https://www.healthmeasures.net/search-view-
1051	promis_papxy010	My child was happy	radio (Matrix)
			1 Not at all 2 A little bit 3 Somewhat 4 Quite a bit 5 Very much  Field Annotation: NIH Toolbox Positive Affect   ABCD COVID-19 Impact Self Report   Age group: Validated   https://www.healthmeasures.net/search-view-
1052	promis_papxy011	My child was alert	measures?task=Search.search
1032	ριστιιο_ραφούστι	and not diet.	1 Not at all 2 A little bit 3 Somewhat 4 Quite a bit 5 Very much  Field Annotation: NIH Toolbox Positive Affect   ABCD COVID-19 Impact Self Report   Age group: Validated   https://www.healthmeasures.net/search-view-measures?task=Search.search

1053	promis_papxy014	My child was joyful	radio (Matrix)  1 Not at all  2 A little bit  3 Somewhat  4 Quite a bit  5 Very much  Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self Report  Age group: Validated  https://www.healthmeasures.net/search-view-measures?task=Search.search
1054	promis_papxy019	My child was enthusiastic	radio (Matrix)  1 Not at all 2 A little bit 3 Somewhat 4 Quite a bit 5 Very much  Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self Report  Age group: Validated  https://www.healthmeasures.net/search-view-measures?task=Search.search
1055	promis_papxy021	My child was interested	radio (Matrix)  1 Not at all  2 A little bit  3 Somewhat  4 Quite a bit  5 Very much  Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self Report  Age group: Validated   https://www.healthmeasures.net/search-view-measures?task=Search.search
1056	promis_papxy022	My child was confident	radio (Matrix)  1 Not at all 2 A little bit 3 Somewhat 4 Quite a bit 5 Very much  Field Annotation: NIH Toolbox Positive Affect  ABCD COVID-19 Impact Self Report  Age group: Validated  https://www.healthmeasures.net/search-view-measures?task=Search.search

1057	wb_stress_child	Section Header: Coping Strategies (Tier 2) Child Self-Report (Ages 13+)	ched	kbox	
		What have you done to cope with your stress related to the COVID-19 outbreak?	1	wb_stress_child1	Arts and crafts projects
		Mark all that apply	2	wb_stress_child2	Cooking/baking
			3	wb_stress_child3	Drinking alcohol
			4	wb_stress_child4	Engaging in more family activities (e.g., games, sports)
			5	wb_stress_child5	Exercising/walking
			6	wb_stress_child6	Increasing time reading books, or doing activities like puzzles and crosswords
			7	wb_stress_child7	Meditation and/or mindfulness practices
			8	wb_stress_child8	Spiritual/religious practices
			9	wb_stress_child9	Talking to my healthcare providers more frequently, including mental healthcare providers (e.g., therapists, psychologists, counselors)
			10	wb_stress_child10	Texting, calling or video-calling family members or friends
			11	wb_stress_child11	Using tobacco (e.g., smoking), using marijuana (e.g., smoking, edibles), vaping
			12	wb_stress_child12	Volunteer work
			0	wb_stress_child0	I have not done any of these things to cope with the COVID-19 outbreak
			Field Que http	stionnaire  Modified to s://www.nlm.nih.gov/dr	ld Self-Report  Age group: used in COVID-19 add COVEX responses and WG responses  -2/C19-cPV_COVID-19_Questionnaire-Child_Self- 1200608_v01.31.pdf @NONEOFTHEABOVE='0'

	1058	wb_stress_parent	Section Header: Parent Report About Child (Ages 8+)	checkbox		
		<u> </u>	Which of the following strategies [have been/were] helpful to YOUR CHILD while staying at	1	wb_stress_parent1	Arts and crafts projects
			home because of the COVID-19 outbreak?	2	wb_stress_parent2	Cooking/baking
				3	wb_stress_parent3	Engaging in more family activities (e.g., games, sports)
				4	wb_stress_parent4	Exercising/walking
				5	wb_stress_parent5	Increasing time reading books, or doing activities like puzzles and crosswords
				6	wb_stress_parent6	Meditation and/or mindfulness practices
				7	wb_stress_parent7	Spiritual/religious practices
				8	wb_stress_parent8	Talking to healthcare providers more frequently, including mental healthcare providers (e.g., therapists, psychologists, counselors)
				9	wb_stress_parent9	Texting, calling or video-calling family members or friends
				10	wb_stress_parent10	Volunteer work
				0	wb_stress_parent0	My child has not done any of these things to cope with the COVID-19 outbreak
				Field Que http	estionnaire  Modified to a os://www.nlm.nih.gov/dr2	Self-Report   Age group: used in COVID-19 add COVEX responses and WG responses   /C19-cPV_COVID-19_Questionnaire-Child_Self- 00608_v01.31.pdf @NONEOFTHEABOVE='0'
	1059	wb_lonely	Section Header: Loneliness (Tier 2) Child Self-Report (Ages 13+)* Is your life Ionelier because of the COVID-19 pandemic?	$\vdash$	no Yes No	
				Field from	n Adult Using Best Practic	19 Community Response  *Age Group: Modified es Guidance  y/toolkit_content/PDF/JHU_C4WARD_Social_Distancing.
	1060	wellbeing_factors_complete	Section Header: Form Status Complete?	0	pdown Incomplete Unverified Complete	
Inst	trument:	Covid19 Attitudes Behaviors And Ex	periences (covid19_attitudes_behaviors_and_experiences)			^ Collapse Collapse
	1061	cabe_livewith_cov	Section Header: Household COVID-19 Exposure Parent Report About Child/Child Self-Report (Ages 13+)  During the COVID-19 outbreak (since March 2020), did [you/your child] ever live with someone that was sick with COVID-19?	0	Yes No	e [I/my child] lived with might have had COVID-19
				Field		ge group: Modified Using Best Practices Guidance  /COVEX_05_13_20_FINAL_V1.pdf

1062	cabe_livewith_cov_who	If yes or not sure, who was this? (select all that may apply)	checkbox
	Show the field ONLY if:		1 cabe_livewith_cov_who1 [My/Child's] Parent
	[cabe_livewith_cov] = '1' or [cabe_livewith_co		2 cabe_livewith_cov_who2 [My/Child's] Sibling
	v] = '2'		3 cabe_livewith_cov_who3 [My/Child's] Grandparent
			4 cabe_livewith_cov_who4 [My/Child's] Other family members (e.g., aunt, uncle, cousin)
			5 cabe_livewith_cov_who5 [My/Child's] Roommate
			96 cabe_livewith_cov_who96 Other
			Custom alignment: LV Field Annotation: COVEX  *Age group: Modified Using Best Practices Guidance  https://www.nlm.nih.gov/dr2/COVEX_05_13_20_FINAL_V1.pdf
1063	cabe_livewith_cov_oth	Specify Other	text
	Show the field ONLY if: [cabe_livewith_cov_who(96)]='1'		Custom alignment: LH
1064	cabe_livewith_cov_die	If yes, did any of them die because of COVID-19?	radio
	Show the field ONLY if:		1 Yes
	[cabe_livewith_cov] = '1'		0 No
			Custom alignment: RH Field Annotation: COVEX  *Age group: Modified Using Best Practices Guidance  https://www.nlm.nih.gov/dr2/COVEX_05_13_20_FINAL_V1.pdf
1065	cabe_livewith_cov_die_who	If yes, who died? (select all that may apply)	checkbox
	Show the field ONLY if:		1 cabe_livewith_cov_die_who1 [My/Child's] Parent
	[cabe_livewith_cov_die] = '1'		2 cabe_livewith_cov_die_who2 [My/Child's] Sibling
			3 cabe_livewith_cov_die_who3 [My/Child's] Grandparent
			4 cabe_livewith_cov_die_who4 [My/Child's] Other family members (e.g., aunt, uncle, cousin)
			5 cabe_livewith_cov_die_who5 [My/Child's] Roommate
			96 cabe_livewith_cov_die_who96 Other
			Custom alignment: LV Field Annotation: COVEX  *Age group: Modified Using Best Practices Guidance  https://www.nlm.nih.gov/dr2/COVEX_05_13_20_FINAL_V1.pdf
1066	cabe_livewith_cov_die_oth	Specify Other	text
1	Show the field ONLY if:		Custom alignment: LH
<u></u>	[cabe_livewith_cov_die_who(96)]='1'		
1067		Section Header: Ability to Isolate (Tier 2) Parent Self-Report	radio
1067	[cabe_livewith_cov_die_who(96)]='1'	Section Header: Ability to Isolate (Tier 2) Parent Self-Report  If it were necessary, could a member of your household isolate themselves from the rest of your household due to suspected COVID-19 infection for as long as needed?	
1067	[cabe_livewith_cov_die_who(96)]='1'	If it were necessary, could a member of your household isolate themselves from the rest of your household due to suspected COVID-19 infection for as long as needed?  To effectively isolate during a COVID-19 infection, the infected family member would need to stay in a specific "sick room" away from other people or animals and, if possible, use a	1 Yes
1067	[cabe_livewith_cov_die_who(96)]='1'	If it were necessary, could a member of your household isolate themselves from the rest of your household due to suspected COVID-19 infection for as long as needed?  To effectively isolate during a COVID-19 infection, the infected family member would need	1 Yes 0 No

1000		Carties Handam Ballet That COVID is Carties Bissary (Time 2) Decrease Call Decrease (Child C. 15.2)	p.		
1068	cabe_cov_serious	Section Header: Belief That COVID is Serious Disease (Tier 2) Parent Self-Report/Child Self-Report (Ages 13+)*	radio		
		I believe that COVID-19 is a serious disease.	1 Yes		
			0 No		
			98 Unsure (or don't know)		
			Custom alignment: LV Field Annotation: CDC COVID-19 Community survey question bank  *Age group: Modified Using Best Practices Guidance  https://cde.nlm.nih.gov/cde/search? q=serious%20disease		
1069	cabe_how_protect_cov	Section Header: Adherence to Social Distancing/Face Coverings (Tier 1) Parent Self-Report/Child Self-Report (Ages	checkbox		
		13+)*	1 cabe_how_protect_cov1 Standing 6 feet from another person		
		To the best of your knowledge, which of the following can protect you and your family from COVID-19? (Mark all that apply)	2 cabe_how_protect_cov2 Wearing a face mask		
			3 cabe_how_protect_cov3 Working from home		
			4 cabe_how_protect_cov4 Distance learning (or taking school classes over the computer or remotely)		
			5 cabe_how_protect_cov5 Vaccination for COVID-19		
			Custom alignment: LV Field Annotation: CDC COVID-19 Community Survey Question Bank  *Age group: Modified Using Best Practices Guidance  Modified to prioritize social distancing, mask wearing, vaccination  https://cde.nlm.nih.gov/deView?tinyld=rdyjqFW12		
1070	cabe_vaxplan_forchild	Section Header: Vaccine Attitudes (Tier 2) Parent Self-Report	radio		
		Which of the following applies to your plans about the COVID vaccine for your child(ren)?	1 My child(ren) is/are already vaccinated		
			2 I plan on getting the COVID vaccine for my child(ren) as soon as it is available		
			3 I plan on getting the COVID vaccine for my child(ren) eventually		
			4 I do not plan on getting the COVID vaccine for my child(ren)		
			5 I am unsure		
			Custom alignment: LV Field Annotation: Novel Coronavirus (COVID) Illness - Patient Report (NCI-PR)   https://disasterinfo.nlm.nih.gov/content/files/COVID_Illness_Patient_Report_NCI-PR.pdf		

	1071	cabe_vaxplan_novax_why	If you do not plan on getting the COVID vaccine for your child(ren), why not (mark all that	ched	:kbox	
			apply)?	1	cabe_vaxplan_novax_why1	Not available
				2	cabe_vaxplan_novax_why2	Doctor/healthcare provider did not recommend
				3	cabe_vaxplan_novax_why3	My friends and family did not recommend
				4	cabe_vaxplan_novax_why4	I have read information that suggests it is unsafe
				5	cabe_vaxplan_novax_why5	The vaccine was not well tested in ethnically diverse people
				6	cabe_vaxplan_novax_why6	The vaccine was not well tested among children
				7	cabe_vaxplan_novax_why7	I cannot afford the vaccine
				8	cabe_vaxplan_novax_why8	l do not have time to take my child to be vaccinated
				9	cabe_vaxplan_novax_why9	My child is at low risk and does not need it
				10	cabe_vaxplan_novax_why10	It is riskier to go and get it than to stay at home
				11	cabe_vaxplan_novax_why11	Worried about side effects
				12	cabe_vaxplan_novax_why12	The vaccine's technology hasn't been tested enough
				13	cabe_vaxplan_novax_why13	The vaccine was approved too fast
				14	cabe_vaxplan_novax_why14	No long-term safety data available
				15	cabe_vaxplan_novax_why15	Concerned about vaccine storage
				16	cabe_vaxplan_novax_why16	My child already had COVID-19
				96	cabe_vaxplan_novax_why96	Other (please specify):
				Field	s://disasterinfo.nlm.nih.gov/conte	COVID) Illness - Patient Report (NCI-PR)   ent/files/COVID_Illness_Patient_Report_NCI-
	1072	cabe_vaxplan_novax_why_oth	Specify other reason	note Cust	es com alignment: LV	
	1073	covid19_attitudes_behaviors_and_experience	Section Header: Form Status	drop	odown	
		s_complete	Complete?	0	Incomplete	
				1	Unverified	
				2	Complete	
Ins	trument:	COVID-19 Stress and Worry (covid19_st	tress_and_worry) 🛂 Enabled as survey			^ Collapse Collapse
	1074	sw_chdesc	Section Header: Worry/Anxiety About COVID-19 (Tier 2)	desc	criptive	
			Child Self-Report (Ages 9+)			

1075	sw_covid_since	Section Header: During the COVID-19 pandemic (since March 2020)	radio (Matrix)
		How worried have you been about coronavirus (COVID-19)?	1 Not at all
			2 Slightly
			3 Moderately
			4 Very
			5 Extremely
			Field Annotation: ABCD Child Self-Report   Age group: Used in COVID-19
			Questionnaire   Modified to add "During the COVID-19 pandemic"   https://www.nlm.nih.gov/dr2/ABCD_COVID-19_Impact_Measure-Youth.pdf
1076	sw_others_since	How worried have others around you been about coronavirus (COVID-19)?	radio (Matrix)
1070	sw_others_since	now worned have others around you been about coronavirus (COVID-19):	1 Not at all
			2 Slightly
			3 Moderately
			4 Very
			5 Extremely
			Field Annotation: ABCD Child Self-Report   Age group: Used in COVID-19
			Questionnaire   Modified to add "During the COVID-19 pandemic"
			https://www.nlm.nih.gov/dr2/ABCD_COVID-19_Impact_Measure-Youth.pdf
1077	sw_school_since	How worried have you been about changes to schooling in the 2020-2021 school year (e.g.,	radio (Matrix)
		missing school in-person)?	1 Not at all
			2 Slightly
			3 Moderately
			4 Very
			5 Extremely
			Field Annotation: ABCD Child Self-Report   Age group: Used in COVID-19
			Questionnaire   Modified to add "During the COVID-19 pandemic"   https://www.nlm.nih.gov/dr2/ABCD_COVID-19_Impact_Measure-Youth.pdf
1078	sw_life_since	How much do you think your life has changed due to coronavirus (COVID-19)?	radio (Matrix)
10/6	2w_me_since	How mach do you think your life has changed due to coronavirus (COVID-19)?	1 Not at all
			2 Slightly
			3 Moderately
			4 Very
			5 Extremely
			Field Annotation: ABCD Child Self-Report   Age group: Used in COVID-19
			Questionnaire   Modified to add "During the COVID-19 pandemic"
			https://www.nlm.nih.gov/dr2/ABCD_COVID-19_Impact_Measure-Youth.pdf

1079	sw_end_since	How hopeful have you been that the coronavirus/COVID-19 crisis in your area will end	radio (Matrix)
		soon?	1 Not at all
			2 Slightly
			3 Moderately
			4 Very
			5 Extremely
			Field Annotation: ABCD Child Self-Report   Age group: Used in COVID-19
			Questionnaire  Modified to add "During the COVID-19 pandemic"
			https://www.nlm.nih.gov/dr2/ABCD_COVID-19_Impact_Measure-Youth.pdf
1080	sw_covid_week	Section Header: In the past week:	radio (Matrix)
		How worried have you been about coronavirus (COVID-19)?	1 Not at all
			2 Slightly
			3 Moderately
			4 Very
			5 Extremely
			Field Annotation: ABCD Child Self-Report   Age group: Used in COVID-19
			Questionnaire   Modified to add "During the COVID-19 pandemic"
			https://www.nlm.nih.gov/dr2/ABCD_COVID-19_Impact_Measure-Youth.pdf
1081	sw_others_week	How worried have others around you been about coronavirus (COVID-19)?	radio (Matrix)
			1 Not at all
			2 Slightly
			3 Moderately
			4 Very
			5 Extremely
			Field Annotation: ABCD Child Self-Report   Age group: Used in COVID-19
			Questionnaire  Modified to add "During the COVID-19 pandemic"
			https://www.nlm.nih.gov/dr2/ABCD_COVID-19_Impact_Measure-Youth.pdf
1082	sw_school_week	How worried have you been about changes to schooling in the 2020-2021 school year (e.g., missing school in-person)?	radio (Matrix)
			1 Not at all
			2 Slightly
			3 Moderately
			4 Very
			5 Extremely
			Field Annotation: ABCD Child Self-Report   Age group: Used in COVID-19
			Questionnaire   Modified to add "During the COVID-19 pandemic"
			https://www.nlm.nih.gov/dr2/ABCD_COVID-19_Impact_Measure-Youth.pdf

1083	sw_life_week	How much do you think your life has changed due to coronavirus (COVID-19)?	radio (Matrix)  1 Not at all  2 Slightly  3 Moderately  4 Very  5 Extremely  Field Annotation: ABCD Child Self-Report   Age group: Used in COVID-19 Questionnaire   Modified to add "During the COVID-19 pandemic"   https://www.nlm.nih.gov/dr2/ABCD_COVID-19_Impact_Measure-Youth.pdf
1084	sw_end_week	How hopeful have you been that the coronavirus/COVID-19 crisis in your area will end soon?	radio (Matrix)  1 Not at all  2 Slightly  3 Moderately  4 Very  5 Extremely  Field Annotation: ABCD Child Self-Report   Age group: Used in COVID-19 Questionnaire   Modified to add "During the COVID-19 pandemic"   https://www.nlm.nih.gov/dr2/ABCD_COVID-19_Impact_Measure-Youth.pdf
1085	sw_chdesc2	Section Header: Stress Related to COVID-19 (Tier 2) Child Self-Report (Ages 13+)	descriptive
1086	sw_sleep_since	Section Header: During the COVID-19 pandemic (since March 2020), how often did you:  Have difficulty sleeping	radio (Matrix)  1 Not at all 2 Rarely 3 Sometimes 4 Often 5 Very often  Field Annotation: ECHO Child Self-Report   Age group: Used in COVID-19 Questionnaire   Modified to be "During the COVID-19 pandemic"   https://www.nlm.nih.gov/dr2/C19-cPV_COVID-19_Questionnaire-Child_Self-Report_Primary_Version_20200608_v01.31.pdf
1087	sw_startle_since	Startle easily	radio (Matrix)  1 Not at all  2 Rarely  3 Sometimes  4 Often  5 Very often  Field Annotation: ECHO Child Self-Report   Age group: Used in COVID-19 Questionnaire   Modified to be "During the COVID-19 pandemic"   https://www.nlm.nih.gov/dr2/C19-cPV_COVID-19_Questionnaire-Child_Self-Report_Primary_Version_20200608_v01.31.pdf

1088	sw_angry_since	Have angry outbursts	radio (Matrix)  1 Not at all
			2 Rarely
			3 Sometimes
			4 Often
			5 Very often
			Field Annotation: ECHO Child Self-Report   Age group: Used in COVID-19 Questionnaire   Modified to be "During the COVID-19 pandemic"  https://www.nlm.nih.gov/dr2/C19-cPV_COVID-19_Questionnaire-Child_Self-Report_Primary_Version_20200608_v01.31.pdf
1089	sw_time_since	Feel a sense of time slowing down	radio (Matrix)
			1 Not at all
			2 Rarely
			3 Sometimes
			4 Often
			5 Very often
			Field Annotation: ECHO Child Self-Report   Age group: Used in COVID-19 Questionnaire   Modified to be "During the COVID-19 pandemic"   https://www.nlm.nih.gov/dr2/C19-cPV_COVID-19_Questionnaire-Child_Self- Report_Primary_Version_20200608_v01.31.pdf
1090	sw_daze_since	Feel in a daze	radio (Matrix)
			1 Not at all
			2 Rarely
			3 Sometimes
			4 Often
			5 Very often
			Field Annotation: ECHO Child Self-Report   Age group: Used in COVID-19 Questionnaire   Modified to be "During the COVID-19 pandemic"   https://www.nlm.nih.gov/dr2/C19-cPV_COVID-19_Questionnaire-Child_Self- Report_Primary_Version_20200608_v01.31.pdf
 1091	sw_avoid_feel_since	Try to avoid thoughts and feelings about COVID-19	radio (Matrix)
1091	sw_avoid_feel_since	Try to avoid thoughts and feelings about COVID-19	1 Not at all
1091	sw_avoid_feel_since	Try to avoid thoughts and feelings about COVID-19	1 Not at all 2 Rarely
1091	sw_avoid_feel_since	Try to avoid thoughts and feelings about COVID-19	<ul><li>1 Not at all</li><li>2 Rarely</li><li>3 Sometimes</li></ul>
1091	sw_avoid_feel_since	Try to avoid thoughts and feelings about COVID-19	<ul><li>1 Not at all</li><li>2 Rarely</li><li>3 Sometimes</li><li>4 Often</li></ul>
1091	sw_avoid_feel_since	Try to avoid thoughts and feelings about COVID-19	<ul><li>1 Not at all</li><li>2 Rarely</li><li>3 Sometimes</li></ul>
1091	sw_avoid_feel_since	Try to avoid thoughts and feelings about COVID-19	1 Not at all 2 Rarely 3 Sometimes 4 Often 5 Very often Field Annotation: ECHO Child Self-Report   Age group: Used in COVID-19
1091	sw_avoid_feel_since	Try to avoid thoughts and feelings about COVID-19	<ul> <li>1 Not at all</li> <li>2 Rarely</li> <li>3 Sometimes</li> <li>4 Often</li> <li>5 Very often</li> </ul>

	1092	sw_avoid_read_since	Try to avoid reading or watching information about COVID-19	radio (Matrix)  1 Not at all  2 Rarely  3 Sometimes  4 Often  5 Very often  Field Annotation: ECHO Child Self-Report   Age group: Used in COVID-19 Questionnaire   Modified to be "During the COVID-19 pandemic"   https://www.nlm.nih.gov/dr2/C19-cPV_COVID-19_Questionnaire-Child_Self-Report_Primary_Version_20200608_v01.31.pdf
	1093	sw_dreams_since	Have distressing dreams about COVID-19	radio (Matrix)  1 Not at all 2 Rarely 3 Sometimes 4 Often 5 Very often  Field Annotation: ECHO Child Self-Report   Age group: Used in COVID-19 Questionnaire   Modified to be "During the COVID-19 pandemic"   https://www.nlm.nih.gov/dr2/C19-cPV_COVID-19_Questionnaire-Child_Self-Report_Primary_Version_20200608_v01.31.pdf
	1094	sw_distress_since	Feel distressed when you saw something that reminded you of COVID-19	radio (Matrix)  1 Not at all 2 Rarely 3 Sometimes 4 Often 5 Very often  Field Annotation: ECHO Child Self-Report   Age group: Used in COVID-19 Questionnaire   Modified to be "During the COVID-19 pandemic"   https://www.nlm.nih.gov/dr2/C19-cPV_COVID-19_Questionnaire-Child_Self-Report_Primary_Version_20200608_v01.31.pdf
	1095	covid19_stress_and_worry_complete	Section Header: Form Status Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
Ins	trument:	Health Related Behaviors (health_rela	ted_behaviors) 🔄 Enabled as survey	∧ Collapse Collapse

1096	hrb_childexercise	Section Header: Physical Activity (Tier 2) Parent Report About Child (Ages 5+)	radio
1090	This _critique.creise	During the past week, on how many days did this child exercise, play a sport, or participate	0 0 days
		in physical activity (including physical education classes) for at least 60 minutes?	1 1-3 days
			2 4-6 days
			3 Every day
			S Every day
			Field Annotation: National Survey of Children's Health, 2020 Questionnaire
			Modified to add a "during the pandemic" question and added (including PE)   https://mchb.hrsa.gov/data/national-surveys/questionnaires-datasets-
			supporting-documents
1097	hrb_childexercise_change	How has this changed compared to before the COVID-19 outbreak (before March 2020)?	radio
			1 Fewer days
			2 Same number of days
			3 More days
			98 Don't know
			Field Associated and National Community of Children In Unable 2020 Occasions aim
			Field Annotation: National Survey of Children's Health, 2020 Questionnaire   Modified to add a "during the pandemic" question and added (including PE)
			https://mchb.hrsa.gov/data/national-surveys/questionnaires-datasets-
100			supporting-documents
1098	hrb_qualitysleepchange	Section Header: Sleep Quality Child Self-Report (Ages 13+)*  How has your quality of sleep changed compared to before the COVID-19 outbreak (before	radio  1 It's gotten a lot worse
		March 2020)?	2 It's gotten a little worse
			3 Stayed the same
			4 lt's gotten a little better
			5 It's gotten a lot better
			3 It 3 gotter a lot better
			Field Annotation: P960301  *Age Group: Modified Using Best Practices
			Guidance  https://www.phenxtoolkit.org/protocols/view/960301
1099	sw_addtlguide	Additional Guidance: DSM-5 Cross-Cutting Symptom Measure (below) also covers sleep problems and refers to subsequent PROMIS measures for sleep impairment.	descriptive
1100	hrb_desc1	Section Header: Sleep Duration (Tier 2) Child Self-Report (Ages 13+)*/Parent Report About Child	descriptive
		Consider the question as pertaining to the last week in your/your child's life.	Field Annotation: ABCD COVID-19 Impact Parent Report   *Age Group: Modified Using Best Practices Guidance   https://www.nlm.nih.gov/dr2/ABCD_COVID-
			19_Impact_Measure-Parent.pdf
1101	hrb_hrssleep	How many hours of sleep did you/your child get on most nights?	radio
			1 More than 11 hours
			2 9-11 hours
			3 8-9 hours
			4 7-8 hours
			5 5-7 hours
			6 Less than 5 hours
			98 Don't know
			Field Annotation: ABCD COVID-19 Impact Parent Report   *Age Group: Modified
			Using Best Practices Guidance  https://www.nlm.nih.gov/dr2/ABCD_COVID-
			19_Impact_Measure-Parent.pdf

1102	hrb_hrssleep_change	How has this changed compared to before the COVID-19 outbreak (before March 2020)?	radio
			1 Less time
			2 Same time
			3 More time
			98 Don't know
			Field Annotation: ABCD COVID-19 Impact Parent Report  *Age Group: Modified
			Using Best Practices Guidance  https://www.nlm.nih.gov/dr2/ABCD_COVID- 19_lmpact_Measure-Parent.pdf
1103	hrb_tourette	Section Header: Baseline Child Health [also covered in Joint Group Discussion section] Parent Report About Child Has a doctor or other health care provider EVER told you that this child has	yesno
		Tourette Syndrome	1 Yes
			0 No
			Custom alignment: RH
			Field Annotation: National Survey of Children's Health, 2020 Questionnaire   Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and
			"mania or bipolar disorder"
1104	hrb_tourette_curr	if yes, does this child CURRENTLY have the condition?	yesno
	Show the field ONLY if: [hrb_tourette] = '1'		1 Yes
	[iiib_todrette] = 1		0 No
			Custom alignment: RH
			Field Annotation: National Survey of Children's Health, 2020 Questionnaire   Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and
			"mania or bipolar disorder"
1105	hrb_depression	Depression	yesno
			1 Yes
			0 No
			Custom alignment: RH
			Field Annotation: National Survey of Children's Health, 2020 Questionnaire   Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and
			"mania or bipolar disorder"
	hrb_depression_curr	if yes, does this child CURRENTLY have the condition?	yesno
	Show the field ONLY if: [hrb_depression]='1'		1 Yes 0 No
			Custom alignment: RH Field Annotation: National Survey of Children's Health, 2020 Questionnaire
			Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and
			"mania or bipolar disorder"
1107	hrb_anxiety	Anxiety problems	yesno 1 Yes
			0 No
			Custom alignment: RH Field Annotation: National Survey of Children's Health, 2020 Questionnaire
			Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and
			"mania or bipolar disorder"

1108	hrb_anxiety_curr	if yes, does this child CURRENTLY have the condition?	yesno
	Show the field ONLY if:		1 Yes
	[hrb_anxiety]='1'		0 No
			Custom alignment: RH
			Field Annotation: National Survey of Children's Health, 2020 Questionnaire   Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and
			"mania or bipolar disorder"
1109	hrb_autism	Autism or Autism Spectrum Disorder (ASD), Asperger's Disorder, Pervasive Developmental Disorder (PDD)	yesno 1 Yes
			0 No
			Custom alignment: RH Field Annotation: National Survey of Children's Health, 2020 Questionnaire
			Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and "mania or bipolar disorder"
1110	hrb_autism_curr	if yes, does this child CURRENTLY have the condition?	yesno
	Show the field ONLY if:		1 Yes
	[hrb_autism]='1'		0 No
			Custom alignment: RH
			Field Annotation: National Survey of Children's Health, 2020 Questionnaire  Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and
			"mania or bipolar disorder"
1111	hrb_add_adhd	Attention Deficit Disorder or Attention Deficit Hyperactive Disorder (ADD/ADHD)*	yesno 1 Yes
			0 No
			Custom alignment: RH Field Annotation: National Survey of Children's Health, 2020 Questionnaire
			Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and "mania or bipolar disorder"
1112	hrb_add_adhd_curr	if yes, does this child CURRENTLY have the condition?	yesno
	Show the field ONLY if:		1 Yes
	[hrb_add_adhd]='1'		0 No
			Custom alignment: RH
			Field Annotation: National Survey of Children's Health, 2020 Questionnaire   Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and
			"mania or bipolar disorder"
1113	hrb_chronicfatique	Chronic fatigue	yesno
			1 Yes
			0 No
			Custom alignment: RH Field Annotation: National Survey of Children's Health, 2020 Questionnaire
			Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and
			"mania or bipolar disorder"

1114	hrb_chronicfatique_curr Show the field ONLY if: [hrb_chronicfatique]='1'	if yes, does this child CURRENTLY have the condition?	yesno  1 Yes 0 No  Custom alignment: RH Field Annotation: National Survey of Children's Health, 2020 Questionnaire   Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and "mania or bipolar disorder"
1115	hrb_ptsd	Post-traumatic stress disorder (PTSD)	yesno  1 Yes  0 No  Custom alignment: RH Field Annotation: National Survey of Children's Health, 2020 Questionnaire   Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and "mania or bipolar disorder"
1116	hrb_ptsd_curr Show the field ONLY if: [hrb_ptsd]='1'	if yes, does this child CURRENTLY have the condition?	yesno  1 Yes  0 No  Custom alignment: RH  Field Annotation: National Survey of Children's Health, 2020 Questionnaire    Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and  "mania or bipolar disorder"
1117	hrb_suicidal	Suicidal thoughts or behaviors	yesno  1 Yes  0 No  Custom alignment: RH Field Annotation: National Survey of Children's Health, 2020 Questionnaire   Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and "mania or bipolar disorder"
1118	hrb_suicidal_curr Show the field ONLY if: [hrb_suicidal]='1'	if yes, does this child CURRENTLY have the condition?	yesno  1 Yes 0 No  Custom alignment: RH Field Annotation: National Survey of Children's Health, 2020 Questionnaire   Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and "mania or bipolar disorder"
1119	hrb_mania_bipolar	Mania or bipolar disorder	yesno  1 Yes  0 No  Custom alignment: RH  Field Annotation: National Survey of Children's Health, 2020 Questionnaire    Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and  "mania or bipolar disorder"

1120	hrb_mania_bipolar_curr	if yes, does this child CURRENTLY have the condition?	yesno
1120	Show the field ONLY if: [hrb_mania_bipolar]='1'	if yes, does this thind CONNENTED have the conditions	1 Yes 0 No
			Custom alignment: RH Field Annotation: National Survey of Children's Health, 2020 Questionnaire   Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and "mania or bipolar disorder"
1121	hrb_behavdisord	Section Header: Has a doctor, other health care provider, or educator EVER told you that this child has  Behavioral disorder or conduct problems	yesno 1 Yes 0 No  Custom alignment: RH
1122	hrb_behavdisord_curr Show the field ONLY if: [hrb_behavdisord]='1'	if yes, does this child CURRENTLY have the condition?	yesno 1 Yes 0 No  Custom alignment: RH
1123	hrb_devdelay	Developmental delay	yesno 1 Yes 0 No
1124	hrb_devdelay_curr Show the field ONLY if: [hrb_devdelay]='1'	if yes, does this child CURRENTLY have the condition?	vesno 1 Yes 0 No  Custom alignment: RH
1125	hrb_inteldisability	Intellectual disability (formerly known as mental retardation)	yesno 1 Yes 0 No  Custom alignment: RH
1126	hrb_inteldisability_curr Show the field ONLY if: [hrb_inteldisability]='1'	if yes, does this child CURRENTLY have the condition?	yesno 1 Yes 0 No  Custom alignment: RH
1127	hrb_speechdisorder	Speech or other language disorder	yesno 1 Yes 0 No  Custom alignment: RH

	1128	hrb_speechdisorder_curr Show the field ONLY if: [hrb_speechdisorder]='1'	if yes, does this child CURRENTLY have the condition?	yesno 1 Yes 0 No  Custom alignment: RH
	1129	hrb_learndisability	Learning disability	yesno 1 Yes 0 No  Custom alignment: RH
	1130	hrb_learndisability_curr Show the field ONLY if: [hrb_learndisability]='1'	if yes, does this child CURRENTLY have the condition?	yesno 1 Yes 0 No  Custom alignment: RH
	1131	health_related_behaviors_complete	Section Header: Form Status Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
In	strument:	Mental And Behavioral Health (ment	cal_and_behavioral_health) 🔄 Enabled as survey	↑ Collapse Collapse
	1132	mbh_p_self	Section Header: Overall Physical and Mental/Emotional Health Note: Collect BOTH Parent-Self Report and either Child-Self Report or Parent Report About Child  Parent Self-Report	descriptive Field Annotation: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4177165/   National Survey of Children's Health
	1133	mbh_p_self_physhealth	In general, how is your physical health?	radio (Matrix)  5 Excellent  4 Very good  3 Good  2 Fair  1 Poor
	1134	mbh_p_self_mentalhealth	In general, how is your mental or emotional health?	radio (Matrix) 5 Excellent 4 Very good 3 Good 2 Fair 1 Poor
	1135	mbh_p_abtch	Parent Report About Child	descriptive

1136	mbh_p_abtch_physhealth	In general, how is your childs physical health?	radio (Matrix)
			5 Excellent
			4 Very good
			3 Good
			2 Fair
			1 Poor
1137	mbh_p_abtch_mentalhealth	In general, how is your childs mental or emotional health?	radio (Matrix)
			5 Excellent
			4 Very good
			3 Good
			2 Fair
			1 Poor
1138	mbh_ch_self	Child Self-Report (Ages 8+)	descriptive
			Field Annotation: PROMIS Global Health Pediatric Scale v1.0   Age Group:
			Validated
1139	mbh_ch_self_physhealth	In general, how would you rate your physical health?	radio (Matrix) 5 Excellent
			4 Very good
			3 Good
			2 Fair
			1 Poor
1140	mbh_ch_self_mentalhealth	In general, how would you rate your mental health, including your mood and your ability to	radio (Matrix)
		think?	5 Excellent
			4 Very good
			3 Good
			2 Fair
			1 Poor
1141	mbh_dsm5	Section Header: Current Mental Health SymptomsTier 1: DSM-5 Cross-cutting Symptom Measure, PROMIS Depressive Symptoms, PROMIS Anxiety, PROMIS FatigueTier 2: CRIES-8 Trauma, RCADS, PROMIS Pain Interference, Externalizing SymptomsAdditional Guidance: For younger children (Ages 1-5), the Working Group recommends using the PROMIS Early Childhood parent report measures for Anxiety, Anger/Irritability, Depressive Symptoms, Sleep Health, and Global Health found on HealthMeasures. PROMIS Early Childhood does not yet cover Fatigue or Pain Interference.Organized below by:1) Parent Report About Child (all measures except Trauma)2) Child Self- Report	descriptive Field Annotation: DSM-5   https://www.psychiatry.org/psychiatrists/practice/dsm/educational- resources/assessment-measures   Age Group: Validated
		Parent Report About Child: Current Mental Health SymptomsTier 1: DSM-5 Cross-Cutting Symptom Measure (Ages 6-17)The National Institute of Mental Health (NIMH) in consultation with the Wellcome Trust and other funders of mental health research has identified the DSM-5 Cross-Cutting Symptom Measure as part of a minimal list of data collection instruments that would be ideal for use by all mental health researchers conducting clinical research to facilitate and harmonize mental health data collection. These measures have been selected using either the PhenX consensus process (https://www.phenxtoolkit.org/collections/view/1) or the International Consortium for Health Outcomes Measurement (ICHOM) (https://www.ichom.org/resource-library/category/condition-specific-resources/depression-anxiety/) with additional consideration for successful use of the measures in various countries.	

	1140		Caction Hooder: During the part TMO (2) WEEVS how much for how aften has your shill	madia (Manadia)
	1142	mbh_p_abtch_somatic1	Section Header: During the past TWO (2) WEEKS, how much (or how often) has your child  1. Complained of stomach aches, headaches, or other aches and pains?	radio (Matrix) 0 0-None Not at all
			11. Complained of Storifach acries, fleadacries, of other acries and pairs:	
				1 1-Slight Rare less than a day or two
				2 2-Mild Several days
				3 3-Moderate More than half the days
				4 4-Severe Nearly every day
	1143	mbh_p_abtch_somatic2	2. Said he/she was worried about his/her health or about getting sick?	radio (Matrix)
				0 0-None Not at all
				1 1-Slight Rare less than a day or two
				2 2-Mild Several days
				3 3-Moderate More than half the days
				4 4-Severe Nearly every day
	1144	mbh_p_abtch_somaticscore	I. Somatic Symptoms - Highest Domain Score (clinician)	text (integer)
	1145	mbh_p_abtch_sleep1	Section Header: II.	radio (Matrix)
			3. Had problems sleeping-that is, trouble falling asleep, staying asleep, or waking up too	0 0-None Not at all
			early?	1 1-Slight Rare less than a day or two
				2 2-Mild Several days
				3 3-Moderate More than half the days
				4 4-Severe Nearly every day
	1146	mbh_p_abtch_sleepscore	II. Sleep Problems - Highest Domain Score (clinician)	text (integer)
	1147	mbh_p_abtch_inatten_1	Section Header: ///.	radio (Matrix)
			4. Had problems paying attention when he/she was in class or doing his/her homework or	0 0-None Not at all
			reading a book or playing a game?	1 1-Slight Rare less than a day or two
				2 2-Mild Several days
				3 3-Moderate More than half the days
				4 4-Severe Nearly every day
	1148	mbh_p_abtch_inattenscore	III. Inattention - Highest Domain Score (clinician)	text (integer)
	1149	mbh_p_abtch_depress_1	Section Header: /V.	radio (Matrix)
			5. Had less fun doing things than he/she used to?	0 0-None Not at all
				1 1-Slight Rare less than a day or two
				2 2-Mild Several days
				3 3-Moderate More than half the days
				4 4-Severe Nearly every day
H	1150	mbh_p_abtch_depress_2	6. Seemed sad or depressed for several hours?	radio (Matrix)
			<u> </u>	0 0-None Not at all
				1 1-Slight Rare less than a day or two
				2 2-Mild Several days
				3 3-Moderate More than half the days
				4 4-Severe Nearly every day
H	1151	mbb n abtch depressesses	IV. Depression - Highest Domain Score (clinician)	
	1151	mbh_p_abtch_depressscore	Iv. Debression - Highest Dolliam Score (clinician)	text (integer)

1152	mbh_p_abtch_anger_1	Section Header: V. & VI.	radio (Matrix)
		7. Seemed more irritated or easily annoyed than usual?	0 0-None Not at all
			1 1-Slight Rare less than a day or two
			2 2-Mild Several days
			3 3-Moderate More than half the days
			4 4-Severe Nearly every day
1153	mbh_p_abtch_anger_2	8. Seemed angry or lost his/her temper?	radio (Matrix)
1133	mbn_p_abten_anger_2	o. Seemed angry of lose his mer temper:	0 0-None Not at all
			1 1-Slight Rare less than a day or two
			2 2-Mild Several days
			3 3-Moderate More than half the days
			4 4-Severe Nearly every day
1154	mbh_p_abtch_angerscore	V. Anger & VI. Irritability - Highest Domain Score (clinician)	text (integer)
	mbh_p_abtch_mania_1	Section Header: VII.	radio (Matrix)
1133	mon_p_asten_mama_1	Started lots more projects than usual or did more risky things than usual?	0 0-None Not at all
			1 1-Slight Rare less than a day or two
			2 2-Mild Several days
			3 3-Moderate More than half the days
			4 4-Severe Nearly every day
1156	mbh_p_abtch_mania_2	10. Slept less than usual for him/her but still had lots of energy?	radio (Matrix)
		3,	0 0-None Not at all
			1 1-Slight Rare less than a day or two
			2 2-Mild Several days
			3 3-Moderate More than half the days
			4 4-Severe Nearly every day
1157	mbh_p_abtch_maniascore	VII. Mania Highest - Domain Score (clinician)	text (integer)
1158	mbh_p_abtch_anxiety1	Section Header: VIII.	radio (Matrix)
		11. Said he/she felt nervous, anxious, or scared?	0 0-None Not at all
			1 1-Slight Rare less than a day or two
			2 2-Mild Several days
			3 3-Moderate More than half the days
			4 4-Severe Nearly every day
1159	mbh_p_abtch_anxiety2	12. Not been able to stop worrying?	radio (Matrix)
			0 0-None Not at all
			1 1-Slight Rare less than a day or two
			2 2-Mild Several days
			3 3-Moderate More than half the days

116		13. Said he/she couldnt do things he/she wanted to or should have done, because they made him/her feel nervous?	radio (Matrix)  0  0-None Not at all  1  1-Slight Rare less than a day or two  2  2-Mild Several days  3  3-Moderate More than half the days  4  4-Severe Nearly every day
116		VIII. Anxiety Highest - Domain Score (clinician)	text (integer)
116	mbh_p_abtch_psychosis1	Section Header: IX.	radio (Matrix)
		14. Said that he/she heard voices - when there was no one there - speaking about him/her or telling him/her what to do or saying bad things to him/her?	0 0-None Not at all
			1 1-Slight Rare less than a day or two
			2 2-Mild Several days
			3 3-Moderate More than half the days
			4 4-Severe Nearly every day
116	mbh_p_abtch_psychosis2	15. Said that he/she had a vision when he/she was completely awake - that is, saw	radio (Matrix)
		something or someone that no one else could see?	0 0-None Not at all
			1 1-Slight Rare less than a day or two
			2 2-Mild Several days
			3 3-Moderate More than half the days
			4 4-Severe Nearly every day
116	mbh_p_abtch_psychosisscore	IX. Psychosis - Highest Domain Score (clinician)	text (integer)
116	mbh_p_abtch_reptho1	Section Header: X	radio (Matrix)
		- · · · · · · · · · · · · · · · · · · ·	0 0-None Not at all
		something bad or that something bad would happen to him/her or to someone else?	1 1-Slight Rare less than a day or two
		- · · · · · · · · · · · · · · · · · · ·	1 1-Slight Rare less than a day or two 2 2-Mild Several days
		- · · · · · · · · · · · · · · · · · · ·	<ol> <li>1 1-Slight Rare less than a day or two</li> <li>2 2-Mild Several days</li> <li>3 3-Moderate More than half the days</li> </ol>
		- · · · · · · · · · · · · · · · · · · ·	1 1-Slight Rare less than a day or two 2 2-Mild Several days
116	66 mbh_p_abtch_reptho2	something bad or that something bad would happen to him/her or to someone else?  17. Said he/she felt the need to check on certain things over and over again, like whether a	<ul> <li>1 1-Slight Rare less than a day or two</li> <li>2 2-Mild Several days</li> <li>3 3-Moderate More than half the days</li> <li>4 4-Severe Nearly every day</li> </ul>
116	66 mbh_p_abtch_reptho2	something bad or that something bad would happen to him/her or to someone else?	1 1-Slight Rare less than a day or two 2 2-Mild Several days 3 3-Moderate More than half the days 4 4-Severe Nearly every day  radio (Matrix) 0 0-None Not at all
116	66 mbh_p_abtch_reptho2	something bad or that something bad would happen to him/her or to someone else?  17. Said he/she felt the need to check on certain things over and over again, like whether a	1 1-Slight Rare less than a day or two 2 2-Mild Several days 3 3-Moderate More than half the days 4 4-Severe Nearly every day  radio (Matrix) 0 0-None Not at all 1 1-Slight Rare less than a day or two
116	66 mbh_p_abtch_reptho2	something bad or that something bad would happen to him/her or to someone else?  17. Said he/she felt the need to check on certain things over and over again, like whether a	1 1-Slight Rare less than a day or two 2 2-Mild Several days 3 3-Moderate More than half the days 4 4-Severe Nearly every day  radio (Matrix) 0 0-None Not at all 1 1-Slight Rare less than a day or two 2 2-Mild Several days
116	66 mbh_p_abtch_reptho2	something bad or that something bad would happen to him/her or to someone else?  17. Said he/she felt the need to check on certain things over and over again, like whether a	1 1-Slight Rare less than a day or two 2 2-Mild Several days 3 3-Moderate More than half the days 4 4-Severe Nearly every day  radio (Matrix) 0 0-None Not at all 1 1-Slight Rare less than a day or two 2 2-Mild Several days 3 3-Moderate More than half the days
116	66 mbh_p_abtch_reptho2	something bad or that something bad would happen to him/her or to someone else?  17. Said he/she felt the need to check on certain things over and over again, like whether a	1 1-Slight Rare less than a day or two 2 2-Mild Several days 3 3-Moderate More than half the days 4 4-Severe Nearly every day  radio (Matrix) 0 0-None Not at all 1 1-Slight Rare less than a day or two 2 2-Mild Several days
116		something bad or that something bad would happen to him/her or to someone else?  17. Said he/she felt the need to check on certain things over and over again, like whether a door was locked or whether the stove was turned off?  18. Seemed to worry a lot about things he/she touched being dirty or having germs or	1 1-Slight Rare less than a day or two 2 2-Mild Several days 3 3-Moderate More than half the days 4 4-Severe Nearly every day  radio (Matrix) 0 0-None Not at all 1 1-Slight Rare less than a day or two 2 2-Mild Several days 3 3-Moderate More than half the days 4 4-Severe Nearly every day  radio (Matrix)
		something bad or that something bad would happen to him/her or to someone else?  17. Said he/she felt the need to check on certain things over and over again, like whether a door was locked or whether the stove was turned off?	1 1-Slight Rare less than a day or two 2 2-Mild Several days 3 3-Moderate More than half the days 4 4-Severe Nearly every day  radio (Matrix) 0 0-None Not at all 1 1-Slight Rare less than a day or two 2 2-Mild Several days 3 3-Moderate More than half the days 4 4-Severe Nearly every day  radio (Matrix) 0 0-None Not at all
		something bad or that something bad would happen to him/her or to someone else?  17. Said he/she felt the need to check on certain things over and over again, like whether a door was locked or whether the stove was turned off?  18. Seemed to worry a lot about things he/she touched being dirty or having germs or	1 1-Slight Rare less than a day or two 2 2-Mild Several days 3 3-Moderate More than half the days 4 4-Severe Nearly every day  radio (Matrix) 0 0-None Not at all 1 1-Slight Rare less than a day or two 2 2-Mild Several days 3 3-Moderate More than half the days 4 4-Severe Nearly every day  radio (Matrix) 0 0-None Not at all 1 1-Slight Rare less than a day or two
		something bad or that something bad would happen to him/her or to someone else?  17. Said he/she felt the need to check on certain things over and over again, like whether a door was locked or whether the stove was turned off?  18. Seemed to worry a lot about things he/she touched being dirty or having germs or	1 1-Slight Rare less than a day or two 2 2-Mild Several days 3 3-Moderate More than half the days 4 4-Severe Nearly every day  radio (Matrix) 0 0-None Not at all 1 1-Slight Rare less than a day or two 2 2-Mild Several days 3 3-Moderate More than half the days 4 4-Severe Nearly every day  radio (Matrix) 0 0-None Not at all 1 1-Slight Rare less than a day or two 2 2-Mild Several days
		something bad or that something bad would happen to him/her or to someone else?  17. Said he/she felt the need to check on certain things over and over again, like whether a door was locked or whether the stove was turned off?  18. Seemed to worry a lot about things he/she touched being dirty or having germs or	1 1-Slight Rare less than a day or two 2 2-Mild Several days 3 3-Moderate More than half the days 4 4-Severe Nearly every day  radio (Matrix) 0 0-None Not at all 1 1-Slight Rare less than a day or two 2 2-Mild Several days 3 3-Moderate More than half the days 4 4-Severe Nearly every day  radio (Matrix) 0 0-None Not at all 1 1-Slight Rare less than a day or two

1168 1169 1170	mbh_p_abtch_reptho4  mbh_p_abtch_repthoscore  mbh_p_abtch_subuse1	19. Said that he/she had to do things in a certain way, like counting or saying special things out loud, in order to keep something bad from happening?  X. Repetitive Thoughts and Behaviors - Highest Domain Score (clinician)  Section Header: XI. In the past TWO (2) WEEKS has your child  20. Had an alcoholic beverage (beer, wine, liquor, etc.)?	radio (Matrix)  0  0-None Not at all  1  1-Slight Rare less than a day or two 2  2-Mild Several days 3  3-Moderate More than half the days 4  4-Severe Nearly every day  text (integer)  radio  1  Yes 0  No 98  Don't know  Custom alignment: RH
1171	mbh_p_abtch_subuse2	21. Smoked a cigarette, a cigar, or pipe, or used snuff or chewing tobacco?	radio  1 Yes  0 No  98 Don't know  Custom alignment: RH
1172	mbh_p_abtch_subuse3	22. Used drugs like marijuana, cocaine, or crack, club drugs (like ecstasy), hallucinogens (like LSD), heroin, inhalants or solvents (like glue), or methamphetamine (like speed)?	radio  1 Yes  0 No  98 Don't know  Custom alignment: RH
1173	mbh_p_abtch_subuse4	23. Used any medicine without a doctors prescription (e.g., painkillers [like Vicodin], stimulants [like Ritalin or Adderall], sedatives or tranquilizers [like sleeping pills or Valium], or steroids)?	radio  1 Yes  0 No  98 Don't know  Custom alignment: RH
1174	mbh_p_abtch_subusescore	XI. Substance Use - Highest Domain Score (clinician)	text (integer)
1175	mbh_p_abtch_suicide1	Section Header: XII.  24. In the past TWO (2) WEEKS has he/she talked about wanting to kill himself/herself or about wanting to commit suicide?	radio  1 Yes 0 No 98 Don't know  Custom alignment: RH
1176	mbh_p_abtch_suicide2	25. Has he/she EVER tried to kill himself/herself?	radio  1 Yes  0 No  98 Don't know  Custom alignment: RH

1177	mbh_p_abtch_suicidescore	XII. Suicidal Ideation/ Suicide Attempts - Highest Domain Score (clinician)	text (integer)
1178	mbh_p_abtch_threshold	Section Header: Tier 2: After meeting thresholds	descriptive
1179	instruct_phq15	Section Header: I. Somatic Symptoms LEVEL 2 Somatic Symptom Parent/Guardian of Child Age 6-17 (Patient Health Questionnaire 15 Somatic Symptom Severity (PHQ-15)  During the past 7 days how much has your child been bothered by any of the following problems?	descriptive
1180	mbh_stomach_pain	Stomach pain	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot
1181	mbh_back_pain	Back pain	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot
1182	mbh_leg_pain	Pain in his or her arms, legs, or joints (knees, hips, etc.)	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot
1183	mbh_headache	Headaches	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot
1184	mbh_chest_pain	Chest pain	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot
1185	mbh_dizziness	Dizziness	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot
1186	mbh_fainting	Fainting spells	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot
1187	mbh_heart_pound	Feeling his or her heart pound or race	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot

1100			P. (A4.4.)
1188	mbh_short_of_breath	Shortness of breath	radio (Matrix)
			0 Not bothered at all
			1 Bothered a little
			2 Bothered a lot
1189	mbh_bowel	Constipation, loose bowels, or diarrhea	radio (Matrix)
			0 Not bothered at all
			1 Bothered a little
			2 Bothered a lot
1190	mbh_nausea	Nausea, gas, or indigestion	radio (Matrix)
			0 Not bothered at all
			1 Bothered a little
			2 Bothered a lot
1191	mbh_tired	Feeling tired or having low energy	radio (Matrix)
	_		0 Not bothered at all
			1 Bothered a little
			2 Bothered a lot
1192	mbh_sleep	Trouble sleeping	radio (Matrix)
			0 Not bothered at all
			1 Bothered a little
			2 Bothered a lot
1193	phq_15_totalscore	Total/Partial Raw Score:	text (integer)
1194	phq_15_proratedscore	Prorated Score: (if 10 or more items answered)	text (integer)
1195	mbh_p_abtch_slp_instruc	Section Header: II. Sleep Problems LEVEL 2-Sleep Disturbance-Parent/ Guardian of Child Age 6-17 (PROMIS- Sleep Disturbance-Short Form)	descriptive
		Instructions to parent/guardian:	
		On the DSM-5 Level 1 cross-cutting questionnaire that you just completed you indicated	
		that during the past 2 weeks your child receiving care has been bothered by problems	
		sleeping-that is trouble falling asleep staying asleep or waking up too early at a mild or	
		greater level of severity.	
		The questions below ask about these feelings in more detail and especially how often your child receiving care has been bothered by a list of symptoms during the past 7 days.	
1196	promis_p_abtch_sleep108	Section Header: In the past 7 days	radio (Matrix)
		His/her sleep was restless.	1 Not at all
			2 A little bit
			3 Somewhat
			4 Quite a bit
			5 Very much

	1197	promis_p_abtch_sleep115	He/She was satisfied with his/her sleep.	radio (Matrix)
	1197	promis_p_abten_sieep115	Tie/Site was satisfied with his/filet sleep.	5 Not at all
				4 A little bit
				3 Somewhat
				2 Quite a bit
				1 Very much
	1198	promis_p_abtch_sleep116	His/her sleep was refreshing.	radio (Matrix)
				5 Not at all
				4 A little bit
				3 Somewhat
				2 Quite a bit
				1 Very much
-	1100		Harden had differente fallen and an	
	1199	promis_p_abtchs_sleep44	He/she had difficulty falling asleep.	radio (Matrix)  1 Not at all
				<del>                                     </del>
				2 A little bit
				3 Somewhat
				4 Quite a bit
				5 Very much
	1200	promis_p_abtch_sleep87	Section Header: In the past 7 days	radio (Matrix)
			He/she had trouble staying asleep.	1 Never
				2 Rarely
				3 Sometimes
				4 Often
				5 Always
	1201	promis_p_abtch_sleep90	He/she had trouble sleeping	radio (Matrix)
	1201	promis_p_abicn_sieepao	He/site flad trouble sleeping	1 Never
				2 Rarely
				<del>                                      </del>
				3 Sometimes
				4 Often
				5 Always
	1202	promis_p_abtch_sleep110	He/she got enough sleep.	radio (Matrix)
				5 Never
				4 Rarely
				3 Sometimes
				2 Often
				1 Always

		T	
1203	promis_p_abtch_sleep109	Section Header: In the past 7 days	radio (Matrix)
		His/her sleep quality was	5 Very poor
			4 Poor
			3 Fair
			2 Good
			1 Very good
1204	mbh_p_abtch_slp_dis_ttl	Total/Partial Raw Score	text (integer)
1205	mbh_p_abtch_slp_dis_prottl	Prorated Total Raw Score	text (integer)
1206	mbh_p_abtch_inatten_desc	Section Header: III. Inattention LEVEL 2 Inattention Parent/Guardian of Child Age 6-17 (SNAP-IV) Instructions to parent/guardian: On the DSM-5 Level 1 cross-cutting questionnaire that you just completed you indicated that during the past 2 weeks your child receiving care has been bothered by problems paying attention when he/she was in class or doing his/her homework or reading a book or playing a game at a slight or greater level of severity.	descriptive
		The questions below ask about these feelings in more detail and especially how often your child receiving care has been bothered by a list of symptoms during the past 7 days.	
1207	mbh_p_abtch_inatten1	Section Header: <i>In the past 7 days my child</i> 1. Often fails to give close attention to details or makes careless mistakes in schoolwork, work, or other activities.	radio (Matrix)  0 Not at All  1 Just a Little  2 Quite a Bit  3 Very Much
1208	mbh_p_abtch_inatten2	2. Often has difficulty sustaining attention in tasks or play activities.	radio (Matrix)  0 Not at All  1 Just a Little  2 Quite a Bit  3 Very Much
1209	mbh_p_abtch_inatten3	3. Often does not seem to listen when spoken to directly.	radio (Matrix)  0 Not at All  1 Just a Little  2 Quite a Bit  3 Very Much
1210	mbh_p_abtch_inatten4	4. Often does not follow through on instructions and fails to finish schoolwork, chores, or duties.	radio (Matrix)  0 Not at All  1 Just a Little  2 Quite a Bit  3 Very Much
1211	mbh_p_abtch_inatten5	5. Often has difficulty organizing tasks and activities.	radio (Matrix)  0 Not at All  1 Just a Little  2 Quite a Bit  3 Very Much

1212	mbh_p_abtch_inatten6	6. Often avoids, dislikes, or is reluctant to engage in tasks that require sustained mental effort (e.g. schoolwork or homework).	radio (Matrix)  0 Not at All  1 Just a Little  2 Quite a Bit  3 Very Much
1213	mbh_p_abtch_inatten7	7. Often loses things necessary for tasks or activities (e.g. toys, school assignments, pencils, books, or tools.)	radio (Matrix)  0 Not at All  1 Just a Little  2 Quite a Bit  3 Very Much
1214	mbh_p_abtch_inatten8	8. Often is distracted by extraneous stimuli.	radio (Matrix)  0 Not at All  1 Just a Little  2 Quite a Bit  3 Very Much
1215	mbh_p_abtch_inatten_ttl	Total/Partial Raw Score:	text (integer)
1216	mbh_p_abtch_inatten_prottl	Prorated Total Raw Score: (if 1-2 items left unanswered)	text (integer)
1217	mbh_p_abtch_inatten_avgttl	Average Total Score	text (integer)
1218	mbh_p_abtch_dprdesc	Section Header: IV. Depression LEVEL 2 Depression Parent/Guardian of Child Age 6-17 (PROMIS Emotional Distress Depression Parent Item Bank) Instructions to parent/guardian:  On the DSM-5 Level 1 cross-cutting questionnaire that you just completed, you indicated that during the past 2 weeks your child receiving care has been bothered by not finding interest or pleasure in doing things and/or seeming down, depressed, or hopeless at a mild or greater level of severity.  The questions below ask about these feelings in more detail and especially how often your child receiving care has been bothered by a list of symptoms during the past 7 days.	descriptive
1219	mbh_p_abtch_depress1	Section Header: In the past 7 days, my child  1. Could not stop feeling sad.	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always
1220	mbh_p_abtch_depress2	2. Felt alone.	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always

1224		25 1111 1 (1) 11 (1)	P. (14.1.1.)
1221	mbh_p_abtch_depress3	3. Felt like he/she couldnt do anything right.	radio (Matrix)  1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1222	mbh_p_abtch_depress4	4. Felt lonely.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1223	mbh_p_abtch_depress5	5. Felt sad.	radio (Matrix)
1223	mbri_p_abteri_depresss	S. Felt Sau.	1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1224	mbh_p_abtch_depress6	6. Felt unhappy.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1225	mbh_p_abtch_depress7	7. Thought that his/her life was bad.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1226	mbh_p_abtch_depress8	8. Didnt care about anything.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
			J All Host Always

	mbh_p_abtch_depress9	9. Felt stressed.	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always
1228	mbh_p_abtch_depress10	10. Felt too sad to eat.	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always
1229	mbh_p_abtch_depress11	11.Wanted to be by himself/herself.	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always
1230	mbh_p_abtch_depressttl	Total/Partial Raw Score:	text (integer)
1231	mbh_p_abtch_anger_desc	Section Header: V. Anger Instructions to parent/guardian: On the DSM-5 Level 1 cross-cutting questionnaire that you just completed you indicated that during the past 2 weeks your child receiving care has been bothered by seeming irritated or easily annoyed and/or seeming angry or lost his/her temper at a mild or greater level of severity.  The questions below ask about these feelings in more detail and especially how often your child receiving care has been bothered by a list of symptoms during the past 7 days.	descriptive
1232	mbh_p_abtch_anger1	Section Header: In the past SEVEN (7) DAYS  1. My child felt mad.	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always
1233	mbh_p_abtch_anger2	2. My child was so angry he/she felt like yelling at somebody.	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always

 1			
1234	mbh_p_abtch_anger3	3. My child was so angry he/she felt like throwing something.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1235	mbh_p_abtch_anger4	4. My child felt upset.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1236	mbh_p_abtch_anger5	5. When my child got mad, he/she stayed mad.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1237	mbh_p_abtch_anger_ttl	Total/Partial Raw Score:	text (integer)
1238	mbh_p_abtch_anger_prottl	Prorated Total Raw Score:	text (integer)
1239	mbh_p_abtch_anger_tscore	T-Score:	text (number)
1240	mbh_p_abtch_irrtbl_desc	Section Header: VI. Irritability LEVEL 2 Irritability Parent/Guardian of Child Age 6-17 (Affective Reactivity Index)	descriptive
		Instructions to parent/guardian:	
		On the DSM-5 Level 1 cross-cutting questionnaire that you just completed you indicated	
		that during the past 2 weeks your child receiving care has been bothered by seeming irritated or easily annoyed and/or seeming angry or lost his/her temper at a mild or greater	
		level of severity.	
		The questions below ask about these feelings in more detail and especially how often your child receiving care has been bothered by a list of symptoms during the past 7 days.	
1241	mbh_p_abtch_irrtbl1	Section Header: In the last SEVEN (7) DAYS and compared to others of the same age how well does each of the	radio (Matrix)
		following statements describe the behavior/feelings of your child? Please try to answer all questions.	
			0 Not True
		I. Is easily annoyed by others.	0 Not True 1 Somewhat True
1242	mbh_p_abtch_irrtbl2		1 Somewhat True
1242	mbh_p_abtch_irrtbl2	1. Is easily annoyed by others.	1 Somewhat True 2 Certainly True
1242	mbh_p_abtch_irrtbl2	1. Is easily annoyed by others.	1 Somewhat True 2 Certainly True radio (Matrix)
1242	mbh_p_abtch_irrtbl2	1. Is easily annoyed by others.	1 Somewhat True 2 Certainly True  radio (Matrix) 0 Not True
	mbh_p_abtch_irrtbl2 mbh_p_abtch_irrtbl3	Is easily annoyed by others.      Often loses his/her temper.	1 Somewhat True 2 Certainly True  radio (Matrix) 0 Not True 1 Somewhat True 2 Certainly True
		1. Is easily annoyed by others.	1 Somewhat True 2 Certainly True  radio (Matrix) 0 Not True 1 Somewhat True
		Is easily annoyed by others.      Often loses his/her temper.	1 Somewhat True 2 Certainly True  radio (Matrix) 0 Not True 1 Somewhat True 2 Certainly True  radio (Matrix)
		Is easily annoyed by others.      Often loses his/her temper.	1 Somewhat True 2 Certainly True  radio (Matrix) 0 Not True 1 Somewhat True 2 Certainly True  radio (Matrix) 0 Not True

1244	mbh_p_abtch_irrtbl4	4. Is angry most of the time.	radio (Matrix)  0 Not True  1 Somewhat True  2 Certainly True
1245	mbh_p_abtch_irrtbl5	5. Gets angry frequently.	radio (Matrix)  0 Not True  1 Somewhat True 2 Certainly True
1246	mbh_p_abtch_irrtbl6	6. Loses temper easily.	radio (Matrix)  0 Not True  1 Somewhat True 2 Certainly True
1247	mbh_p_abtch_irrtbl7	7. Overall irritability causes him/her problems	radio (Matrix)  0 Not True  1 Somewhat True  2 Certainly True
1248	mbh_p_abtch_irrtbl_ttl	Total/Partial Raw Score:	text (integer)
1249	mbh_p_abtch_irrtbl_prottl	Prorated Total Raw Score: (if 1 item is left unanswered)	text (integer)
1250	mbh_p_abtch_mania_desc	Section Header: VII. Mania LEVEL 2 Mania Parent/Guardian of Child Age 6-17 (adapted from the Altman Self-Rating Mania Scale) Instructions to parent/guardian:  On the DSM-5 Level 1 cross-cutting questionnaire you just completed you indicated that during the past 2 weeks your child receiving care has been bothered by sleeping less than usual but still have a lot of energy and/or only sleeping for a short time at night at a mild or greater level of severity.  The five statement groups or questions below ask about these feelings in more detail.  1. Please read each group of statements/question carefully. 2. Choose the one statement in each group that best describes the way your child has been feeling for the past week. 3. Check the box next to the number/statement selected. 4. Please note: The word occasionally when used here means once or twice; often means several times or more and frequently means most of the time.	descriptive
1251	mbh_p_abtch_mania1	Question 1	radio  1 He/she does not feel happier or more cheerful than usual.  2 He/she occasionally feels happier or more cheerful than usual.  3 He/she often feels happier or more cheerful than usual.  4 He/she feels happier or more cheerful than usual most of the time.  5 He/she feels happier or more cheerful than usual all of the time.  Custom alignment: LV

1	1252	mbh_p_abtch_mania2	Question 2	radio
			40000.2	1 He/she does not feel more self-confident than usual.
				2 He/she occasionally feels more self-confident than usual.
				3 He/she often feels more self-confident than usual.
				4 He/she frequently feels more self-confident than usual.
				5 He/she feels extremely self-confident all of the time.
				Custom alignment: LV
1	1253	mbh_p_abtch_mania3	Question 3	radio
				1 He/she does not need less sleep than usual.
				2 He/she occasionally needs less sleep than usual.
				3 He/she often needs less sleep than usual.
				4 He/she frequently needs less sleep than usual.
				5 He/she can go all day and all night without any sleep and still not feel tired.
				Custom alignment: LV
1	1254	mbh_p_abtch_mania4	Question 4	radio
				1 He/she does not talk more than usual.
				2 He/she occasionally talks more than usual.
				3 He/she often talks more than usual.
				4 He/she frequently talks more than usual.
				5 He/she talks constantly and cannot be interrupted.
				Custom alignment: LV
1	1255	mbh_p_abtch_mania5	Question 5	radio
				He/she has not been more active (either socially sexually at work home or school) than usual.
				2 He/she has occasionally been more active than usual.
				3 He/she has often been more active than usual.
				4 He/she has frequently been more active than usual.
				5 He/she is constantly more active or on the go all the time.
				Custom alignment: LV
1	1256	mbh_p_abtch_mania_ttl	Total/Partial Raw Score:	text (integer)
1	1257	mbh_p_abtch_mania_prottl	Prorated Total Raw Score: (if 1 item is left unanswered)	text (integer)

1258	mbh_p_abtch_anxietydesc	Section Header: VIII. Anxiety LEVEL 2 - Anxiety - Parent/Guardian of Child Age 6-17 (adapted from PROMIS Emotional Distress-Anxiety-Parent Item Bank) Instructions to parent/guardian: On the DSM-5 Level 1 cross-cutting questionnaire that you just completed, you indicated that during the past 2 weeks your child receiving care has been bothered by feeling nervous, anxious, or scared, not being able to stop worrying, and/or couldn't do things he/she wanted to or should have done because they made him/her feel nervous at a mild or greater level of severity.  The questions below ask about these feelings in more detail and especially how often your child receiving care has been bothered by a list of symptoms during the past 7 days.	descriptive
1259	promis_p_abtch_2220r2r	Felt nervous.	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always
1260	promis_p_abtch_713r1r	Felt scared.	radio (Matrix)  1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always
1261	promis_p_abtch_227br1r	Felt worried.	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always
1262	promis_p_abtch_5044r1r	Section Header: In the SEVEN (7) DAYS, my child said that he/she Felt like something awful might happen.	radio (Matrix)  1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always
1263	promis_p_abtch_3459br1r	Worried when he/she was at home.	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always

	1264	promis_p_abtch_2230r1r	Got scared really easy.	radio (Matrix)
				1 Never
				2 Almost Never
				3 Sometimes
				4 Often
				5 Almost Always
	1265	promis_p_abtch_awayhome	Worried when he/she was away from home.	radio (Matrix)
				1 Never
				2 Almost Never
				3 Sometimes
				4 Often
				5 Almost Always
	1266	promis_p_abtch_231r1r	Worried about what could happen to him/her.	radio (Matrix)
				1 Never
				2 Almost Never
				3 Sometimes
				4 Often
				5 Almost Always
	1267	promis_p_abtch_3150br2r	Worried when he/she went to bed at night.	radio (Matrix)
				1 Never
				2 Almost Never
				3 Sometimes
				4 Often
				5 Almost Always
	1268	promis_p_abtch_afrdschool	Was afraid of going to school.	radio (Matrix)
				1 Never
				2 Almost Never
				3 Sometimes
				4 Often
				5 Almost Always
	1269	mbh_p_abtch_anx_ttl	Total/Partial Raw Score	text (integer)
	1270	mbh_p_abtch_anx_prottl	Prorated Total Raw Score	text (integer)
	1271	mbh_p_abtch_anx_tscore	T-Score	text (integer)
	1272	mbh_p_abtch_subdesc	Section Header: XI. Substance Use	descriptive
			Instructions to parent/guardian:	
			On the DSM-5 Level 1 cross-cutting questionnaire that you just completed, you indicated	
			that during the past 2 weeks your child receiving care has been bothered by having an alcoholic beverage; smoking a cigarette, a cigar, or pipe or used snuff or chewing tobacco;	
			using drugs like marijuana, cocaine or crack, club drugs, hallucinogens, heroin, inhalants or	
			solvents, or methamphetamine and/or using any medicine without a doctor's prescription.	
			The questions below ask about these feelings in more detail and especially how often your child receiving care has been bothered by a list of symptoms during the past two (2) weeks.	
$\perp$			1	

1075	Turkly a sheet subsets of	Costion Honday During the weet TWO / DWFFVC shout how for did you hild	and the (Markets)
1273	mbh_p_abtch_substance1	Section Header: During the past TWO (2) WEEKS, about how often did your child	radio (Matrix)
		a. Have an acloholic beverage (beer, wine, liquor, etc.) ?	0 Not at All
			1 Less Than a Day or Two
			2 Several Days
			3 More Than Half the Days
			4 Nearly Every Day
1274	mbh_p_abtch_substance2	b. Have 4 or more drinks in a single day?	radio (Matrix)
			0 Not at All
			1 Less Than a Day or Two
			2 Several Days
			3 More Than Half the Days
			4 Nearly Every Day
1275	mbh_p_abtch_substance3	c. Smoke a cigarette, a cigar, or pipe or used snuff or chewing tobacco?	radio (Matrix)
			0 Not at All
			1 Less Than a Day or Two
			2 Several Days
			3 More Than Half the Days
			4 Nearly Every Day
1276	mbh_p_abtch_substance4	Section Header: During the past TWO (2) WEEKS, about how often did your child use any of the following	radio (Matrix)
		medicines without a doctor's prescription or in greater amounts or longer than prescribed?  d. Painkillers (like Vicodin)	0 Not at All
			1 Less Than a Day or Two
			2 Several Days
			3 More Than Half the Days
			4 Nearly Every Day
1277	mbh_p_abtch_substance5	e. Stimulants (like Ritalin, Adderall)	radio (Matrix)
			0 Not at All
			1 Less Than a Day or Two
			3
			2 Several Days
			2 Several Days 3 More Than Half the Days
			3 More Than Half the Days
1270	mbb n abteb substances	f Sodatives or tranquilizers (like slooping pills or Valium)	3 More Than Half the Days 4 Nearly Every Day
1278	mbh_p_abtch_substance6	f. Sedatives or tranquilizers (like sleeping pills or Valium)	3 More Than Half the Days 4 Nearly Every Day radio (Matrix)
1278	mbh_p_abtch_substance6	f. Sedatives or tranquilizers (like sleeping pills or Valium)	3 More Than Half the Days 4 Nearly Every Day  radio (Matrix) 0 Not at All
1278	mbh_p_abtch_substance6	f. Sedatives or tranquilizers (like sleeping pills or Valium)	3 More Than Half the Days 4 Nearly Every Day  radio (Matrix) 0 Not at All 1 Less Than a Day or Two
1278	mbh_p_abtch_substance6	f. Sedatives or tranquilizers (like sleeping pills or Valium)	3 More Than Half the Days 4 Nearly Every Day  radio (Matrix) 0 Not at All 1 Less Than a Day or Two 2 Several Days
1278	mbh_p_abtch_substance6	f. Sedatives or tranquilizers (like sleeping pills or Valium)	3 More Than Half the Days 4 Nearly Every Day  radio (Matrix) 0 Not at All 1 Less Than a Day or Two

1279	mbh_p_abtch_substance7	Section Header: Or drugs like:	radio (Matrix)
12/9		g. Steroids	0 Not at All
			1 Less Than a Day or Two
			2 Several Days
			<del>                                      </del>
			3 More Than Half the Days
			4 Nearly Every Day
1280	mbh_p_abtch_substance8	h. Other medicines	radio (Matrix)
			0 Not at All
			1 Less Than a Day or Two
			2 Several Days
			3 More Than Half the Days
			4 Nearly Every Day
1281	mbh_p_abtch_substance9	i. Marijuana	radio (Matrix)
			0 Not at All
			1 Less Than a Day or Two
			2 Several Days
			3 More Than Half the Days
			4 Nearly Every Day
1282	mbh_p_abtch_substance10	j. Cocaine or crack	radio (Matrix)
			0 Not at All
			1 Less Than a Day or Two
			2 Several Days
			3 More Than Half the Days
			4 Nearly Every Day
1283	mbh_p_abtch_substance11	k. Club drugs (like ecstasy)	radio (Matrix)
1203	mbn_p_abten_sabstance+1	n. Club diags (inc cestasy)	0 Not at All
			1 Less Than a Day or Two
			2 Several Days
			3 More Than Half the Days
			4 Nearly Every Day
1284	mbh_p_abtch_substance12	I. Hallucinogens (like LSD)	radio (Matrix)  0 Not at All
			<del> </del>
			1 Less Than a Day or Two
			2 Several Days
			3 More Than Half the Days
			4 Nearly Every Day

	100-			P. (44.4.1.)
	1285	mbh_p_abtch_substance13	m. Heroin	radio (Matrix)
				0 Not at All
				1 Less Than a Day or Two
				2 Several Days
				3 More Than Half the Days
				4 Nearly Every Day
	1286	mbh_p_abtch_substance14	n. Inhalants or solvents (like glue)	radio (Matrix)
				0 Not at All
				1 Less Than a Day or Two
				2 Several Days
				3 More Than Half the Days
				4 Nearly Every Day
	1287	mbh_p_abtch_substance15	o. Methamphetamine (like speed)	radio (Matrix)
				0 Not at All
				1 Less Than a Day or Two
				2 Several Days
				3 More Than Half the Days
				4 Nearly Every Day
	1288	mbh_p_abtch_abuse_ttl	Total/Partial Raw Score:	text (integer)
	1289	mbh_p_abtch_abuse_prottl	Prorated Total Raw Score: (If 1 item is left unanswered)	text (integer)
	1290	mbh_addtlguide	Additional Guidance: These CDEs include questions that can potentially identify respondents who are at risk of suicide. Investigators implementing this protocol should consult with their IRBs to develop a risk management plan specific to their study to ensure the safety of participants. Investigators should also ensure their studies are compliant with federal, state, and institutional regulations and policies and inform participants of limits of confidentiality when a participant endorses imminent risk of harm to self or others. The following link provides additional information and guidelines for suicide-related research: https://www.nimh.nih.gov/funding/clinical-research/conducting-research-with-participants-at-elevated-risk-for-suicide-considerations-for-researchers.	descriptive
	1291	mbg_p_abt_chdesc	Section Header: Tier 1: Anxiety, Depression, Fatigue PROMIS scales (Parent Proxy Versions) Due to early research demonstrating the presence of COVID-19/pandemic related mental health symptoms, anxiety, depressive symptoms and fatigue PROMIS measures were designated Tier 1 in addition to the DSM-5 screener.  Parent About Child:	descriptive
H	1292	mbh_past1	Section Header: PROMIS Anxiety Age 1-5 (available not shown) Age 5-17 (shown)	descriptive
	1272	pase1	In the past 7 days	
	1293	promis_pf1anxiety8r	My child felt nervous.	radio (Matrix)
				1 Never
				2 Almost Never
				3 Sometimes
				4 Often
				5 Almost Always

	. 1	1	
12'	promis_pf2anxiety2r	My child felt scared.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
12	promis_pf2anxiety9r	My child felt worried.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
12'	promis_pf2anxiety1r	My child felt like something awful might happen.	radio (Matrix)
	promis_przankiety ii	my child refer the something awar might happen.	1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
<del>    .</del>			
12'	promis_pf2anxiety5r	My child worried when he/she was at home.	radio (Matrix)  1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
12	promis_pf1anxiety1r	My child got scared really easy.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
12	promis_pf1anxiety3r	My child worried about what could happen to him/her.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always

1005	annual a file and a file	March Million and Called State of the Control of th	and the Market A
1300	promis_pf2anxiety4r	My child worried when he/she went to bed at night.	radio (Matrix)  1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1301	mbh_past2	Section Header: PROMIS Depressive Symptoms Age 1-5 (available not shown) Age 5-17 (shown)	descriptive
		In the past 7 days	
1302	promis_pf2depr7r	My child could not stop feeling sad.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1303	promis_pf1depr7r	My child felt everything in his/her life went wrong.	radio (Matrix)
		,,	1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1304	promis_pf1depr5r	My child felt like he/she couldn't do anything right.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1305	promis_pf2depr10r	My child felt lonely.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1200	promis_pf2depr3r	My child felt sad.	
1306	promis_przueprsi	iny ciliu reic sau.	radio (Matrix)  1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always

1207	I.	1.16	P. (44 - 1.1.)
1307 promis_pf2depi	r6r It w	vas hard for my child to have fun.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1308 promis_pf4fatig	gue12r Sect	tion Header: PROMIS Fatigue Age 5-17	radio (Matrix)
		ing tired made it hard for my child to play or go out with friends as much as he/she	1 Never
	wou	uld like.	2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1309 promis_pf4fatig	M <sub>V</sub>	child felt weak.	radio (Matrix)
1309 promis_pr4ratig	gueor	Crilid Tell Weak.	1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1310 promis_pf4fatig	gue3r My	child got tired easily.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1311 promis_pf2fatig	jue8r Beir	ing tired made it hard for my child to keep up with schoolwork.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1312 promis_pf2fatig	gue4r My	child had trouble finishing things because he/she was too tired.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always

		L. 1911 1. 11 1. 12 1. 1	E 44.43
1313	promis_pf3fatigue7r	My child had trouble starting things because he/she was too tired.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1314	promis_pf3fatigue12r	My child was so tired it was hard for him/her to pay attention.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1315	promis_pf3fatigue8r	My child was too tired to do sports or exercise.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1316	promis_pf3fatigue4r	My child was too tired to do things outside.	radio (Matrix)
	promis_promatigate41	my child was too thea to do things outside.	1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1317	promis_pf4fatigue4r	My child was too tired to enjoy the things he/she likes to do.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1318	rcads_p_abtch_desc	Section Header: Tier 2: RCADS Anxiety and Depression Scale (Parent Report About Child)	descriptive
		Due to early research demonstrating the presence of COVID-19/pandemic related mental	Field Annotation: RCADS  https://www.childfirst.ucla.edu/resources/   Age Group: Validated
		health symptoms, anxiety, and depression RCADS measures were designated Tier 2 in addition to the DSM-5 screener and Tier 1 PROMIS measures.	a. sap. Tanadeu
1319	rcads_p_abtch_q1	Section Header: Please select the word that shows how often each of these things happens to your child. There	radio (Matrix)
		are no right or wrong answers.	0 Never
		1. My child worries about things	1 Sometimes
			2 Often
			3 Always

1322   rcush_p_ubch_p2   2. by child feels and or empty			1	
Sometimes   Comment   Co	1320	rcads_p_abtch_q2	2. My child feels sad or empty	
2 Orient   3   Alougus   1323   reads_p_abold_qS   3   When my child has a problem, before gets a funny feeling in biother storrach   10   Nover				0 Never
1327   Toutle, p., abtch, q7   2. All when my child has a problem, beckhe gene a furmy feeling in his/her stornach   code, p., abtch, q8   3. Always   1. Sometimes   1. Sometimes   2. Oracle   3. Always   3.				1 Sometimes
1321 flads publish q3 3. When my child has a problem, heather gets a furmy feeling in his/her stormach (i) Notice (i) Notice (ii) Notice (ii) Notice (iii) Notice (iii) Notice (iii) Notice (iiii) Notice (iiiii) Notice (iiiiii) Notice (iiiiiiii) Notice (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii				2 Often
D   Nover     Sometimes     Color     Color     Color     Color   Co				3 Always
O New	1321	rcads p abtch g3	3. When my child has a problem, he/she gets a funny feeling in his/her stomach	radio (Matrix)
Sometimes   Color				
1322   rcads_p_abrich_qd   4. My child worries when he/she drinks he/she has done poorly at something   0   Never   1   Sometimes   2   Ortion   3   Aways   3   Aways				<del>                                    </del>
1322 reads_p_abroh_q4				
1322   Trads_p_abtch_q4				<del>                                   </del>
Content	4222			
Sometimes	1322	rcads_p_abtcn_q4	4. My child worries when ne/sne thinks ne/sne has done poorly at something	
2 Often   3 Aways   1922   rcads_p_abtch_q5   5, My child feels afraid of being alone at home   radio (Matrix)   10   Never   1   Sometimes   2   Often   3   Always   1   1924   rcads_p_abtch_q6   6. Nothing is much fun for my child anymore   radio (Matrix)   1   1925   rcads_p_abtch_q7   7, My child feels scared when taking a test   radio (Matrix)   1   1926   rcads_p_abtch_q7   7, My child feels scared when taking a test   1   1926   rcads_p_abtch_q8   8. My child worries when he/she thinks someone is angry with him/her   radio (Matrix)   1   1926   rcads_p_abtch_q8   8. My child worries when he/she thinks someone is angry with him/her   radio (Matrix)   1   1926   rcads_p_abtch_q8   1   1926   rcads_p_abtch_q9   1   1   1   1   1   1   1   1   1				<del>                                    </del>
Second				
1323   reads_p_abtch_q5   S. My child feels afraid of being alone at home   radio_(Matrix)   O. Never				
D Never   1 Sometimes   2 Often   3 Always				3 Always
Sometimes   2 Often   3 Always	1323	rcads_p_abtch_q5	5. My child feels afraid of being alone at home	
1324   rcads_p_abtch_q6   6. Nothing is much fun for my child anymore   radio (Matrix)   0   Never   1   Sometimes   2   Often   3   Always				<del>   </del>
1324   rcads_p_abtch_q6   6. Nothing is much fun for my child anymore   radio (Matrix)   0   Never   1   Sometimes   2   Often   3   Always   1325   rcads_p_abtch_q7   7. My child feels scared when taking a test   radio (Matrix)   0   Never   1   Sometimes   2   Often   3   Always   1326   rcads_p_abtch_q8   8. My child worries when he/she thinks someone is angry with him/her   radio (Matrix)   0   Never   1   Sometimes   2   Often   3   Always   1327   rcads_p_abtch_q8   9. My child worries about being away from me   radio (Matrix)   0   Never   1   Sometimes   2   Often   3   Always   1327   rcads_p_abtch_q9   9. My child worries about being away from me   radio (Matrix)   0   Never   1   Sometimes   2   Often   3   Always   1327   rcads_p_abtch_q9   9. My child worries about being away from me   radio (Matrix)   0   Never   1   Sometimes   2   Often   3   Always   1327   rcads_p_abtch_q9   9. My child worries about being away from me   radio (Matrix)   1   Sometimes   2   Often   2   Often				
1324   rcads_p_abtch_q6   6. Nothing is much fun for my child anymore   radio (Matrix)   0. Never   1. Sometimes   2. Often   3. Always   1325   rcads_p_abtch_q7   7. My child feels scared when taking a test   radio (Matrix)   0. Never   1. Sometimes   2. Often   3. Always   1326   rcads_p_abtch_q8   8. My child worries when he/she thinks someone is angry with him/her   radio (Matrix)   0. Never   1. Sometimes   2. Often   3. Always   1327   rcads_p_abtch_q9   9. My child worries about being away from me   radio (Matrix)   0. Never   1. Sometimes   2. Often   3. Always   1327   rcads_p_abtch_q9   9. My child worries about being away from me   radio (Matrix)   0. Never   1. Sometimes   2. Often   3. Always   1. Sometimes   2. Often   3. Always   1. Sometimes   3. Often   3. Always   1. Sometimes   3. Often   3. Sometimes   3. Often   3. Sometimes   3. Often   3. Sometimes   3.				2 Often
1325   rcads_p_abtch_q7   7. My child feels scared when taking a test   7. My child feels scared when taking a t				3 Always
1   Sometimes   2   Often   3   Always	1324	rcads_p_abtch_q6	6. Nothing is much fun for my child anymore	radio (Matrix)
2 Often   3 Always				0 Never
1325   rcads_p_abtch_q7   7. My child feels scared when taking a test   radio (Matrix)   0   Never   1   Sometimes   2   Often   3   Always				1 Sometimes
1325   rcads_p_abtch_q7   7. My child feels scared when taking a test   radio (Matrix)   0   Never   1   Sometimes   2   Often   3   Always				2 Often
1325   rcads_p_abtch_q7   7. My child feels scared when taking a test   radio (Matrix)   0   Never   1   Sometimes   2   Often   3   Always				3 Always
To sometimes   S	1325	reads n abtch g7	7. My child feels scared when taking a test	
1   Sometimes   2   Often   3   Always	1020	, caas_p_astan_q,	The same reconstruction and same and sa	
1326   rcads_p_abtch_q8   8. My child worries when he/she thinks someone is angry with him/her   radio (Matrix)   O Never   1   Sometimes   2   Often   3   Always				<del>                                   </del>
1326   rcads_p_abtch_q8   8. My child worries when he/she thinks someone is angry with him/her   radio (Matrix)   0   Never   1   Sometimes   2   Often   3   Always				
1326   rcads_p_abtch_q8   8. My child worries when he/she thinks someone is angry with him/her   radio (Matrix)     0   Never     1   Sometimes     2   Often     3   Always     1327   rcads_p_abtch_q9   9. My child worries about being away from me   radio (Matrix)     0   Never     1   Sometimes     1   Sometimes     1   Sometimes     2   Often     3   Often     4   Often     5   Often     6   Often     7   Often     8   My child worries when he/she thinks someone is angry with him/her     1   Sometimes     2   Often     3   Often     4   Often     5   Often     6   Often     7   Often     8   My child worries when he/she thinks someone is angry with him/her     1   Sometimes     2   Often     3   Often     4   Often     5   Often     6   Often     7   Often     8   My child worries when he/she thinks someone is angry with him/her     1   Sometimes     2   Often     3   Often     4   Often     6   Often     7   Often     8   Often     9				
1   0   Never   1   Sometimes   2   Often   3   Always	1000	and the state of t	O Markilda a sankara ka Ghankilda a sankara k	
1 Sometimes 2 Often 3 Always  1327 rcads_p_abtch_q9  9. My child worries about being away from me  radio (Matrix) 0 Never 1 Sometimes 2 Often	1326	rcaɑs_p_aɒtcn_qၓ	8. My child worries when he/she thinks someone is angry with him/her	
1327 rcads_p_abtch_q9   9. My child worries about being away from me   7 adio (Matrix)   0 Never   1 Sometimes   2 Often   2 Often   3 Always   7 adio (Matrix)   0 Never   1 Sometimes   2 Often   2 Often   3 Always   7 adio (Matrix)   7 adio (M				
1327 rcads_p_abtch_q9 9. My child worries about being away from me radio (Matrix) 0 Never 1 Sometimes 2 Often				
1327 rcads_p_abtch_q9  9. My child worries about being away from me  radio (Matrix)  Never  1 Sometimes  2 Often				
0 Never 1 Sometimes 2 Often				
1         Sometimes           2         Often	1327	rcads_p_abtch_q9	9. My child worries about being away from me	
2 Often				<del>   </del>
				<del>   </del>
				<del>   </del>
				3 Always

1328	rcads_p_abtch_q10	10. My child is bothered by bad or silly thoughts or pictures in his/her mind	radio (Matrix)
			0 Never
			1 Sometimes
			2 Often
			3 Always
1329	rcads_p_abtch_q11	11. My child has trouble sleeping	radio (Matrix)
	·		0 Never
			1 Sometimes
			2 Often
			3 Always
1330	rcads_p_abtch_q12	12. My child worries about doing badly at schoolwork	radio (Matrix)
			0 Never
			1 Sometimes
			2 Often
			3 Always
1331	rcads_p_abtch_q13	13. My child worries that something awful will happen to someone in the family	radio (Matrix)
			0 Never
			1 Sometimes
			2 Often
			3 Always
1222		44 Marchild and deep for the fell and the fe	
1332	rcads_p_abtch_q14	14. My child suddenly feels as if he/she can't breathe when there is no reason for this	radio (Matrix)  0 Never
			1 Sometimes
			2 Often
			3 Always
1333	rcads_p_abtch_q15	15. My child has problems with his/her appetite	radio (Matrix)
			0 Never
			1 Sometimes
			2 Often
			3 Always
1334	rcads_p_abtch_q16	16. My child has to keep checking that he/she has done things right (like the switch is off, or	radio (Matrix)
,		the door is locked)	0 Never
			1 Sometimes
			2 Often
			3 Always
1335	rcads_p_abtch_q17	17. My child feels scared to sleep on his/her own	radio (Matrix)
			0 Never
			1 Sometimes
			2 Often
			3 Always

1336	rcads_p_abtch_q18	18. My child has trouble going to school in the mornings because of feeling nervous or afraid	radio (Matrix)  0 Never  1 Sometimes  2 Often  3 Always
1337	rcads_p_abtch_q19	19. My child has no energy for things	radio (Matrix)  0 Never  1 Sometimes  2 Often  3 Always
1338	rcads_p_abtch_q20	20. My child worries about looking foolish	radio (Matrix)  0 Never  1 Sometimes  2 Often  3 Always
1339	rcads_p_abtch_q21	21. My child is tired a lot	radio (Matrix)  0 Never  1 Sometimes  2 Often  3 Always
1340	rcads_p_abtch_q22	22. My child worries that bad things will happen to him/her	radio (Matrix)  0 Never  1 Sometimes  2 Often  3 Always
1341	rcads_p_abtch_q23	23. My child can't seem to get bad or silly thoughts out of his/her head	radio (Matrix)  0 Never  1 Sometimes  2 Often  3 Always
1342	mbh_pain	Section Header: Tier 2: Pain, Cognitive Function Pain Interference Parent Proxy Age 8-17	descriptive
1343	promis_pf2pain5r	Section Header: In the past 7 days  My child had trouble sleeping when he/she had pain.	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always

FT			
1344	promis_pf3pain7r	My child felt angry when he/she had pain.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1345	promis_pf2pain2r	My child had trouble doing schoolwork when he/she had pain.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1346	promis_pf3pain2r	It was hard for my child to pay attention when he/she had pain.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1347	promis_pf2pain4r	It was hard for my child to run when he/she had pain.	radio (Matrix)
	Promis_prepairin	and the state of t	1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1348	promis_pf1pain4r	It was hard for my shild to walk one block when he/she had nain	
1548	promis_pripami4	lt was hard for my child to walk one block when he/she had pain.	radio (Matrix)  1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			<del>                                      </del>
			5 Almost Always
1349	promis_pf3pain4r	It was hard for my child to have fun when he/she had pain.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always

135	promis_pf4pain6r	It was hard for my child to stay standing when he/she had pain.	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always
135	mbh_past5	Section Header: Cognitive Function Parent Proxy Age 8-17 In the past 4 weeks	descriptive
135	promis_pedspcf5_fa	Your child has to use written lists more often than other people his/her age so he/she will not forget things	radio (Matrix)  5 None of the time  4 A little of the time  3 Some of the time  2 Most of the time  1 All of the time
135	promis_nqcog44_2ar	It is hard for your child to pay attention to one thing for more than 5-10 minutes	radio (Matrix)  5 None of the time  4 A little of the time  3 Some of the time  2 Most of the time  1 All of the time
135	promis_nqcog65_2ar	Your child has trouble keeping track of what he/she is doing if he/she gets interrupted	radio (Matrix)  5 None of the time  4 A little of the time  3 Some of the time  2 Most of the time  1 All of the time
135	promis_pb10_fa	Your child has to read things several times to understand them	radio (Matrix)  5 None of the time  4 A little of the time  3 Some of the time  2 Most of the time  1 All of the time
135	promis_pb8_fa	Your child forgets things easily	radio (Matrix)  5 None of the time  4 A little of the time  3 Some of the time  2 Most of the time  1 All of the time

1357	promis_pedspcf8_fa  promis_pedspcf6_fa	Your child has to work really hard to pay attention or he/she makes mistakes  Your child has trouble remembering to do things like school projects or chores	radio (Matrix)  5 None of the time  4 A little of the time  3 Some of the time  1 All of the time  1 All of the time  5 None of the time  4 A little of the time  4 A little of the time  3 Some of the time  4 Dost of the time  4 A little of the time  5 None of the time  1 All of the time  1 All of the time
1359	mbh_p_abtch_tier2	Section Header: Tier 2: Externalizing Symptoms  While prioritized as a Tier 2 measure, this Working Group does not recommend specific measures since the most commonly used measures (Child Behavior Checklist and Strengths and Difficulties Questionnaire) require licensing. The Multidimensional Assessment Profile of Disruptive Behavior (MAP-DB), is available for use as well and does not require a license.	descriptive
1360	dsm_cross_cut_desc	Section Header: Child Self-Report: Current Mental Health Symptoms  Tier 1: DSM-5 Cross-Cutting Symptom Measure (Ages 11-17)The National Institute of Mental Health (NIMH), in consultation with the Wellcome Trust and other funders of mental health research, has identified the DSM-5 Cross-Cutting Symptom Measure as part of a minimal list of data collection instruments that would be ideal for use by all mental health researchers conducting clinical research to facilitate and harmonize mental health data collection. These measures have been selected using either the PhenX consensus process (https://www.phenxtoolkit.org/collections/view/1) or the International Consortium for Health Outcomes Measurement (ICHOM) (https://www.ichom.org/resource-library/category/condition-specific-resources/depression-anxiety/) with additional consideration for successful use of the measures in various countries.	descriptive Field Annotation: DSM-5  https://www.psychiatry.org/psychiatrists/practice/dsm/educational- resources/assessment-measures   Age Group: Validated
1361	dsm_cross_cut1	Section Header: <i>I.</i> 1. Been bothered by stomach aches, headaches, or other aches and pains?	radio (Matrix)  0 0 - None (Not at all)  1 1 - Slight (Rare less than a day or two)  2 2 - Mild (Several days)  3 3 - Moderate (More than half the days)  4 4 - Severe (Nearly every day)
1362	dsm_cross_cut2  mbh_ch11_17_score1	Worried about your health or about getting sick?      I Highest Domain Score (clinician)	radio (Matrix)  0 0 - None (Not at all)  1 1 - Slight (Rare less than a day or two)  2 2 - Mild (Several days)  3 3 - Moderate (More than half the days)  4 4 - Severe (Nearly every day)

_			To the for equality recognism (respective)	
	1364	dsm_cross_cut3	Section Header: //.	radio (Matrix)
			3. Been bothered by not being able to fall asleep or stay asleep, or by waking up too early?	0 0 - None (Not at all)
				1 1 - Slight (Rare less than a day or two)
				2 2 - Mild (Several days)
				3 3 - Moderate (More than half the days)
				4 4 - Severe (Nearly every day)
	1365	mbh_ch11_17_score2	II Highest Domain Score (clinician)	text
	1366	dsm_cross_cut4	Section Header: ///.	radio (Matrix)
			4. Been bothered by not being able to pay attention when you were in class or doing	0 0 - None (Not at all)
			homework or reading a book or playing a game?	1 1 - Slight (Rare less than a day or two)
				2 2 - Mild (Several days)
				3 3 - Moderate (More than half the days)
				4 4 - Severe (Nearly every day)
	1367	mbh_ch11_17_score3	III Highest Domain Score (clinician)	text
	1368	dsm_cross_cut5	Section Header: //.	radio (Matrix)
			5. Had less fun doing things than you used to?	0 0 - None (Not at all)
				1 1 - Slight (Rare less than a day or two)
				2 2 - Mild (Several days)
				3 3 - Moderate (More than half the days)
				4 4 - Severe (Nearly every day)
	1369	dsm_cross_cut6	6. Felt sad or depressed for several hours?	radio (Matrix)
				0 0 - None (Not at all)
				1 1 - Slight (Rare less than a day or two)
				2 2 - Mild (Several days)
				3 3 - Moderate (More than half the days)
				4 4 - Severe (Nearly every day)
	1370	mbh_ch11_17_score4	IV Highest Domain Score (clinician)	text
	1371	dsm_cross_cut7	Section Header: V. & VI.	radio (Matrix)
			7. Felt more irritated or easily annoyed than usual?	0 0 - None (Not at all)
				1 1 - Slight (Rare less than a day or two)
				2 2 - Mild (Several days)
				3 3 - Moderate (More than half the days)
				4 4 - Severe (Nearly every day)
	1372	dsm_cross_cut8	8. Felt angry or lost your temper?	radio (Matrix)
				0 0 - None (Not at all)
				1 1 - Slight (Rare less than a day or two)
				2 2 - Mild (Several days)
				3 3 - Moderate (More than half the days)
				4 4 - Severe (Nearly every day)
	1373	mbh_ch11_17_score5	V & VI Highest Domain Score (clinician)	text
		= =	<u> </u>	I.

1374	dsm_cross_cut9  dsm_cross_cut10	Section Header: VII.  9. Started lots more projects than usual or done more risky things than usual?  10. Slept less than usual but still had a lot of energy?	radio (Matrix)  0  0 - None (Not at all)  1  1 - Slight (Rare less than a day or two)  2  2 - Mild (Several days)  3  3 - Moderate (More than half the days)  4  4 - Severe (Nearly every day)  radio (Matrix)  0  0 - None (Not at all)
			1 1 - Slight (Rare less than a day or two) 2 2 - Mild (Several days) 3 3 - Moderate (More than half the days) 4 4 - Severe (Nearly every day)
1376	mbh_ch11_17_score7	VII Highest Domain Score (clinician)	text
1377	dsm_cross_cut11	Section Header: VIII.  11. Felt nervous, anxious, or scared?	radio (Matrix)  0 0 - None (Not at all)  1 1 - Slight (Rare less than a day or two)  2 2 - Mild (Several days)  3 3 - Moderate (More than half the days)  4 4 - Severe (Nearly every day)
1378	dsm_cross_cut12	12. Not been able to stop worrying?	radio (Matrix)  0 0 - None (Not at all)  1 1 - Slight (Rare less than a day or two)  2 2 - Mild (Several days)  3 3 - Moderate (More than half the days)  4 4 - Severe (Nearly every day)
1379	dsm_cross_cut13	13. Not been able to do things you wanted to or should have done, because they made you feel nervous?	radio (Matrix)  0 0 - None (Not at all)  1 1 - Slight (Rare less than a day or two)  2 2 - Mild (Several days)  3 3 - Moderate (More than half the days)  4 4 - Severe (Nearly every day)
1380	mbh_ch11_17_score8	VIII Highest Domain Score (clinician)	text
1381	dsm_cross_cut14	Section Header: IX.  14. Heard voiceswhen there was no one there - speaking about you or telling you what to do or saying bad things to you?	radio (Matrix)  0  0 - None (Not at all)  1  1 - Slight (Rare less than a day or two)  2  2 - Mild (Several days)  3  3 - Moderate (More than half the days)  4  4 - Severe (Nearly every day)

1382 1383 1384	dsm_cross_cut15  mbh_ch11_17_score9  dsm_cross_cut16	15. Had visions when you were completely awake - that is, seen something or someone that no one else could see?  IX Highest Domain Score (clinician)  Section Header: X.  16. Had thoughts that kept coming into your mind that you would do something bad or that something bad would happen to you or to someone else?	radio (Matrix)  0  0 - None (Not at all)  1  1 - Slight (Rare less than a day or two)  2  2 - Mild (Several days)  3  3 - Moderate (More than half the days)  4  4 - Severe (Nearly every day)  text  radio (Matrix)  0  0 - None (Not at all)  1  1 - Slight (Rare less than a day or two)  2  2 - Mild (Several days)  3  3 - Moderate (More than half the days)
1385	dsm_cross_cut17	17. Felt the need to check on certain things over and over again, like whether a door was locked or whether the stove was turned off?	radio (Matrix)  0 0 - None (Not at all)  1 1 - Slight (Rare less than a day or two)  2 2 - Mild (Several days)  3 3 - Moderate (More than half the days)  4 4 - Severe (Nearly every day)
1386	dsm_cross_cut18	18. Worried a lot about things you touched being dirty or having germs or being poisoned?	radio (Matrix)  0 0 - None (Not at all)  1 1 - Slight (Rare less than a day or two)  2 2 - Mild (Several days)  3 3 - Moderate (More than half the days)  4 4 - Severe (Nearly every day)
1387	dsm_cross_cut19	19. Felt you had to do things in a certain way, like counting or saying special things, to keep something bad from happening?	radio (Matrix)  0 0 - None (Not at all)  1 1 - Slight (Rare less than a day or two)  2 2 - Mild (Several days)  3 3 - Moderate (More than half the days)  4 4 - Severe (Nearly every day)
1388	mbh_ch11_17_score10	X Highest Domain Score (clinician)	text
1389	dsm_cross_cut_past_desc	Section Header: In the past TWO (2) WEEKS, have you	descriptive
1390	dsm_cross_cut_past20	Section Header: XI.  20. Had an alcoholic beverage (beer, wine, liquor, etc.)?	yesno

1391	dsm_cross_cut_past21	21. Smoked a cigarette, a cigar, or pipe, or used snuff or chewing tobacco?	yesno           1         Yes           0         No    Custom alignment: RH
1392	dsm_cross_cut_past22	22. Used drugs like marijuana, cocaine or crack, club drugs (like Ecstasy), hallucinogens (like LSD), heroin, inhalants or solvents (like glue), or methamphetamine (like speed)?	yesno 1
1393	dsm_cross_cut_past23	23. Used any medicine without a doctors prescription to get high or change the way you feel (e.g., painkillers [like Vicodin], stimulants [like Ritalin or Adderall], sedatives or tranquilizers [like sleeping pills or Valium], or steroids)?	yesno 1
1394	dsm_cross_cut_past24	Section Header: XII.  24. In the last 2 weeks, have you thought about killing yourself or committing suicide?	yesno           1         Yes           0         No    Custom alignment: RH
1395	dsm_cross_cut_past25	25. Have you EVER tried to kill yourself?	yesno
1396	mbh_ch_threshold	Section Header: Tier 2: After meeting thresholds	descriptive
1397	instruct_phq15ch	Section Header: I. Somatic Symptoms LEVEL 2-Somatic Symptom-Child Age 11-17 (Patient Health QuestionnaireSomatic Symptom Severity [PHQ-15])  During the past 4 weeks, how much have you been bothered by any of the following problems?	descriptive
1398	stomach_pain	a. Stomach pain	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot
1399	back_pain	b. Back pain	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot
1400	leg_pain	c. Pain in your arms, legs, or joints (knees, hips, etc.)	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot

1401	menstrual_pain	d. Menstrual cramps or other problems with your periods (women only)	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot		
1402	headache	e. Headaches	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot		
1403	chest_pain	f. Chest pain	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot		
1404	dizziness	g. Dizziness	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot		
1405	fainting	h. Fainting spells	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot		
1406	heart_pound	i. Feeling your heart pound or race	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot		
1407	short_of_breath	j. Shortness of breath	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot		
1408	sexual_pain	k. Pain or problems during sexual intercourse	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot		
1409	bowel	l. Constipation, loose bowels, or diarrhea	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot		
1410	nausea	m. Nausea, gas, or indigestion	radio (Matrix)  0 Not bothered at all  1 Bothered a little  2 Bothered a lot		

1411   Tread		Γ		
1   Socheed size	1411	tired	n. Feeling tired or having low energy	radio (Matrix)
1412   deep   0. mouther deep a lot				
1412   sleep				1 Bothered a little
1413   mbh_ch_alpdesc   Section tendent. Since Proteins (LVCL 2 Step Potentians Child Agr 11-77 99006 Sings Discontinued in the Child. On the DRS 5 Level 1 consecuting questionnaire that you just completed, you indicate that during the pase of whether you have gone to be the child. On the DRS 5 Level 1 consecuting questionnaire that you just completed, you indicate that during the pase of whether you have gone to better during the pase of white you be protected by the pase of the				2 Bothered a lot
1413   mbh. ch. spidesc   Section Freedom (1512 of Sept Interviews Child of Sept Interviews Children Child of Sept Interviews Children	1412	sleep	o. Trouble sleeping	radio (Matrix)
Section leaders is Seen Problems 2012 2 Sheep Discharaces CMA get 11-17 PROBES Skeep Discharac				0 Not bothered at all
1413 mbh_ch_sipdesc   Semin-Headerr #. A larke DMS   Local 11 Consciunting questionment in the Local State   Local International Control of Seminal C				1 Bothered a little
Instructions to the child: On the DSM-5 Level 1 cross-cutting questionnaire that you just completed, you indicated that during the past 2 weeks you have been bothered by not bring able to fall allege or stay size given by a wairing to oce only it a mild or greater level of severity.    The questions below ask about these feelings in more detail and especially how often you have been bothered by a list of symptoms during the past 7 days.    1414   promis_ch_sitep105   Section instance in the past 7 days.   If   Not or all   2   A little bit   3   Quite a bit   5   Yery much   1415   promis_ch_sitep115   I was satisfied with my sieep.   I was rather that all a little bit   I was				2 Bothered a lot
Completed, you indicated this during the past 2 weeks you have been bothered by not being able to chain gaile to fall allaelep or by waking up too early at a mild or greater level of severity.  The questions below ask about these feelings in more detail and especially how often you have been bothered by a list of symptoms during the past 7 days.    1414	1413	mbh_ch_slpdesc		descriptive
being able to fall asleep or stay asleep or by waking up too early at a mild or greater level of severity.  The questions below ask about these feelings in more detail and especially how often you have been bothered by a list of symptoms during the past 7 days.    1414   promis_ch_sisep108			Instructions to the child: On the DSM-5 Level 1 cross-cutting questionnaire that you just	
of seventy. The questions below ask about these feelings in more detail and especially how often you have been bothered by a list of symptoms during the past 7 days.    1414			completed, you indicated that during the past 2 weeks you have been bothered by not	
have been bothered by a list of symptoms during the past 7 days.  1414 promis_ch_sleep108  Section Header: with past 7 days  My sleep was restriess.  1 Not at all 4 Quite a bit 5 Very much  Promis_ch_sleep115  I was satisfied with my sleep.  1416 promis_ch_sleep116  My sleep was refreshing.  1417 promis_ch_sleep44  1417 promis_ch_sleep44  I had difficulty falling asleep.  1418 label of the past 7 days.  Section Header: with past 7 days.  1 Not at all 4 A little bit 3 Somewhat 2 Quite a bit 1 Very much 3 Somewhat 2 Quite a bit 1 Very much 4 A little bit 3 Somewhat 2 Quite a bit 1 Very much 5 Not at all 4 A little bit 3 Somewhat 2 Quite a bit 1 Very much 5 Not at all 4 A little bit 1 Very much 5 Not at all 4 A little bit 1 Very much 5 Not at all 5 Not at all 6 A little bit 1 Very much 7 Not at all 7 Not at all 8 A little bit 9 Somewhat 1 Not at all 9 A little bit 1 Very much 1 Not at all 9 A little bit 1 Very much 1 Not at all 9 A little bit				
have been bothered by a list of symptoms during the past 7 days.  1414 promis_ch_sleep108  Section Header: with past 7 days  My sleep was restriess.  1 Not at all 4 Quite a bit 5 Very much  Promis_ch_sleep115  I was satisfied with my sleep.  1416 promis_ch_sleep116  My sleep was refreshing.  1417 promis_ch_sleep44  1417 promis_ch_sleep44  I had difficulty falling asleep.  1418 label of the past 7 days.  Section Header: with past 7 days.  1 Not at all 4 A little bit 3 Somewhat 2 Quite a bit 1 Very much 3 Somewhat 2 Quite a bit 1 Very much 4 A little bit 3 Somewhat 2 Quite a bit 1 Very much 5 Not at all 4 A little bit 3 Somewhat 2 Quite a bit 1 Very much 5 Not at all 4 A little bit 1 Very much 5 Not at all 4 A little bit 1 Very much 5 Not at all 5 Not at all 6 A little bit 1 Very much 7 Not at all 7 Not at all 8 A little bit 9 Somewhat 1 Not at all 9 A little bit 1 Very much 1 Not at all 9 A little bit 1 Very much 1 Not at all 9 A little bit				
My sleep was restless.    1   Not at all				
2   A little bit   3   Somewhat   4   Quite a bit   5   Very much   5   Not at all   4   A little bit   3   Somewhat   4   Quite a bit   5   Very much   5   Not at all   4   A little bit   3   Somewhat   4   A little bit   3   Somewhat   4   A little bit   5   Not at all   4   A little bit   3   Somewhat   2   Quite a bit   5   Not at all   4   A little bit   5   Not at all   5   A little bit   5   Not at all   6   A little bit	1414	promis_ch_sleep108		radio (Matrix)
1415   promis_ch_sleep115   I was satisfied with my sleep.   radio_(Matrix)   1416   promis_ch_sleep116   My sleep was refreshing.   radio_(Matrix)   1417   promis_ch_sleep44   I had difficulty falling asleep.   radio_(Matrix)   1417   promis_ch_sleep44   I had difficulty falling asleep.   radio_(Matrix)   1418   promis_ch_sleep44   I had difficulty falling asleep.   radio_(Matrix)   1419   promis_ch_sleep44   I had difficulty falling asleep.   radio_(Matrix)   1410   promis_ch_sleep44   I had difficulty falling asleep.   radio_(Matrix)   1410   promis_ch_sleep44   I had difficulty falling asleep.   radio_(Matrix)   1411   promis_ch_sleep44   I had difficulty falling asleep.   radio_(Matrix)   1412   quite a bit   quit			My sleep was restless.	1 Not at all
4   Quite a bit   5   Very much   1415   promis_ch_sleep115   I was satisfied with my sleep.   Cadio (Matrix)   5   Not at at all   4   Altitle bit   3   Somewhat   2   Quite a bit   1   Very much   1416   Promis_ch_sleep116   My sleep was refreshing.   Cadio (Matrix)   5   Not at at all   4   Altitle bit   3   Somewhat   2   Quite a bit   1   Very much   1417   Promis_ch_sleep44   I had difficulty falling asleep.   Cadio (Matrix)   1   Very much   1417   Promis_ch_sleep44   I had difficulty falling asleep.   Cadio (Matrix)   1   Not at all   2   Altitle bit   3   Somewhat   2   Quite a bit   1   Very much   1   Not at all   2   Altitle bit   3   Somewhat   4   Quite a bit   1   Very much   1   Not at all   2   Altitle bit   3   Somewhat   4   Quite a bit   1   Very and   1   Not at all   2   Altitle bit   3   Somewhat   4   Quite a bit   1   Very and   1   Very and   1   Not at all   2   Altitle bit   3   Somewhat   4   Quite a bit				2 A little bit
1415   promis_ch_sleep115   I was satisfied with my sleep.   radio (Matrix)   5   Not at all   4   A little bit   3   Somewhat   2   Quite a bit   1   Very much   1   Very much   2   Quite a bit   1   Very much   2   Quite a bit   1   Very much   3   Somewhat   2   Quite a bit   1   Very much   4   A little bit   3   Somewhat   2   Quite a bit   1   Very much   1   Very much   2   Quite a bit   1   Very much   1   Very much   2   Quite a bit   1   Very much   1   Very much   1   Not at all   2   A little bit   3   Somewhat   2   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Somewhat   4   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Somewhat   4   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Somewhat   4   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Somewhat   4   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Somewhat   4   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Somewhat   4   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Somewhat   4   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Somewhat   4   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Not at all   3   N				3 Somewhat
1415   promis_ch_sleep115   I was satisfied with my sleep.   radio (Matrix)   5   Not at all   4   A little bit   3   Somewhat   2   Quite a bit   1   Very much   1   Very much   2   Quite a bit   1   Very much   2   Quite a bit   1   Very much   3   Somewhat   2   Quite a bit   1   Very much   4   A little bit   3   Somewhat   2   Quite a bit   1   Very much   1   Very much   2   Quite a bit   1   Very much   1   Very much   2   Quite a bit   1   Very much   1   Very much   1   Not at all   2   A little bit   3   Somewhat   2   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Somewhat   4   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Somewhat   4   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Somewhat   4   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Somewhat   4   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Somewhat   4   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Somewhat   4   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Somewhat   4   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Somewhat   4   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Not at all   3   N				4 Quite a bit
S   Not at all   4   A little bit   3   Somewhat   2   Quite a bit   1   Very much				5 Very much
4 A little bit 3 Somewhat 2 Quite a bit 1 Very much  1416 promis_ch_sleep116 My sleep was refreshing.  7adio (Matrix) 5 Not at all 4 A little bit 3 Somewhat 2 Quite a bit 1 Very much  1417 promis_ch_sleep44 I had difficulty falling asleep.  1417 promis_ch_sleep44 I had difficulty falling asleep.  1418 A little bit 1 Very much 1 Very much 1 Very much 1 Not at all 2 A little bit 3 Somewhat 4 Quite a bit 1 Quite a bit	1415	promis_ch_sleep115	l was satisfied with my sleep.	radio (Matrix)
1416   promis_ch_sleep116   My sleep was refreshing.   Tadio (Matrix)   5   Not at all   4   A little bit   3   Somewhat   2   Quite a bit   1   Very much   1417   promis_ch_sleep44   I had difficulty falling asleep.   Tadio (Matrix)   1   Not at all   2   A little bit   3   Somewhat   2   Quite a bit   1   Very much   1   Not at all   2   A little bit   3   Somewhat   2   Quite a bit   1   Not at all   2   A little bit   3   Somewhat   2   A little bit   3   Somewhat   4   Quite a bit   1   Not at all   2   A little bit   3   Somewhat   4   Quite a bit   4   Qu				5 Not at all
2 Quite a bit 1 Very much  1416 promis_ch_sleep116 My sleep was refreshing.  1416 promis_ch_sleep116 My sleep was refreshing.  1417 promis_ch_sleep44 I had difficulty falling asleep.  1417 promis_ch_sleep44 I had difficulty falling asleep.  1418 promis_ch_sleep44 I had difficulty falling asleep.  1419 promis_ch_sleep44 I had difficulty falling asleep.  1410 promis_ch_sleep44 I had difficulty falling asleep.  1410 promis_ch_sleep44 I had difficulty falling asleep.  15 Not at all 2 A little bit 3 Somewhat 4 Quite a bit 1 Quite a b				4 A little bit
1416 promis_ch_sleep116 My sleep was refreshing.  My sleep was refreshing.  My sleep was refreshing.  Tadio (Matrix)  5 Not at all  4 A little bit  3 Somewhat  2 Quite a bit  1 Very much  1417 promis_ch_sleep44  I had difficulty falling asleep.  Tadio (Matrix)  1 Not at all  2 A little bit  3 Somewhat  4 Quite a bit				3 Somewhat
1416 promis_ch_sleep116 My sleep was refreshing.  My sleep was refreshing.  Tadio (Matrix)  S Not at all  4 A little bit  3 Somewhat  2 Quite a bit  1 Very much  1 Not at all  2 A little bit  3 Somewhat  4 Quite a bit  1 Not at all  4 Quite a bit  1 Quite a bit				2 Quite a bit
Somewhat				1 Very much
Somewhat	1416	promis ch sleep116	My sleep was refreshing.	radio (Matrix)
3 Somewhat 2 Quite a bit 1 Very much  1417 promis_ch_sleep44 I had difficulty falling asleep.  7 radio (Matrix) 1 Not at all 2 A little bit 3 Somewhat 4 Quite a bit		'		
3 Somewhat 2 Quite a bit 1 Very much  1417 promis_ch_sleep44 I had difficulty falling asleep.  7 radio (Matrix) 1 Not at all 2 A little bit 3 Somewhat 4 Quite a bit				4 A little bit
1417 promis_ch_sleep44 I had difficulty falling asleep.  I had difficulty falling asleep.  I had difficulty falling asleep.  radio (Matrix)  1 Not at all 2 A little bit 3 Somewhat 4 Quite a bit				<del>                                    </del>
1417 promis_ch_sleep44 I had difficulty falling asleep.  1417 promis_ch_sleep44 I had difficulty falling asleep.  1 Not at all 2 A little bit 3 Somewhat 4 Quite a bit				<del>                                    </del>
1417 promis_ch_sleep44 I had difficulty falling asleep.  1417 promis_ch_sleep44 I had difficulty falling asleep.  1 Not at all 2 A little bit 3 Somewhat 4 Quite a bit				
1 Not at all 2 A little bit 3 Somewhat 4 Quite a bit				
2 A little bit 3 Somewhat 4 Quite a bit	1417	promis_ch_sleep44	I had difficulty falling asleep.	
3 Somewhat 4 Quite a bit				<del> -  </del>
4 Quite a bit				
				3 Somewhat
5 Very much				4 Quite a bit
, , , , , , , , , , , , , , , , , , ,				5 Very much

	1418	promis_ch_sleep87	Section Header: In the past 7 days	radio (Matrix)
			I had trouble staying asleep.	1 Never
				2 Rarely
				3 Sometimes
				4 Often
				5 Always
	1419	promis_ch_sleep90	I had trouble sleeping.	radio (Matrix)
				1 Never
				2 Rarely
				3 Sometimes
				4 Often
				5 Always
	1420	promis_ch_sleep110	I got enough sleep.	radio (Matrix)
				5 Never
				4 Rarely
				3 Sometimes
				2 Often
				1 Always
-				
	1421	promis_ch_sleep109	Section Header: In the past 7 days  My sleep quality was	radio (Matrix)
			iny sieep quanty was	5 Very poor
				4 Poor
				3 Fair
				2 Good
				1 Very good
	1422	mbh_ch_sleep_dis_ttl	Total/Partial Raw Score	text (integer)
	1423	mbh_ch_sleep_dis_prottl	Prorated Total Raw Score	text (integer)
	1424	mbh_ch_sleep_dis_tscore	T-score	text (number)
	1425	mbh_ch_depresdesc	Section Header: IV. Depression LEVEL 2-Depression-Child Age 11-17 (PROMIS Emotional Distress-Depression- Pediatric Item Bank)	descriptive
			Instructions to the child: On the DSM-5 Level 1 cross-cutting questionnaire that you just	
			completed, you indicated that	
			during the past 2 weeks you have been bothered by having little interest or pleasure in doing things and/or feeling	
			down, depressed, or hopeless at a mild or greater level of severity.	
			The questions below ask about these feelings in more detail and especially how often you	
			have been bothered by a list of symptoms during the past 7 days.	
	1426	promis_488r1	Section Header: In the past 7 days	radio (Matrix)
			I could not stop feeling sad.	1 Never
				2 Almost Never
				3 Sometimes
				4 Often
				5 Almost Always

1.40=		16th along	and the (Matrix)
1427	promis_461r1	l felt alone.	radio (Matrix)  1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1428	promis_5041r1	I felt everything in my life went wrong.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1429	promis_5035r1	I felt like I couldn't do anything right.	radio (Matrix)
1423	promis_5055i i	Their like I couldn't do anything right.	1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1430	promis_711r1	I felt lonely.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1431	promis_228r1	l felt sad.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1432	promis_712r1	I felt unhappy.	radio (Matrix)
1432	promis_7 (2) (	тек антарру.	1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always

1433	promis_ch_depress8	I thought that my life was bad.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1434	promis_ch_depress9	Being sad made it hard for me to do things with my friends.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1435	promis_ch_depress10	I didn't care about anything.	radio (Matrix)
1433	promis_cri_depress to	i didiri care about ariyuning.	1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1436	promis_ch_depress11	I felt stressed.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1437	promis_ch_depress12	I felt too sad to eat.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1438	promis_ch_depress13	I wanted to be by myself.	radio (Matrix)
	·		1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1 1			

1439	promis_3952ar2	It was hard for me to have fun.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1440	mbh_ch_angerdesc	Section Header: V. Anger LEVEL 2-Anger-Child Age 11-17 (PROMIS Emotional Distress-Calibrated Anger Measure- Pediatric)	descriptive
		Instructions to the child:	
		On the DSM-5 Level 1 cross-cutting questionnaire that you just completed, you indicated that during the past 2 weeks you have been bothered by feeling irritated or easily annoyed	
		and/or feeling angry or lost your temper at a mild or greater level of severity.	
		The questions below ask about these feelings in more detail and especially how often you	
		have been bothered by a list of symptoms during the past 7 days.	
1441	promis_206r1	Section Header: In the past 7 days.	radio (Matrix)
		I felt mad.	1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1442	promis_2319ar1	I was so angry I felt like throwing something.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1443	promis_2581r1	I was so angry I felt like yelling at somebody.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1444	promis_ch_anger4	When I got mad, I stayed mad.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always

 -			
1445	promis_5045r1	I felt fed up.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1446	promis_714r1	l felt upset.	radio (Matrix)
	F		1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1447	mbh_ch_irritableinstruc	Section Header: VI. Irritability LEVEL 2 Irritability-Child Age 11-17 (Affective Reactivity Index)	descriptive
		Instructions to the child: On the DSM-5 Level 1 cross-cutting questionnaire that you just completed, you indicated	
		that during the past 2 weeks you have been bothered by feeling irritated or easily annoyed	
		and/or feeling angry or lost your temper at a mild or greater level of severity.	
		The questions below ask about these feelings in more detail and especially how often you	
		have been bothered by a list of symptoms during the past 7 days.	
1448	mbh_ch_irritable1	Section Header: In the last SEVEN (7) DAYS and compared to others of the same age, how well does each of the following statements describe your behavior or feelings?	radio
		Am easily annoyed by others.	0 Not True
		This cash, annoyed by earlies.	1 Somewhat True
			2 Certainly True
1449	mbh_ch_maniainstr	Section Header: VII. Mania LEVEL 2-Mania-Child Age 11-17 (Altman Self-Rating Mania Scale [ASRM])	descriptive
		Instructions to the child:	
		On the DSM-5 Level 1 cross-cutting questionnaire you just completed, you indicated that during the past 2 weeks you have been bothered by feeling so active that you couldn't	
		settle down and/or finding that you didn't sleep a lot at night at a mild or greater level of	
		severity. The five statement groups or questions below ask about these feelings in more	
		detail.	
		1. Please read each group of statements/question carefully.	
		2. Choose the one statement in each group that best describes the way you have been	
		feeling for the past week.  3. Check the box next to the number/statement selected.	
		4. Please note: The word occasionally, when used here means once or twice; often means	
		several times or more and frequently means most of the time.	
1450	mbh_ch_mania1	Question 1	radio
			1 I do not feel happier or more cheerful than usual
			2   I occasionally feel happier or more cheerful than usual
			3   Often feel happier or more cheerful than usual
			4 I feel happier or more cheerful than usual most of the time
			5 I feel happier of more cheerful than usual all of the time
			Custom alignment IV
			Custom alignment: LV

1.0	E1 mbb ch mania?	Ougstion 3	radio
	l51 mbh_ch_mania2	Question 2	radio 1   I do not feel more self-confident than usual
			2   I occasionally feel more self-confident than usual
			3   I often feel more self-confident than usual
			4   I frequently feel more self-confident than usual
			5   I feel extremely self-confident all of the time
			Custom alignment: LV
14	mbh_ch_mania3	Question 3	radio
			1 I do not need less sleep than usual
			2   I occasionally need less sleep than usual
			3 I often need less sleep than usual
			4 I frequently need less sleep than usual
			5   I can go all day and all night without any sleep and still not feel tired
			Custom alignment: LV
14		Question 4	radio
			1 I do not talk more than usual.
			2   I occasionally talk more than usual
			3   I often talk more than usual
			4   I frequently talk more than usual
			5   I talk constantly and cannot be interrupted
			Custom alignment: LV
14	l54 mbh_ch_mania5	Question 5	radio
			1 I have not been more active (either socially, sexually, at work, home, or
			school) than usual
			2 I have occasionally been more active than usual
			3 I have often been more active than usual
			4 I have frequently been more active than usual
			5 I am constantly more active or on the go all the time
			Custom alignment: LV
14	mbh_ch_mania_ttl	Total/Partial Raw Score:	text (integer)
14	mbh_ch_mania_prottl	Prorated Total Raw Score: (if 1 item left unanswered)	text (integer)
14	mbh_ch_anxietyinstr	Section Header: VIII. Anxiety LEVEL 2-Anxiety-Child Age 11-17 (PROMIS Emotional Distress-Anxiety-Pediatric Item Bank)	descriptive
		Instructions to the child: On the DSM-5 Level 1 cross-cutting questionnaire that you just completed, you indicated that during the past 2 weeks you have been bothered by feeling nervous, anxious, or scared, not being able to stop worrying and/or not being able to do things you wanted to or should have done because they made you feel nervous at a mild or greater level of severity.  The questions below ask about these feelings in more detail and especially how often you	
		have been bothered by a list of symptoms during the past 7 days.	

1.450		Castian Handay In the west 7 days	and the (Markita)
1458	promis_2220r2r	Section Header: <i>In the past 7 days</i> I felt like something awful might happen.	radio (Matrix)  1 Never
		Their like Something awith might happen.	
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1459	promis_713r1r	I felt nervous.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1460	promis_227br1r	I felt scared.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1461	promis_5044r1r	I felt worried.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1462	promis_231r1r	I worried about what could happen to me.	radio (Matrix)
	-	"	1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1463	promis_3150br2r	I worried when I went to bed at night.	radio (Matrix)
1403	promis_5150b121	I worned when I went to bed at hight.	1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always

1464	promis_2230r1r	I got scared really easy.	radio (Matrix)
1404		i got scared really easy.	1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1465	promis_3977r1r	I was afraid of going to school.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1466	promis_3021r1r	I was worried I might die.	radio (Matrix)
1400	promis_3021r1r	i was worned i migrit die.	1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1467	promis_3149r1r	I woke up at night scared.	radio (Matrix)
1467	promis_3149r1r	I woke up at night scared.	radio (Matrix)  1 Never
1467	promis_3149r1r	I woke up at night scared.	
1467	promis_3149r1r	I woke up at night scared.	1 Never
1467	promis_3149r1r	I woke up at night scared.	1 Never 2 Almost Never
1467	promis_3149r1r	I woke up at night scared.	<ul><li>1 Never</li><li>2 Almost Never</li><li>3 Sometimes</li></ul>
			<ul> <li>1 Never</li> <li>2 Almost Never</li> <li>3 Sometimes</li> <li>4 Often</li> <li>5 Almost Always</li> </ul>
1467	promis_3149r1r  promis_3459br1r		1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always radio (Matrix)
			1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  radio (Matrix) 1 Never
			1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  radio (Matrix) 1 Never 2 Almost Never
			1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  radio (Matrix) 1 Never 2 Almost Never 3 Sometimes
			1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  radio (Matrix) 1 Never 2 Almost Never 3 Sometimes 4 Often
	promis_3459br1r	I worried when I was at home.	1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  radio (Matrix) 1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always
		I worried when I was at home.	1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  radio (Matrix) 1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always
1468	promis_3459br1r	I worried when I was at home.	1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  radio (Matrix) 1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  radio (Matrix) 1 Never
1468	promis_3459br1r	I worried when I was at home.	1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  radio (Matrix) 1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  radio (Matrix) 1 Never 2 Almost Never 3 Never 4 Often 5 Never 5 Never 7 Never 7 Never
1468	promis_3459br1r	I worried when I was at home.	1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  radio (Matrix) 1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  radio (Matrix) 1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  radio (Matrix) 1 Never 2 Almost Never 3 Sometimes
1468	promis_3459br1r	I worried when I was at home.	1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  radio (Matrix) 1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  radio (Matrix) 1 Never 2 Almost Never 3 Never 4 Often 5 Never 5 Never 7 Never 7 Never
1468	promis_3459br1r	I worried when I was at home.	1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  radio (Matrix) 1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  radio (Matrix) 1 Never 2 Almost Never 3 Sometimes 4 Often 5 Almost Always  radio (Matrix) 1 Never 2 Almost Never 3 Sometimes

1470	promis_953r1r  mbh_ch_repetitiveinstru	Section Header: X. Repetitive Thoughts & Behaviors LEVEL 2-Repetitive Thoughts and Behaviors-Child 11-17 (adapted from the Children's Florida Obsessive-Compulsive Inventory (C-FOCI) Severity Scale) Instructions to the child: On the DSM-5 Level 1 cross-cutting questionnaire that you just completed, you indicated that during the past 2 weeks you have been bothered by "thoughts that kept coming into your mind that you would do something bad or that something bad would happen to you or to someone else", "feeling the need to check on certain things over and over again, like whether a door was locked or whether the stove	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always  descriptive
		was turned off", "worrying a lot about things you touched being dirty or having germs or being poisoned", and/or "feeling you had to do things in a certain way, like counting or saying special things, to keep something bad from happening" at a mild or greater level of severity. The questions below ask about these feelings in more detail and especially how often you have been bothered by a list of symptoms during the past 7 days.	
1472	mbh_ch_repetitive1	Section Header: <i>During the past SEVEN (7) DAYS</i> 1. On average, how much time is occupied by these thoughts or behaviors each day?	radio  0 0-None  1 1-Mild (less than an hour a day)  2 2-Moderate (1 to 3 hours a day)  3 3-Severe (3 to 8 hours a day)  4 4-Extreme (more than 8 hours a day)
1473	mbh_ch_repetitive_score1	1. Clinician use - Item score	text (integer)
1474	mbh_ch_repetitive2	2. How much do they bother you?	radio  0 0-None  1 1-Mild (slightly upsetting)  2 2-Moderate (upsetting but still manageable)  3 3-Severe (very upsetting)  4 4-Extreme (overwhelming distress)
1475	mbh_ch_repetitive_score2	2. Clinician use - Item score	text (integer)
1476	mbh_ch_repetitive3	3. How hard is it for you to control them?	radio  0 0-None  1 1-Mild (usually able to control thoughts or behaviors)  2 2-Moderate (sometimes able to control thoughts or behaviors)  3 3-Severe (not usually able to control thoughts or behaviors)  4 4-Extreme (unable to control thoughts or behaviors)
1477	mbh_ch_repetitive_score3	3. Clinician use - Item score	text (integer)

1478	mbh_ch_repetitive4	4. How much do they cause you to avoid doing things, going places or being with people?	radio
			0 0-None
			1 1-Mild (occasionally avoids things)
			2 2-Moderate (regularly avoids doing these things)
			3 3-Severe (frequently avoids these things)
			4 4-Extreme (nearly complete avoidance; can't leave the house)
1479	mbh_ch_repetitive_score4	4. Clinician use - Item score	text (integer)
1480	mbh_ch_repetitive5	5. How much do they interfere with school, your social or family life, or your job?	radio
			0 0-None
			1 1-Mild (slight interference)
			2 2-Moderate (definite interference with functioning, but can still manage)
			3 3-Severe (substantial interference)
			4 4-Extreme (near-total interference)
1481	mbh_ch_repetitive_score5	5. Clinician use - Item score	text (integer)
1482	mbh_ch_repetitive_ttl	Total/Partial Raw Score	text (integer)
1483	mbh_ch_repetitive_prottl	Prorated Total Raw Score (if 1 item is left unanswered)	text (integer)
1484	mbh_ch_repetitive_avgttl	Average Total Score	text (integer)
1485	mbh_ch_substanceinstr	Section Header: XI. Substance Use LEVEL 2 - Substance Use - Child Age 11-17 (adapted from the NIDA-modified ASSIST)	descriptive
		Instructions to the child: On the DSM-5 Level 1 cross-cutting questionnaire that you just completed, you indicated that during the past 2 weeks you have been bothered by "having an alcoholic beverage"; "smoking a cigarette, a cigar, or pipe or used snuff or chewing tobacco"; "using drugs like marijuana, cocaine or crack, club drugs (like ecstasy), hallucinogens (like LSD), heroin, inhalants or solvents (like glue), or methamphetamine (like speed)"; and/or "using any medicine ON YOUR OWN, that is, without a doctor's prescription, to get high or change the way you feel."	
		The questions below ask about these feelings in more detail and especially how often you have been bothered by a list of symptoms during the past two (2) weeks.	
1486	mbh_ch_subtance1	Section Header: During the past TWO (2) weeks, about how often did you	radio (Matrix)
		a. Have an alcoholic beverage (beer, wine, liquor, etc.)?	0 Not at All
			1 Less Than a Day or Two
			2 Several Days
			3 More Than Half the Days
			4 Nearly Every Day
			98 Don't know
1487	mbh_ch_substance2	b. Have 4 or more drinks in a single day?	radio (Matrix)
	_		0 Not at All
			1 Less Than a Day or Two
			2 Several Days
			3 More Than Half the Days
			4 Nearly Every Day
			98 Don't know
			20 DOLLKINOW

			1	
1488	mbh_ch_substance3	c. Smoke a cigarette, a cigar, or pipe or use snuff or chewing tobacco?		(Matrix)
			1	Not at All
			11	Less Than a Day or Two
			2	Several Days
			3	More Than Half the Days
			1	Nearly Every Day
			98	Don't know
1489	mbh_ch_substance4	Section Header: During the past TWO (2) weeks, about how often did you use any of the following medicines ON	radio	(Matrix)
		YOUR OWN, that is, without a doctor's prescription or in greater amounts or longer than prescribed?  d. Painkillers (like Vicodin)	0	Not at All
		a. Furnishers (the vicedity	1	Less Than a Day or Two
			2	Several Days
			3	More Than Half the Days
			4	Nearly Every Day
			98	Don't know
1490	mbh_ch_substance5	e. Stimulants (like Ritalin, Adderall)	radio	(Matrix)
			0	Not at All
			1	Less Than a Day or Two
			2	Several Days
			3	More Than Half the Days
			4	Nearly Every Day
			98	Don't know
1491	mbh_ch_substance6	f. Sedatives or tranquilizers (like sleeping pills or Valium)	radio	(Matrix)
			0	Not at All
			1	Less Than a Day or Two
			2	Several Days
			3	More Than Half the Days
			4	Nearly Every Day
			98	Don't know
1492	mbh_ch_substance7	Section Header: Or drugs like:	radio	(Matrix)
		g. Steroids		Not at All
			1	Less Than a Day or Two
			2	Several Days
			3	More Than Half the Days
			4	Nearly Every Day
			1 <del> </del>	Don't know
			ഥ	

1493	mbh_ch_substance8	h. Other medicines	radio (Matrix)
1433	This injuries	The other medicines	0 Not at All
			1 Less Than a Day or Two
			2 Several Days
			3 More Than Half the Days
			4 Nearly Every Day
			98 Don't know
1494	mbh_ch_substance9	i. Marijuana	radio (Matrix)
	mbn_cn_sabstances	r. Marijaana	0 Not at All
			1 Less Than a Day or Two
			2 Several Days
			3 More Than Half the Days
			4 Nearly Every Day
			98 Don't know
1495	mbh_ch_substance10	j. Cocaine or crack	radio (Matrix)
		,	0 Not at All
			1 Less Than a Day or Two
			2 Several Days
			3 More Than Half the Days
			4 Nearly Every Day
			98 Don't know
1496	mbh_ch_substance11	k. Club drugs (like ecstasy)	radio (Matrix)
			0 Not at All
			1 Less Than a Day or Two
			2 Several Days
			3 More Than Half the Days
			4 Nearly Every Day
			98 Don't know
1497	mbh_ch_substance12	I. Hallucinogens (like LSD)	radio (Matrix)
			0 Not at All
			1 Less Than a Day or Two
			2 Several Days
			3 More Than Half the Days
			4 Nearly Every Day
			98 Don't know

1	498	mbh_ch_substance13	m. Heroin	radio (N	·
				l	ot at All
				1 Le	ess Than a Day or Two
				2 Se	everal Days
				3 M	ore Than Half the Days
				4 Ne	early Every Day
				98 Do	on't know
1	499	mbh_ch_substance14	n. Inhalants or solvents (like glue)	radio (N	Matrix)
			The state of the s		ot at All
				1 Le	ess Than a Day or Two
					everal Days
					lore Than Half the Days
				l	early Every Day
				l <del></del>	on't know
1	500	mbh_ch_substance15	o. Methamphetamine (like speed)	radio (N	
				1	ot at All
				l	ess Than a Day or Two
				2 Se	everal Days
				3 M	ore Than Half the Days
				4 Ne	early Every Day
				98 Do	on't know
1	501	mbh_ch_abuse_ttl	Total/Partial Raw Score:	text (int	teger)
1	502	mbh_ch_abuse_prottl	Total/Partial Raw Score:	text (int	teger)
1	503	mbh_ch_addtlguide	Additional Guidance: These CDEs include questions that can potentially identify	descrip	tive
			respondents who are at risk of suicide. Investigators implementing this protocol should		
			consult with their IRBs to develop a risk management plan specific to their study to ensure the safety of participants. Investigators should also ensure their studies are compliant with		
			federal, state, and institutional regulations and policies and inform participants of limits of		
			confidentiality when a participant endorses imminent risk of harm to self or others.The following link provides additional information and guidelines for suicide-related research:		
			https://www.nimh.nih.gov/funding/clinical-research/conducting-research-with-participants-		
			at-elevated-risk-for-suicide-considerations-for-researchers.		
$\begin{bmatrix} & & 1 \end{bmatrix}$	504	mbh_ch_tier1	Section Header: Tier 1: Anxiety, Depression, Fatigue PROMIS scales Pediatric measures	descrip	tive
			Due to early research demonstrating the presence of COVID-19/pandemic related mental		
			health symptoms, anxiety, depressive symptoms, and fatigue PROMIS measures were designated Tier 1 in addition to the DSM-5 screener.		
	505	promis_ch8_17_2220r2r	I felt like something awful might happen.	radio (N	Matrix)
	-			1 Nev	
				l <del></del>	nost Never
				l <del></del>	metimes
				4 Oft	
				<del>                                    </del>	nost Always
				12 AIII	1103t Always

	T		
1506	promis_ch8_17_713r1r	I felt nervous.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1507	promis_ch8_17_227br1r	I felt scared.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1508	promis_ch8_17_5044r1r	I felt worried.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1509	promis_ch8_17_3459br1r	I worried when I was at home.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1510	promis_ch8_17_2230r1r	I got scared really easy.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1511	promis sh9 17 221r1r	Lucyriad about what sould baseen to me	
1511	promis_ch8_17_231r1r	l worried about what could happen to me.	radio (Matrix)  1 Never
			2 Almost Never
			<del></del>
			3 Sometimes
			4 Often
			5 Almost Always

			W. Abraha
1512	promis_ch8_17_3150br2r	I worried when I went to bed at night.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1513	promis_ch8_17_488r1r	Section Header: In the past 7 days	radio (Matrix)
		I could not stop feeling sad.	0 Never
			1 Almost Never
			2 Sometimes
			3 Often
			4 Almost Always
4544	numeric ch0 17 4C1 v1 v	I falt sland	
1514	promis_ch8_17_461r1r	l felt alone.	radio (Matrix)  0 Never
			1 Almost Never
			2 Sometimes
			3 Often
			4 Almost Always
1515	promis_ch8_17_5041r1r	I felt everything in my life went wrong.	radio (Matrix)
			0 Never
			1 Almost Never
			2 Sometimes
			3 Often
			4 Almost Always
1516	promis_ch8_17_5035r1r	I felt like I couldn't do anything right.	radio (Matrix)
			0 Never
			1 Almost Never
			2 Sometimes
			3 Often
			4 Almost Always
1.5.5			
1517	promis_ch8_17_711r1r	I felt lonely.	radio (Matrix)  0 Never
			<del>                                     </del>
			1 Almost Never
			2 Sometimes
			3 Often
			4 Almost Always

	1518	promis_ch8_17_228r1r	I felt sad.	radio (Matrix)
				0 Never
				1 Almost Never
				2 Sometimes
				3 Often
				4 Almost Always
	1519	promis_ch8_17_712r1r	l felt unhappy.	radio (Matrix)
				0 Never
				1 Almost Never
				2 Sometimes
				3 Often
				4 Almost Always
-	4.500			
	1520	promis_ch8_17_3952ar2r	It was hard for me to have fun.	radio (Matrix)  0 Never
				1 Almost Never
				2 Sometimes
				3 Often
				4 Almost Always
	1521	promis_4239ar2r	Section Header: In the past 7 days	radio (Matrix)
			Being tired made it hard for me to keep up with my schoolwork.	1 Never
				2 Almost Never
				3 Sometimes
				4 Often
				5 Almost Always
	1522	promis_4212r1r	Being tired made it hard for me to play or go out with my friends as much as I'd like.	radio (Matrix)
			2	1 Never
				2 Almost Never
				3 Sometimes
				4 Often
				5 Almost Always
	1523	promis_4213r1r	I felt weak.	radio (Matrix)
				1 Never
				2 Almost Never
				3 Sometimes
				4 Often
				5 Almost Always

1524	promis_2876r1r	I got tired easily.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1525	promis_4221r1r	I had trouble finishing things because I was too tired.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1526	promis_4220r1r	I had trouble starting things because I was too tired.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1527	promis_4210r2r	I was so tired it was hard for me to pay attention.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1528	promis_4241r2r	I was too tired to do sports or exercise.	radio (Matrix)
1320	Promis_424 1121	Timas too tired to do sports of exercise.	1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1505	. 42001 0		
1529	promis_4208br2r	I was too tired to do things outside.	radio (Matrix)  1 Never
			<del></del>
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always

	1530	promis_4196r1r	I was too tired to enjoy the things I like to do.	radio (Matrix)
				1 Never
				2 Almost Never
				3 Sometimes
				4 Often
				5 Almost Always
	1531	rcads_ch8_18_desc	Section Header: Tier 2: RCADS Anxiety and Depression Scale (Ages 8-18)	descriptive
			Due to early research demonstrating the presence of COVID-19/pandemic related mental	
			health symptoms, anxiety, and depression RCADS measures were designated Tier 2 in addition to the DSM-5 screener and PROMIS Tier 1 measures.	
	1532	rcads_ch8_18_q1	Section Header: Please select the word that shows how often each of these things happens to you. There are no	radio (Matrix)
	,332		right or wrong answers.	0 Never
			1. I worry about things	1 Sometimes
				2 Often
				<del>-  </del>
				3 Always
	1533	rcads_ch8_18_q2	2. I feel sad or empty	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
	1534	rcads_ch8_18_q3	3. When I have a problem, I get a funny feeling in my stomach	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
	1535	rcads_ch8_18_q4	4. I worry when I think I have done poorly at something	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
	1536	rcads_ch8_18_q5	5. I would feel afraid of being on my own at home	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
$\vdash$	1527	reade cho 10 ac	6. Nothing is much fun anymore	
	1537	rcads_ch8_18_q6	o. Nouthing is much run anymore	radio (Matrix)  0 Never
				<del>-    </del>
				1 Sometimes
				2 Often
				3 Always

1538	rcads_ch8_18_q7	7. I feel scared when I have to take a test	radio (Matrix)
			0 Never
			1 Sometimes
			2 Often
			3 Always
1539	rcads_ch8_18_q8	8. I feel worried when I think someone is angry with me	radio (Matrix)
		,	0 Never
			1 Sometimes
			2 Often
			3 Always
4546			
1540	rcads_ch8_18_q9	9. I worry about being away from my parents	radio (Matrix) 0 Never
			<del>                                   </del>
			1 Sometimes
			2 Often
			3 Always
1541	rcads_ch8_18_q10	10. I get bothered by bad or silly thoughts or pictures in my mind	radio (Matrix)
			0 Never
			1 Sometimes
			2 Often
			3 Always
1542	rcads_ch8_18_q11	11. I have trouble sleeping	radio (Matrix)
			0 Never
			1 Sometimes
			2 Often
			3 Always
1543	rcads_ch8_18_q12	12. I worry that I will do badly at my schoolwork	radio (Matrix)
			0 Never
			1 Sometimes
			2 Often
			3 Always
45:	d. ah 0 40 a42	42 Lourneth to mathin out to the first to th	
1544	rcads_ch8_18_q13	13. I worry that something awful will happen to someone in my family	radio (Matrix) 0 Never
			1 Sometimes
			2 Often
			3 Always
1545	rcads_ch8_18_q14	14. I suddenly feel as if I can't breathe when there is no reason for this	radio (Matrix)
			0 Never
			1 Sometimes
			2 Often
			3 Always

	1546	rcads_ch8_18_q15	15. I have problems with my appetite	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
	1547	rcads_ch8_18_q16		radio (Matrix)
			locked)	0 Never
				1 Sometimes
				2 Often
				3 Always
	1548	rcads_ch8_18_q17	17. I feel scared if I have to sleep on my own	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
	1549	rcads_ch8_18_q18	18. I have trouble going to school in the mornings because I feel nervous or afraid	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
	1550	rcads_ch8_18_q19	19. I have no energy for things	radio (Matrix)
	1330	Treads_crio_10_q19	13. Thave no energy for things	0 Never
				1 Sometimes
				2 Often
				3 Always
	1551	rcads_ch8_18_q20	20. I worry I might look foolish	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
	1552	rcads_ch8_18_q21	21. I am tired a lot	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
	1553	rcads_ch8_18_q22	22. I worry that bad things will happen to me	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
-			I .	<del></del>

	-		T	
15	554	rcads_ch8_18_q23	23. I can't seem to get bad or silly thoughts out of my head	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
15	555	rcads_ch8_18_q24	24. When I have a problem, my heart beats really fast	radio (Matrix)
		·		0 Never
				1 Sometimes
				2 Often
				3 Always
15	556	rcads_ch8_18_q25	25. I cannot think clearly	
13	050	rcaus_cno_ro_q25	25. I carriot trink clearly	radio (Matrix)  0 Never
				1 Sometimes
				2 Often
				3 Always
15	557	rcads_ch8_18_q26	26. I suddenly start to tremble or shake when there is no reason for this	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
15	558	rcads_ch8_18_q27	27. I worry that something bad will happen to me	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
15	559	rcads_ch8_18_q28	28. When I have a problem, I feel shaky	
13	959	rcaus_cno_ro_qzo	20. When thave a problem, freeishaky	radio (Matrix)  0 Never
				1 Sometimes
				2 Often
				3 Always
15	560	rcads_ch8_18_q29	29. I feel worthless	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
15	561	rcads_ch8_18_q30	30. I worry about making mistakes	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always

1562	rcads_ch8_18_q31	31. I have to think of special thoughts (like numbers or words) to stop bad things from	radio (Matrix)
1302	1-6443_6110_10_q31	happening	0 Never
			1 Sometimes
			2 Often
			3 Always
1563	rcads_ch8_18_q32	32. I worry what other people think of me	radio (Matrix)
			0 Never
			1 Sometimes
			2 Often
			3 Always
1564	rcads_ch8_18_q33		radio (Matrix)
		playgrounds)	0 Never
			1 Sometimes
			2 Often
			3 Always
1565	rcads_ch8_18_q34	34. All of a sudden, I feel really scared for no reason at all	radio (Matrix)
			0 Never
			1 Sometimes
			2 Often
			3 Always
4566			
1566	rcads_ch8_18_q35	35. I worry about what is going to happen	radio (Matrix) 0 Never
			1 Sometimes
			<del>                                   </del>
			2 Often
			3 Always
1567	rcads_ch8_18_q36	36. I suddenly become dizzy or faint when there is no reason for this	radio (Matrix)
			0 Never
			1 Sometimes
			2 Often
			3 Always
1568	rcads_ch8_18_q37	37. I think about death	radio (Matrix)
			0 Never
			1 Sometimes
			2 Often
			3 Always
1569	rcads_ch8_18_q38	38. I feel afraid if I have to talk in front of my class	radio (Matrix)
		3,000	0 Never
			1 Sometimes
			2 Often
			3 Always
			[3   / may3

	1570	rcads_ch8_18_q39	39. My heart suddenly starts to beat too quickly for no reason	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
	1571	rcads_ch8_18_q40	40. I feel like I dont want to move	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
	1572	rcads_ch8_18_q41	41. I worry that I will suddenly get a scared feeling when there is nothing to be afraid of	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
$\vdash$	1570		42. I have to do come things over and over age of the weaking and hards also visual	
	1573	rcads_ch8_18_q42	42. I have to do some things over and over again (like washing my hands, cleaning or putting things in a certain order)	radio (Matrix) 0 Never
				1 Sometimes
				2 Often
				<del>   </del>
				3 Always
	1574	rcads_ch8_18_q43	43. I feel afraid that I will make a fool of myself in front of people	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
	1575	rcads_ch8_18_q44	44. I have to do some things in just the right way to stop bad things from happening	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
	1576	rcads_ch8_18_q45	45. I worry when I go to bed at night	radio (Matrix)
				0 Never
				1 Sometimes
				2 Often
				3 Always
	1577	rcads_ch8_18_q46	46. I would feel scared if I had to stay away from home overnight	radio (Matrix)
		'	, ,	0 Never
				1 Sometimes
				2 Often
				3 Always
				-

1578	rcads_ch8_18_q47	47. I feel restless	radio (Matrix)
			0 Never 1 Sometimes
			2 Often
			3 Always
1570	Average also 40 days	Section Header: Tier 2	
1579	trauma_ch8_18_desc	TRAUMA	descriptive
		Age 8-17	
		CRIES-8	
1580	trauma_ch8_18_q1	Section Header: Below is a list of comments made by people after stressful life events. Please tick each item showing how frequently these comments were true for you during the past seven days. If they did not occur during	radio (Matrix)
		that time, please tick the 'not at all' box.	0 Not at all
		1. Do you think about it even when you don't mean to?	1 Rarely
			3 Sometimes
			5 Often
1581	trauma_ch8_18_q2	2. Do you try to remove it from your memory?	radio (Matrix)
			0 Not at all
			1 Rarely
			3 Sometimes
			5 Often
1582	trauma_ch8_18_q3	3. Do you have waves of strong feelings about it?	radio (Matrix)
			0 Not at all
			1 Rarely
			3 Sometimes
			5 Often
1583	trauma_ch8_18_q4	4. Do you stay away from reminders of it (e.g. places or situations)?	radio (Matrix)
			0 Not at all
			1 Rarely
			3 Sometimes
			5 Often
1584	trauma_ch8_18_q5	5. Do you try to talk about it?	radio (Matrix)
			0 Not at all
			1 Rarely
			3 Sometimes
			5 Often
1585	trauma_ch8_18_q6	6. Do pictures about it pop into your mind?	radio (Matrix)  0 Not at all
			1 Rarely
			<del>                                     </del>
			3 Sometimes
			5 Often

1586	trauma_ch8_18_q7 trauma_ch8_18_q8	7. Do other things keep making you think about it?  8. Do you try not to think about it?	radio (Matrix)  0 Not at all  1 Rarely  3 Sometimes  5 Often  radio (Matrix)
			0 Not at all 1 Rarely 3 Sometimes 5 Often
1588	desc	Section Header: PROMIS Pain Interference Age 8-17	descriptive
1589	promis_1698br1r	Section Header: <i>In the past 7 days</i> I felt angry when I had pain.	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always
1590	promis_2035r1r	I had trouble doing schoolwork when I had pain.	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always
1591	promis_3793r1r	I had trouble sleeping when I had pain.	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always
1592	promis_9004r	It was hard for me to pay attention when I had pain.	radio (Matrix)  1 Never  2 Almost Never  3 Sometimes  4 Often  5 Almost Always

1593	promis_2045r1r	It was hard for me to run when I had pain.	radio (Matrix)
1595	promis_2045i iii	it was hard for the to run when thad pain.	1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1594	promis_2049r1r	It was hard for me to walk one block when I had pain.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1595	promis_1703r1r	It was hard to have fun when I had pain.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1596	promis_2180r1r	It was hard to stay standing when I had pain.	radio (Matrix)
			1 Never
			2 Almost Never
			3 Sometimes
			4 Often
			5 Almost Always
1597	promis_pedspcf5_fc	Section Header: PROMIS Cognitive FunctionAge 8-17In the past 4 weeks	radio (Matrix)
		I have to use written lists more often than other people my age so I will not forget things.	5 None of the time
			4 A little of the time
			3 Some of the time
			2 Most of the time
			1 All of the time
1598	promis_nqcog44_2c	It is hard for me to pay attention to one thing for more than 5-10 minutes.	radio (Matrix)
1550	promis_riquog++_2c	a straig for the to pay attention to one uning for more than 5 for minutes.	5 None of the time
			4 A little of the time
			3 Some of the time
			2 Most of the time
			1 All of the time
			I All of the time

1599	promis_nqcog65_2c	I have trouble keeping track of what I am doing if I get interrupted.	radio (Matrix)  5 None of the time
			4 A little of the time
			3 Some of the time
			2 Most of the time
			1 All of the time
1600	promis_pb10_fc	I have to read things several times to understand them.	radio (Matrix)
			5 None of the time
			4 A little of the time
			3 Some of the time
			2 Most of the time
			1 All of the time
1601	promis_pb8_fc	I forget things easily.	radio (Matrix)
			5 None of the time
			4 A little of the time
			3 Some of the time
			2 Most of the time
			1 All of the time
1602	promis_pedspcf8_fc	I have to work really hard to pay attention or I make mistakes	radio (Matrix)
			5 None of the time
			4 A little of the time
			3 Some of the time
			2 Most of the time
			1 All of the time
1603	promis_pedspcf6_fc	I have trouble remembering to do things like school projects or chores	radio (Matrix)
			5 None of the time
			4 A little of the time
			3 Some of the time
			2 Most of the time
			1 All of the time
1604	mbh_ch_tier2	Section Header: Tier 2: Externalizing Symptoms	descriptive
		While prioritized as a Tier 2 measure, this Working Group does not recommend specific measures since the most commonly used measures (Child Behavior Checklist and	
		Strengths and Difficulties Questionnaire) require licensing. The Multidimensional	
		Assessment Profile of Disruptive Behavior (MAP-DB), is available for use as well and does not require a license.	
1605	mental_and_behavioral_health_complete	Section Header: Form Status	dropdown
		Complete?	0 Incomplete
			1 Unverified
			2 Complete
	1		11 1

1606	hc_p_abtch	Section Header: Health Insurance Status	descriptive		
	·	Parent Report About Child	Field Annotation: RADxUP  https://radx-up.org/wp-		
			content/uploads/2021/01/RADx-UPREDCap20201230_codebookpdf  Modified to ask about child		
1607	hc_p_abtch_status	What is the primary kind of health insurance or health care plan that your child has now?	radio		
			1 Child does NOT have health insurance		
			2 Private (purchased directly or through employment)		
			3 Public (Medicare, Medicaid, Tricare)		
			98 Don't know		
			99 Prefer not to answer		
			Custom alignment: LV		
1608	hc_p_abtch_insurance	Section Header: COVID-19 Changes to Health Insurance Parent Report About Child	yesno		
		During this pandemic (since March 2020) has this child had a change in their health	1 Yes		
		insurance coverage?	0 No		
			Contain all managers DU		
			Custom alignment: RH Field Annotation: Pregnancy CDE   MACS-WIHS Baseline COVID-19 Abbreviated		
			Questionnaire  https://dr2.nlm.nih.gov/search/?q=24206		
1609	hc_p_abtch_insurance_yes	If yes, what changes occurred?	radio		
	Show the field ONLY if:		1 Loss of this child's health insurance		
	[hc_p_abtch_insurance]='1'		2 Fewer benefits / less coverage from insurance		
			Gaining of insurance, for example as part of emergency coverage of     Medicaid expansion		
			[ ] maddad ovposition		
			Custom alignment: LV		
1610	hc_p_abtch_hca	Section Header: COVID-19 Changes to Health Care Access Parent Report About Child	yesno		
		During the COVID-19 pandemic (since March 2020), was there any time when this child needed health care, but it was not received? By health care, we mean medical care as well	1 Yes		
		as other kinds of care like dental care, vision care, and mental health services	0 No		
			Custom alignment: RH		
			Field Annotation: National Survey of Children's Health, 2020		
			Questionnaire https://mchb.hrsa.gov/data/national-surveys/questionnaires- datasets-supporting-documents		
1611	hc_p_abtch_hca_yes	If yes, which types of care were not received? Select all that apply:	checkbox		
	Show the field ONLY if:		1 hc_p_abtch_hca_yes1 Medical Care		
	[hc_p_abtch_hca] = '1'		2 hc_p_abtch_hca_yes2 Dental Care		
			3 hc_p_abtch_hca_yes3 Vision Care		
			4 hc_p_abtch_hca_yes4 Hearing Care		
			5 hc_p_abtch_hca_yes5 Mental Health Services		
			96 hc_p_abtch_hca_yes96 Other (Specify)		
1612	hc_p_abtch_hca_yes_oth	Specify other	text		
	Show the field ONLY if:				
	[hc_p_abtch_hca_yes(96)]='1'				

1613	hc_p_abtch_hca_rate_mhca	Please rate how much the coronavirus pandemic has changed your family's life in each of	radio
		the following ways	1 No change
		Medical health care access	2 Appointments moved to telehealth
			Delays or cancellations in appointments and/or delays in getting prescriptions or regular vaccinations (e.g., MMR); changes have minimal impact on health
			4 Unable to access needed care resulting in severe risk and/or significant impact
			Custom alignment: LV Field Annotation: ABCD COVID-19 Impact Parent Report  Modified to add vaccinations to question stem  Modified to remove "Mild", "Moderate", "Severe"  https://www.nlm.nih.gov/dr2/ABCD_COVID-19_Impact_Measure- Parent.pdf
1614	hc_p_abtch_hca_rate_mhta	Please rate how much the coronavirus pandemic has changed your family's life in each of	radio
		the following ways	1 No change
		Mental health treatment access	2 Appointments moved to telehealth
			Delays or cancellations in appointments and/or delays in getting prescriptions or regular vaccinations (e.g., MMR); changes have minimal impact on health
			4 Unable to access needed care resulting in severe risk and/or significant impact
			Custom alignment: LV
1615	hc_p_abtch_treatment1	Section Header: Receiving Behavioral Health/Mental Health Treatment (Tier 2) Parent Report About Child	radio
		During the COVID-19 pandemic (since March 2020), has this child received any treatment or counseling from a mental health professional? Mental health professionals include	1 Yes
		psychiatrists, psychologists, psychiatric nurses, and clinical social workers	2 No, but this child needed to see a mental health professional
			3 No, this child did not need to see a mental health professional
			Custom alignment: LV Field Annotation: National Survey of Children's Health, 2020 Questionnaire  https://mchb.hrsa.gov/data/national-surveys/questionnaires-datasets- supporting-documents
1616	hc_p_abtch_treatment2	During the COVID-19 pandemic (since March 2020), has this child taken any medication because of difficulties with their emotions, concentration, or behavior?	yesno 1 Yes 0 No
			Custom alignment: RH
1617	hc_p_abtch_develop1	Section Header: Services for Developmental Needs (Tier 2) Has this child EVER received special services to meet their developmental needs such as speech, occupational, or behavioral therapy?	yesno 1 Yes 0 No
			Custom alignment: RH Field Annotation: National Survey of Children's Health, 2020 Questionnaire  Modified to ask before pandemic  https://mchb.hrsa.gov/data/national- surveys/questionnaires-datasets-supporting-documents

	1618	hc_p_abtch_develop2	Is/was this child receiving these special services during the pandemic (since March 2020)?	yesr 1 0	Yes No	
				Cust	com alignment: RH	
	1619	hc_p_abtch_develop3	Was this child receiving these special services before the pandemic (before March 2020)?	yesr 1 0	Yes	
				Cust	om alignment: RH	
	1620	health_care_complete	Section Header: Form Status Complete?	0	odown Incomplete Unverified Complete	
In	strument:	<b>Demographics</b> (demographics)	nabled as survey	1		^ Collapse Collapse
	1		Section Header: COVID-19 Pediatric Joint Group Discussion Recommended Measures		and a Advance	
	1621	sex_descr	Section Header: COVID-19 Pediatric Joint Group Discussion Recommended Measures  Sex	desc	criptive	
	1622	d_sex	What was the participant's sex assigned at birth?	radi	0	
				1	Female	
				2	Male	
				3	Intersex	
				4	None of these describe the participant	
				99	Prefer not to answer	
				cont PX0 <sup>-</sup> rem	d Annotation: RADxUP CDE https://radx-u ent/uploads/2021/01/RADx-UPREDCa 11601 https://www.phenxtoolkit.org/prot ove "biological" consistent with RADxUP, ead of "you"	p20201230_codebookpdf   cocols/view/%2011601  Modified to
	1623	age_descr	Age	desc	criptive	
	1624	d_age	[ > 2 years] What is the participant's current age in years?  years	Field CDE	(integer, Min: 2) d Annotation: Clinical Data Coordination ( https://www.radxrad.org/resource/guida nents-cdes/   modified to ask "participan	ance-for-use-of-common-data-
	1625	d_age_2	[ < 2 years ] What is the participant's current age in months? months	Field CDE	(integer, Min: 0, Max: 48) d Annotation: Clinical Data Coordination ( https://www.radxrad.org/resource/guida nents-cdes/   modified to ask "participan	ance-for-use-of-common-data-
	1626	d_gest_age	Section Header: Gestational age at birth (Tier 2) (Ages 0-2 years)  If < 2 years of age, what was the participant's gestational age at birth (in weeks)?  weeks	Field http	(number) d Annotation: Biomedical Pediatric WG, s://www.cdc.gov/nchs/nvss/facility-works =URL%3A%3Aasc&Categories=Newborn%	
	1627	d_gest_age_unkref		radi	0	
		Show the field ONLY if: [d_gest_age]="		98 99	Unknown Refused	
	1628	eth_descr	Section Header: Ethnicity	desc	criptive	

1	1629	d_ethn	Is the participant of Hispanic, Latino, or Spanish origin?	radio  1 No, not of Hispanic, Latino, or Spanish origin  2 Yes, of Hispanic, Latino, or Spanish origin
				99 Prefer not to say  Field Annotation: Census https://www.phenxtoolkit.org/protocols/view/11901   modified to ask "participant"
	1630	race_descr	Race	descriptive
1	1631	d_race	What is the participant's race? Mark one or more boxes	checkbox
				1 d_race1 American Indian or Alaska Native
				2 d_race2 Asian
				3 d_race3 Black or African American
				4 d_race4 Native Hawaiian or Other Pacific Islander
				5 d_race5 White
				96 d_race96 Some other race
				99 d_race99 Prefer not to answer
				199 u_race99   Prefer not to answer
				Field Annotation: RADx, RADxUP   https://www.radxrad.org/wp-content/uploads/2021/03/RADx_rad_CDE_guideline_1.2.pdf
1	1632	zip_descr	Section Header:	descriptive
			Zip Code	
	1633	d_zip	What is the participant's 5-digit zip code?	text (zipcode) Field Annotation: Clinical Data Coordination Group (Project 5) CDE, Tier 1   modified to ask "participant"
1	1634	demogdesc3	Additional Guidance: Participant's zip code and birth date are protected health information, please refer to the guidance document for more information.	descriptive
1	1635	d_ch_transgender	Section Header: Gender Identity (Tier 2) Additional Guidance: The Working Group consulted the NIH Sexual &	radio
			Gender Minority Research Office (SGMRO) to ascertain whether there is an established measure of Gender Identity validated in children as the PhenX P11801 Measure is for participants 18+ years. As of now, there is not a	1 Yes
			preferred pediatric-specific validated measure, and this remains an important gap in the SGM data collection repertoire. There are many ongoing efforts to address this gap, including the work of the Measuring Sexual	2 Maybe
			Orientation and Gender Identity (SOGI) Research Group's Youth Subgroup, and an in-progress NIH-commissioned	3 No
			consensus report from the National Academies of Sciences, Engineering, and Medicine on collecting sex, gender identity, and sexual orientation data. One measure used in ages 9-10 in the ABCD Study® is presented below, and	99 Did not understand
			this data element will be amended if future guidance on the topic is updated:	
			Child Self-Report (Ages 9+)	Field Annotation: ABCD   https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6584307/
			Are you transgender?	Tittps://www.ncbi.nim.nim.gov/pmc/articles/PMC6364307/
1	1636	d_p_abtch_transgender	Section Header: Parent Report about Child (Ages 9+)	radio
			Is your child transgender?	1 Yes
				2 Maybe/dont know
				3 No
				99 Decline to answer
<del>     </del>	1637	demographics_complete	Section Header: Form Status	dropdown
	100/	demographics_complete	Complete?	0 Incomplete
				1 Unverified
				2 Complete
				Z Complete

Ins	strument:	Disability Functional Status (disability	/_functional_status) 🚨 Enabled as survey	↑ Collapse Collapse
	1638	dfs_ch_15_deaf	Section Header: Disability Status (Tier 2) Child Self-Report (Ages 15+)  1. Are you deaf, or do you have serious difficulty hearing?	yesno 1 Yes 0 No  Custom alignment: RH Field Annotation: ACS-6
				https://www.cdc.gov/ncbddd/disabilityandhealth/datasets.html
	1639	dfs_ch_blind	2. Are you blind, or do you have serious difficulty seeing, even when wearing glasses?	yesno 1 Yes 0 No
				Custom alignment: RH
	1640	dfs_ch_condition	Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions? (5 years old or older)	yesno 1
		1.5		Custom alignment: RH
	1641	dfs_ch_walking	4. Do you have serious difficulty walking or climbing stairs? (5 years old or older)	yesno 1
				Custom alignment: RH
	1642	dfs_ch_dress	5. Do you have difficulty dressing or bathing? (5 years old or older)	yesno 1
				Custom alignment: RH
	1643	dfs_ch_errands	6. Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone such as visiting a doctor's office or shopping? (15 years old or older)	yesno 1 Yes 0 No  Custom alignment: RH
	1644	dfs_p_abtch0_5	Section Header: Parent Report About Child (As used in National Survey of Children's Health)  Ages 0-5 Does this child have any of the following?	descriptive
	1645	dfs_p_abtch_0_5_q1	Deafness or problems with hearing?	yesno 1 Yes 0 No  Custom alignment: RH
	1646	dfs_p_abtch_0_5_q2	Blindness or problems with seeing even when wearing glasses?	yesno 1 Yes 0 No  Custom alignment: RH
	1647	dfs_p_abtch6_11	Ages 6-11 Does this child have any of the following?	descriptive

1648	dfs_p_abtch_6_11_q1	Serious difficulty concentrating, remembering, or making decisions because of a physical, mental, or emotional condition?	yesno 1 Yes 0 No
			Custom alignment: RH
1649	dfs_p_abtch_6_11_q2	Serious difficulty walking or climbing stairs?	yesno 1 Yes 0 No
			Custom alignment: RH
1650	dfs_p_abtch_6_11_q3	Difficulty dressing or bathing?	yesno 1 Yes 0 No  Custom alignment: RH
1651	dfs_p_abtch_6_11_q4	Deafness or problems with hearing?	yesno
1031	uis_p_abitii_o_rr_q+	beamess of problems with healing:	1 Yes 0 No
			Custom alignment: RH
1652	dfs_p_abtch_6_11_q5	Blindness or problems with seeing even when wearing glasses?	yesno 1 Yes 0 No
			Custom alignment: RH
1653	dfs_p_abtch12	Ages 12+ Does this child have any of the following?	descriptive
1654	dfs_p_abtch_12_q1	Serious difficulty concentrating, remembering, or making decisions because of a physical, mental, or emotional condition?	yesno 1 Yes 0 No  Custom alignment: RH
1655	dfs_p_abtch_12_q2	Serious difficulty walking or climbing stairs?	yesno 1 Yes 0 No  Custom alignment: RH
1656	dfs_p_abtch_12_q3	Difficulty dressing or bathing?	yesno 1 Yes
			0 No  Custom alignment: RH
1657	dfs_p_abtch_12_q4	Difficulty doing errands alone, such as visiting a doctor's office or shopping, because of a physical mental, or emotional condition?	yesno 1 Yes 0 No
			Custom alignment: RH

1658	dfs_p_abtch_12_q5	Deafness or problems with hearing?	yesno 1 Yes 0 No  Custom alignment: RH
1659	dfs_p_abtch_12_q6	Blindness or problems with seeing even when wearing glasses?	yesno 1 Yes 0 No  Custom alignment: RH
1660	dfs_addtlguide1	Additional Guidance: For studies wanting to collect more than this short 6-item set, it is recommended to use the Washington Group / UNICEF Child Functioning Module, which serves as an international standard for assessing disability in children 2-4, and 5-17: https://www.washingtongroupdisability.com/question-sets/wgunicef-child-functioning-module-cfm/	descriptive
1661	cshch_desc	Section Header: Special Health Care Needs (Tier 2) Parent Report About Child  CSHCN: https://www.cahmi.org/projects/children-with-special-health-care-needs-screener/ Special Health Care Needs 5 Item Screenerhttps://depts.washington.edu/dbpeds/Screening%20Tools/CSHCN-CAMHIScreener.pdf	descriptive
1662	dfs_p_abtch_hc1	Does your child currently need or use medicine prescribed by a doctor (other than vitamins)?	yesno 1 Yes 0 No  Custom alignment: RH
1663	dfs_p_abtch_hc1a Show the field ONLY if: [dfs_p_abtch_hc1] = '1'	1a. Is this because of ANY medical, behavioral or other health condition?	yesno 1 Yes 0 No  Custom alignment: RH
1664	dfs_p_abtch_hc1b Show the field ONLY if: [dfs_p_abtch_hc1] = '1'	1b. Is this a condition that has lasted or is expected to last for at least 12 months?	yesno           1         Yes           0         No    Custom alignment: RH
1665	dfs_p_abtch_hc2	2. Does your child need or use more medical care, mental health or educational services than is usual for most children of the same age?	yesno           1         Yes           0         No    Custom alignment: RH
1666	dfs_p_abtch_hc2a Show the field ONLY if: [dfs_p_abtch_hc2] = '1'	2a. Is this because of ANY medical, behavioral or other health condition?	yesno           1         Yes           0         No    Custom alignment: RH

1007	dfc n abtch hc2h	The leathing a condition that has losted as is over a tail to lost few at least 12 years 12.	Lucena
1667	dfs_p_abtch_hc2b	2b. Is this a condition that has lasted or is expected to last for at least 12 months?	yesno 1 Yes
	Show the field ONLY if: [dfs_p_abtch_hc2] = '1'		
	[uis_p_usteri_ric2]		0 No
			Custom alignment: RH
1668	dfs_p_abtch_hc3	3. Is your child limited or prevented in any way in his or her ability to do the things most	yesno
		children of the same age can do?	1 Yes
			0 No
			Custom alignment: RH
1669	dfs_p_abtch_hc3a	3a. Is this because of ANY medical, behavioral or other health condition?	yesno
	Show the field ONLY if:		1 Yes
	[dfs_p_abtch_hc3] = '1'		0 No
			Custom alignment: RH
1670	dfs_p_abtch_hc3b	3b. Is this a condition that has lasted or is expected to last for at least 12 months?	yesno
	Show the field ONLY if:		1 Yes
	[dfs_p_abtch_hc3] = '1'		0 No
			Custom alignment: RH
1671	dfs_p_abtch_hc4	4. Does your child need or get special therapy, such as physical, occupational or speech	yesno
		therapy?	1 Yes
			0 No
			Custom alignment: RH
1672	dfs_p_abtch_hc4a	4a. Is this because of ANY medical, behavioral or other health condition?	yesno
	Show the field ONLY if:		1 Yes
	[dfs_p_abtch_hc4] = '1'		0 No
			Custom alignment: RH
1673	dfs_p_abtch_hc4b	4b. Is this a condition that has lasted or is expected to last for at least 12 months?	yesno
	Show the field ONLY if:		1 Yes
	[dfs_p_abtch_hc4] = '1'		0 No
1674	dfs_p_abtch_hc5	5. Does your child have any kind of emotional, developmental or behavioral problem for	Custom alignment: RH
1074	αισ_ρ_abten_neσ	which he or she needs or gets treatment or counseling?	yesno 1 Yes
			0 No
			Custom alignment: RH
1675	dfs_p_abtch_hc5a	5a. Has this problem lasted or is it expected to last for at least 12 months?	yesno
	Show the field ONLY if:		1 Yes
	[dfs_p_abtch_hc5] = '1'		0 No
			Custom alignment: RH

1676	dfs_addtnlguide	Guidance: If respondents answer that children have any of these special needs or limitations and that the problem has lasted or is expected to last 12 months or more, children are classified as special needs and are asked more questions than children without special needs. The survey includes information on how often during the past 12 months medical, behavioral, or other health conditions affected the ability of the children identified as having special needs to do things other children of the same age do; how much these conditions affect the children's ability; and how often children's health care needs change.	descriptive Field Annotation: Functional Disability Inventory   https://pubmed.ncbi.nlm.nih.gov/16480823/	
1677	dfs_ch8_17_fdi_desc	Section Header: Normative Physical Functional Status Child Self Report (Ages 8-17) When people are sick or not feeling well, it is sometimes difficult for them to do their regular activities.	descriptive Field Annotation: Functional Disability Inventory   https://pubmed.ncbi.nlm.nih.gov/16480823/	
1678	dfs_ch8_17_fdi_q1	Section Header: In the past two weeks, would you have had any physical trouble or difficulty doing these activities?  1. Walking to the bathroom	radio (Matrix)  0 No trouble  1 A little trouble  2 Some trouble  3 A lot of trouble  4 Impossible	
1679	dfs_ch8_17_fdi_q2	2. Walking up stairs	radio (Matrix)  0 No trouble  1 A little trouble  2 Some trouble  3 A lot of trouble  4 Impossible	
1680	dfs_ch8_17_fdi_q3	3. Doing something with a friend. (For example, playing a game.)	radio (Matrix)  0 No trouble  1 A little trouble  2 Some trouble  3 A lot of trouble  4 Impossible	
1681	dfs_ch8_17_fdi_q4	4. Doing chores at home	radio (Matrix)  0 No trouble  1 A little trouble  2 Some trouble  3 A lot of trouble  4 Impossible	
1682	dfs_ch8_17_fdi_q5	5. Eating regular meals	radio (Matrix)  0 No trouble  1 A little trouble  2 Some trouble  3 A lot of trouble  4 Impossible	

1505	JE1-0 47 6JI C	C Delegan all described as a second	and the (Markita)
1683	dfs_ch8_17_fdi_q6	6. Being up all day without a nap or rest	radio (Matrix)
			0 No trouble
			1 A little trouble
			2 Some trouble
			3 A lot of trouble
			4 Impossible
1684	dfs_ch8_17_fdi_q7	7. Riding the school bus or traveling in the car	radio (Matrix)
			0 No trouble
			1 A little trouble
			2 Some trouble
			3 A lot of trouble
			4 Impossible
1685	dfs_ch8_17_fdi_q8	Section Header: Remember, you are being asked about difficulty due to physical health	radio (Matrix)
1005	dis_cno_1/rdi_qo	8. Being at school all day	0 No trouble
			1 A little trouble
			2 Some trouble
			3 A lot of trouble
			4 Impossible
1686	dfs_ch8_17_fdi_q9	9. Doing the activities in gym class (or playing sports)	radio (Matrix)  0 No trouble
			<del></del>
			1 A little trouble
			2 Some trouble
			3 A lot of trouble
			4 Impossible
1687	dfs_ch8_17_fdi_q10	10. Reading or doing homework	radio (Matrix)
			0 No trouble
			1 A little trouble
			2 Some trouble
			3 A lot of trouble
			4 Impossible
1688	dfs_ch8_17_fdi_q11	11. Watching TV	radio (Matrix)
			0 No trouble
			1 A little trouble
			2 Some trouble
			3 A lot of trouble
			4 Impossible
			4 Impossible

1689	dfs_ch8_17_fdi_q12	12. Walking the length of a football field	radio (Matrix)  0 No trouble  1 A little trouble  2 Some trouble  3 A lot of trouble  4 Impossible
1690	dfs_ch8_17_fdi_q13	13. Running the length of a football field	radio (Matrix)  0 No trouble  1 A little trouble  2 Some trouble  3 A lot of trouble  4 Impossible
1691	dfs_ch8_17_fdi_q14	14. Going shopping	radio (Matrix)  0 No trouble  1 A little trouble  2 Some trouble  3 A lot of trouble  4 Impossible
1692	dfs_ch8_17_fdi_q15	15. Getting to sleep at night and staying asleep	radio (Matrix)  0 No trouble  1 A little trouble  2 Some trouble  3 A lot of trouble  4 Impossible
1693	devmilestone	Section Header: Developmental Milestones (Tier 2)  • Parent Report About Child (Ages 0-5) by age bands:• SWYC: https://www.tuftschildrenshospital.org/The-Survey-of-Wellbeing-of-Young- Children/Age-Specific-Forms	descriptive
1694	dfs_p_abtch_ddss1	Section Header: Developmental Delay Screening/Surveillance (Tier 1) Parent Report about Child (Ages 9 months-5 years)  DURING THE PAST 12 MONTHS, did this child see a doctor, nurse, or other health care professional for sick-child care, well-child check-ups, physical exams, hospitalizations, or any other kind of medical care?	yesno  1 Yes 0 No  Custom alignment: RH Field Annotation: National Survey of Children's Health  Modified to ask whether the parent had a concern about developmental milestones that was not asked by provider  Note: can add skip logic https://jamanetwork.com/journals/jamapediatrics/fullarticle/2686728
1695	dfs_p_abtch_ddss2	DURING THE PAST 12 MONTHS, did you, another family member or a friend have concerns about this child's learning, development, or behavior?	yesno 1 Yes 0 No  Custom alignment: RH

1696	dfs_p_abtch_ddss3	DURING THE PAST 12 MONTHS, did this child's doctors or other health care providers ask if you have concerns about this child's learning, development, or behavior?	yesno 1 Yes 0 No  Custom alignment: RH
1697	dfs_p_abtch_ddss4	DURING THE PAST 12 MONTHS, did you, another family member or a friend have concerns about this child's learning, development, or behavior that wasn't asked about by your provider?	yesno 1 Yes 0 No  Custom alignment: RH
1698	dfs_p_abtch_ddss5	DURING THE PAST 12 MONTHS, did a doctor or other health care provider have you or another caregiver fill out a questionnaire about observations or concerns you may have about this child's development, communication, or social behaviors? Sometimes a child's doctor or other health care provider will ask a parent to do this at home or during a child's visit.	yesno 1 Yes 0 No  Custom alignment: RH
1699	dfs_p_abtch_ddss5a Show the field ONLY if: [dfs_p_abtch_ddss5] = '1'	If yes, did the questionnaire ask about your concerns or observations about:  Mark ALL that apply.	checkbox  1 dfs_p_abtch_ddss5a1 How this child talks or makes speech sounds?  2 dfs_p_abtch_ddss5a2 How this child interacts with you and others?  Custom alignment: LV
1700	dfs_p_abtch_ddss5b	If yes, and this child is 2-5 years of age:	checkbox
	Show the field ONLY if:	Did the questionnaire ask about your concerns or observations about:	dfs_p_abtch_ddss5b1 Words and phrases this child uses and understands?
	[dfs_p_abtch_ddss5] = '1'	Mark ALL that apply.	2 dfs_p_abtch_ddss5b2 How this child behaves and gets along with you and others?
			Custom alignment: LV
1701	disability_functional_status_complete	Section Header: Form Status Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
Instrument:	Baseline Child Health 2 (baseline_child	d_health_2) 🔄 Enabled as survey	^ Collapse Collapse
1702	bch_under_cond_bio	Section Header: Underlying Conditions (from Biomedical WG)	checkbox
		Significant underlying medical conditions at the time of COVID-19 testing or diagnosis:	1 bch_under_cond_bio1 Diabetes type I
			2 bch_under_cond_bio2 Diabetes type II
			3 bch_under_cond_bio3 Obesity
			4 bch_under_cond_bio4 Asthma
			5 bch_under_cond_bio5 Bronchopulmonary dysplasia (BPD)
			6 bch_under_cond_bio6 Cystic fibrosis
			7 bch_under_cond_bio7 Obstructive sleep apnea
			8 bch_under_cond_bio8 Tracheomalacia
			9 bch_under_cond_bio9 Cancer
			10 bch_under_cond_bio10 HIV/AIDS

			11 bch_under_cond_bio1	Hematopoietic cell recipient/bone marrow transplant recipient
			12 bch_under_cond_bio1	2 Solid organ transplant recipient
			13 bch_under_cond_bio1:	Rheumatologic conditions (e.g. rheumatoid arthritis, systemic lupus erythematosus, vasculitis)
			14 bch_under_cond_bio1	4 Hypertension
			15 bch_under_cond_bio1	Congenital heart disease
			16 bch_under_cond_bio1	6 Heart failure
			17 bch_under_cond_bio1	7 Cardiomyopathy
			18 bch_under_cond_bio18	History of Kawasaki Disease (not a current diagnosis)
			19 bch_under_cond_bio1	History of MIS-C (not a current diagnosis)
			20 bch_under_cond_bio2	Inflammatory bowel disease
			21 bch_under_cond_bio2	Feeding tube dependent
			22 bch_under_cond_bio2	2 Sickle cell disease
			23 bch_under_cond_bio2	Thrombotic disorders
			24 bch_under_cond_bio2	Chronic liver disease
			25 bch_under_cond_bio2	Chronic kidney disease
			26 bch_under_cond_bio2	Seizure disorder/epilepsy
			27 bch_under_cond_bio2	7 Eczema
			28 bch_under_cond_bio2	Physical disability (including cerebral palsy)
			29 bch_under_cond_bio2	Down syndrome
			30 bch_under_cond_bio30	Congenital syndromes/anomalies or genetic conditions including other chromosomal syndromes
			31 bch_under_cond_bio3	Premature or neonatal conditions
			32 bch_under_cond_bio3	Pregnancy (if of reproductive age)
			96 bch_under_cond_bio9	Other conditions (specify)
			modifications https://www.who platform-case-report-form-(crf	OVID Case Report Form  WG pediatric D.int/publications/i/item/global-covid-19-clinica J-for-post-covid-conditions-(post-covid-19- 20COVID%20case%20report,be%20available%2
1703	bch_under_cond_bio_oth	Specify other	text	
	Show the field ONLY if: [bch_under_cond_bio(96)] = '1'			

1704	bch_pan_cond	Premature and Neonatal Conditions (Tier 2)	checkbox
			1 bch_pan_cond1 Fetal malnutrition
			2 bch_pan_cond2 Extreme immaturity
			3 bch_pan_cond3 Cerebral hemorrhage at birth
			4 bch_pan_cond4 Spinal cord injury at birth
			5 bch_pan_cond5 Birth asphyxia
			6 bch_pan_cond6 Respiratory diseases
			7 bch_pan_cond7 Hypoxic-ischemic encephalopathy
			96 bch_pan_cond96 Other
			Custom alignment: LV Field Annotation: Feudtner C, Feinstein JA, Zhong W, Hall M, Dai D. Pediatric complex chronic conditions classification system version 2: updated for ICD-10 and complex medical technology dependence and transplantation. BMC Pediatr. 2014 Aug 8;14:199. doi: 10.1186/1471-2431-14-199. PMID: 25102958; PMCID: PMC4134331.  https://pubmed.ncbi.nlm.nih.gov/25102958/
1705	bch_pan_cond_oth	Specify other	text
	Show the field ONLY if: [bch_pan_cond(96)] = '1'		
1706	bch_under_cond_psych	Section Header: Underlying Conditions (from Psychosocial WG)	checkbox
		Significant underlying conditions at the time of COVID-19 testing or diagnosis:	1 bch_under_cond_psych1 Tourette Syndrome
			2 bch_under_cond_psych2 Depression
			3 bch_under_cond_psych3 Anxiety problems
			4 bch_under_cond_psych4 Autism, Asperger's Disorder, pervasive developmental disorder or other autism spectrum disorder
			5 bch_under_cond_psych5 Attention Deficit Disorder or Attention Deficit Hyperactivity Disorder (ADD/ADHD)
			6 bch_under_cond_psych6 Chronic fatigue
			7 bch_under_cond_psych7 Post-traumatic stress disorder (PTSD)
			8 bch_under_cond_psych8 Suicidal thoughts or behaviors
			9 bch_under_cond_psych9 Mania or bipolar disorder
			10 bch_under_cond_psych10 Behavioral disorder or conduct problems
			11 bch_under_cond_psych11 Developmental delay
			12   bch_under_cond_psych12   Intellectual disability (formerly known as mental retardation)
			13 bch_under_cond_psych13 Speech or other language disorder
			14 bch_under_cond_psych14 Learning disability
			Custom alignment: LV Field Annotation: National Survey of Children's Health, 2020 Questionnaire   Modified to add "Chronic fatigue", "PTSD", "Suicidal thoughts or behaviors" and "mania or bipolar disorder"   https://mchb.hrsa.gov/data/national- surveys/questionnaires-datasets-supporting-documents

1707	baseline_child_health_2_complete		opdown Incomplete	
		1	Unverified	
		2	Complete	